Cite this: *Chem. Commun.*, 2021, 57, 6693

DOI: 10.1039/d1cc90224e

rsc.li/chemcomm

Correction: A “double-locked” probe for the detection of hydrogen sulfide in a viscous system

Fanpeng Kong,^{*†} Xiaoxiu Wang,[†] Jundong Bai, Xiao Li, Chao Yang, Ying Li, Kehua Xu^{*} and Bo Tang^{*}

Correction for ‘A “double-locked” probe for the detection of hydrogen sulfide in a viscous system’ by Fanpeng Kong *et al.*, *Chem. Commun.*, 2021, DOI: 10.1039/d1cc01819a.

The authors regret that Kehua Xu's name was spelled incorrectly in the original article. The correct author names are as presented here.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

College of Chemistry, Chemical Engineering and Materials Science, Collaborative Innovation Center of Functionalized Probes for Chemical Imaging in Universities of Shandong, Key Laboratory of Molecular and Nano Probes, Ministry of Education, Institutes of Biomedical Sciences, Shandong Normal University, Jinan 250014, People's Republic of China. E-mail: kong-fanpeng@163.com, xukehua@sdsu.edu.cn, tangb@sdsu.edu.cn

[†] The authors contributed equally to this work.