



Cite this: *Chem. Commun.*, 2021, 57, 7717

DOI: 10.1039/d1cc90271g

rsc.li/chemcomm

## Correction: Vinylboronic acid pinacol ester as a vinyl alcohol-precursor monomer in radical copolymerization with styrene

Hiroshi Makino, Tsuyoshi Nishikawa\* and Makoto Ouchi\*

Correction for 'Vinylboronic acid pinacol ester as a vinyl alcohol-precursor monomer in radical copolymerization with styrene' by Hiroshi Makino *et al.*, *Chem. Commun.*, 2021, DOI: 10.1039/D1CC02603H.

The authors regret that in Table 1, the reactivity ratios of VBpin for MMA and MA were incorrectly swapped with each other. The corrected Table 1 is given below.

**Table 1** Monomer reactivity ratios [ $r_1$  (left)  $r_2$  (right)] of VBpin and VAc ( $M_1$ ) for conjugated monomers ( $M_2$ )

$M_2$	$M_1$	
	VBpin	VAc
St	0.25, 3.77	0.01, 56 <sup>4b</sup>
MMA	0.52, 2.83	0.03, 26 <sup>4c</sup>
MA	0.24, 3.24	0.04, 7.28 <sup>4d</sup>
AN	0.09, 1.98	0.06, 4.05 <sup>4a</sup>

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

Department of Polymer Chemistry, Graduate School of Engineering, Kyoto University, Nishikyo-ku, Kyoto 615-8510, Japan. E-mail: nishikawa.tsuyoshi.8n@kyoto-u.ac.jp, ouchi.makoto.2v@kyoto-u.ac.jp

