



Cite this: *Phys. Chem. Chem. Phys.*,  
2021, 23, 12494

DOI: 10.1039/d1cp90071d


rsc.li/pccp

## Correction: Histidine protonation controls structural heterogeneity in the cyanobacteriochrome AnPixJg2

Aditya G. Rao,<sup>a</sup> Christian Wiebeler,<sup>a</sup> Saumik Sen,<sup>a</sup> David S. Cerutti<sup>b</sup> and Igor Schapiro\*<sup>a</sup>

Correction for 'Histidine protonation controls structural heterogeneity in the cyanobacteriochrome AnPixJg2' by Aditya G. Rao et al., *Phys. Chem. Chem. Phys.*, 2021, DOI: 10.1039/d0cp05314g.

The authors would like to update Fig. 6 in the published article with the correct version shown below.



**Fig. 6** Absorption and CD spectra computed using RI-ADC(2). (A) Absorption spectra for substate D- $\alpha_f$  (solid) and substate D- $\beta_f$  (dotted) of the DPH model. (B) Absorption spectra for substate D- $\alpha_f$  (solid) of the SPH model. (C) CD spectra for substate D- $\alpha_f$  (solid) and substate D- $\beta_f$  (dotted) of the DPH model. (D) CD spectra for substate D- $\alpha_f$  (solid) of the SPH model. The spectra are averages over 100 snapshots for each substate.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Fritz Haber Center for Molecular Dynamics Research, Institute of Chemistry, The Hebrew University of Jerusalem, Jerusalem 91904, Israel.

E-mail: igor.schapiro@mail.huji.ac.il

<sup>b</sup> Department of Chemistry and Chemical Biology, Rutgers University, USA

