Energy & Environmental Science

CORRECTION

Check for updates

Cite this: Energy Environ. Sci., 2021, 14, 5096

Correction: Self-assembled Ti_3C_2 MXene and N-rich porous carbon hybrids as superior anodes for high-performance potassium-ion batteries

Ruizheng Zhao, Haoxiang Di, Xiaobin Hui, Danyang Zhao, Rutao Wang, Chengxiang Wang* and Longwei Yin*

1000 cps

9

DOI: 10.1039/d1ee90043a

rsc.li/ees

Correction for 'Self-assembled Ti_3C_2 MXene and N-rich porous carbon hybrids as superior anodes for high-performance potassium-ion batteries' by Ruizheng Zhao *et al.*, *Energy Environ. Sci.*, 2020, **13**, 246–257, DOI: 10.1039/C9EE03250A.

The authors regret errors in the XRD patterns in Fig. 6b in the original article, specifically patterns 6–9 which were included in error due to unintentionally importing incorrect data. The corrected Fig. 6b is shown below where the top four patterns, 6, 7, 8 and 9, have been replaced with the correct versions. An independent expert assessed the raw data provided by the authors and concluded that it was consistent with the corrected Fig. 6b and with the discussions presented in the article.

KC₃₆ ♦ KC₂₄ ● KC₈



10 15

5

b

ò

3.00 V

Fig. 6 Electrochemical mechanisms. (b) Corresponding *ex situ* XRD patterns for the PDDA-NPCN/Ti₃C₂ anode at different states during the initial potassiation/depotassiation process.

25

30 35

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

20

2 Theta / degree

Key Laboratory for Liquid–Solid Structural Evolution and Processing of Materials, Ministry of Education, School of Materials Science and Engineering, Shandong University, Jinan 250061, P. R. China. E-mail: wcxmat@sdu.edu.cn, yinlw@sdu.edu.cn; Fax: +86 531 88396970; Tel: +86 531 88396970



View Article Online