## **ORGANIC** CHEMISTRY







## **FRONTIERS**

## CORRECTION

**View Article Online** View Journal | View Issue



Cite this: Org. Chem. Front., 2021, 8,

Correction: One-pot, three-component regioselective coupling reaction of triphenylamine/carbazole derivatives with [60] fullerene and indoles via an "umpolung relay" strategy

Xin-Rui Chen, Qian-Wen Zhang, Ge-Ge Tao, Jun Xuan, Hong-Ping Zhou, Yu-Peng Tian and Fei Li\*

DOI: 10.1039/d1qo90077c rsc.li/frontiers-organic

Correction for 'One-pot, three-component regioselective coupling reaction of triphenylamine/carbazole derivatives with [60] fullerene and indoles via an "umpolung relay" strategy' by Xin-Rui Chen et al., Org. Chem. Front., 2021, DOI: 10.1039/D1QO01058A.

The authors regret that in Table 2, the chemical structure of 3ab-fi were incorrectly presented as a 1,2-[60]fullerene adduct rather than a 1,4-[60]fullerene adduct. The corrected table is given below.

Department of Chemistry, Anhui University; Key Laboratory of Structure and Functional Regulation of Hybrid Materials (Anhui University), Ministry of Education; Anhui Province Key Laboratory of Chemistry for Inorganic/Organic Hybrid Functionalized Materials and Key Laboratory of Functional Inorganic Materials of Anhui Province, Hefei, Anhui 230601, China. E-mail: lfe@ahu.edu.cn

 Table 2
 Results of different triphenylamine derivatives as substrates<sup>a,b</sup>

36% (42%)

<sup>a</sup> Unless otherwise specified, all reactions were performed with C<sub>60</sub> (0.05 mmol), 1 (0.06 mmol, 1.2 equiv.), KO'Bu (0.10 mmol, 2.0 equiv.), CF<sub>3</sub>SO<sub>3</sub>H (1 mmol, 20 equiv.), triphenylamine derivatives 2 (0.25 mmol, 5 equiv.) and DDQ (0.25 mmol, 5.0 equiv.) in Schlenk flasks under Ar atmosphere for indicated time.  $^b$  Isolated yield; the values in parentheses are based on consumed  $C_{60}$ .  $^c$  The third step of the reaction was conducted at 100  $^{\circ}$ C for 120 min.  $^d$  The reaction was performed in 1,2-dichlorobenzene/DMSO (4:1) and the third step of the reaction was conducted at 150 °C for 60 min. <sup>e</sup> The third step of the reaction was conducted at 110 °C for 60 min. <sup>f</sup> The third step of the reaction was conducted at 130 °C for 120 min.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.