Analyst



CORRECTION

View Article Online
View Journal | View Issue



Cite this: Analyst, 2022, 147, 4400

Correction: High-efficiency and high-fidelity ssDNA circularisation *via* the pairing of five 3'-terminal bases to assist LR-LAMP for the genotyping of single-nucleotide polymorphisms

Taiwen Li,^a Huayan Zou,^a Jing Zhang,^a Haixia Ding,^a Cheng Li,^a Xiangru Chen,^a Yunzhou Li,^a Wenzhuo Feng*^a and Koji Kageyama^b

DOI: 10.1039/d2an90069f rsc.li/analyst

Correction for 'High-efficiency and high-fidelity ssDNA circularisation *via* the pairing of five 3'-terminal bases to assist LR-LAMP for the genotyping of single-nucleotide polymorphisms' by Taiwen Li *et al.*, *Analyst*, 2022, https://doi.org/10.1039/d2an01042a.

The authors regret that the one of the affiliations (affiliation a) was incorrectly shown in the original manuscript. The corrected list of affiliations is as shown here.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

aKey Laboratory of Agricultural Microbiology, College of Agriculture, Guizhou University, Guiyang 550025, China. E-mail: wenzhuofeng@126.com

^bRiver Basin Research Center, Gifu University, 1-1 Yanagido, Gifu 501-1193, Japan