CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Cite this: *Biomater. Sci.*, 2022, **10**, 1594

Correction: Supramolecular copolymer modified statin-loaded discoidal rHDLs for atherosclerotic anti-inflammatory therapy by cholesterol efflux and M2 macrophage polarization

Qiqi Zhang, Jianhua He, Fengfei Xu, Xinya Huang, Yanyan Wang, Wenli Zhang* and Jianping Liu*

DOI: 10.1039/d2bm90014a
rsc.li/biomaterials-science

Correction for 'Supramolecular copolymer modified statin-loaded discoidal rHDLs for atherosclerotic anti-inflammatory therapy by cholesterol efflux and M2 macrophage polarization' by Qiqi Zhang *et al.*, *Biomater. Sci.*, 2021, **9**, 6153–6168, DOI: 10.1039/D1BM00610J.

The Royal Society of Chemistry regrets that due to an oversight in our production process, Fig. 4 was incorrectly displayed as a duplicate of Fig. 5. The correct Fig. 4 for this manuscript is shown below.

Department of Pharmaceutics, China Pharmaceutical University, Nanjing, Jiangsu 210009, P. R. China. E-mail: zwlz@163.com, jianpingliu1293@163.com

Fig. 4 (A) The amount of cell membrane cholesterol corrected by the amount of cell protein, (B) the permeability of the cell membrane illustrated by the mean fluorescence intensity of (C) the intracellular fluorescent product and the fluidity of the cell membrane indicated by the fluorescence polarization of DPH after incubating the cells with different preparations for 24 h. (D) Flow cytometry analysis of the cellular uptake of PF/TC-C6-d-rHDL-RBITC in foam cells at different time intervals in the presence of LCAT. (E) Flow cytometry analysis of the cellular uptake of PF/TC-C6-d-rHDL-RBITC in foam cells at different time intervals in the presence of LCAT and H₂O₂. **p* < 0.05, ***p* < 0.01, ****p* < 0.001, *****p* < 0.0001 (mean value ± CD, *n* = 3).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.