

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *Biomater. Sci.*, 2022, **10**, 4023

Correction: A highly sensitive silicon nanowire array sensor for joint detection of tumor markers CEA and AFP

Ke Lu,^a Chaoran Liu,^{*a} Gaofeng Wang,^a Weihuang Yang,^a Kai Fan,^a Serguei Lazarouk,^b Vladimir Labunov,^b Linxi Dong,^{*a} Dajuan Li^{*a} and Xun Yang^{*c}

DOI: 10.1039/d2bm90044k

rsc.li/biomaterials-science

Correction for 'A highly sensitive silicon nanowire array sensor for joint detection of tumor markers CEA and AFP' by Ke Lu et al., *Biomater. Sci.*, 2022, <https://doi.org/10.1039/D2BM00555G>.

The authors regret that the contact emails for Dajuan Li, Xun Yang and Linxi Dong were omitted in the original version. The correction list of affiliations is as shown above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aMinistry of Education Engineering Research Center of Smart Microsensors and Microsystems, College of Electronics and Information, Hangzhou Dianzi University, Hangzhou, 310018, China. E-mail: liucr@hdu.edu.cn, donglinxi@hdu.edu.cn, dujuanli@hdu.edu.cn

^bBelarusian State University of Informatics and Radioelectronics, P. Browka 6, 220013 Minsk, Belarus

^cSchool of Electronic and Information Engineering, China West Normal University, Nanchong, 637002, China. E-mail: yangxunjr@163.com

