

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *RSC Chem. Biol.*, 2022,
3, 1359**Correction: Fluorescent metabolic labeling-based quick antibiotic susceptibility test for anaerobic bacteria**Juan Gao,^a Juanxiu Qin,^b Chenling Ding,^c Yuan Gao,^c Junnan Guo,^d Min Li,^{*b}
Chaoyong Yang^{*ad} and Wei Wang^{*a}

DOI: 10.1039/d2cb90037h

rsc.li/rsc-chembioCorrection for 'Fluorescent metabolic labeling-based quick antibiotic susceptibility test for anaerobic bacteria' by Juan Gao *et al.*, *RSC Chem. Biol.*, 2022, <https://doi.org/10.1039/d2cb00163b>.

Two of the affiliations (b and c) were reported in the wrong order in the original article.

A corrected version of the affiliation list is shown here, in which the Department of Laboratory Medicine, Renji Hospital, Shanghai Jiao Tong University School of Medicine has changed from affiliation c to b, and the Department of Critical Care Medicine, Renji Hospital, Shanghai Jiao Tong University School of Medicine has changed from affiliation b to c.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Institute of Molecular Medicine, Renji Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai 200127, China. E-mail: cyyang@xmu.edu.cn, wwang@shsmu.edu.cn

^b Department of Laboratory Medicine, Renji Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai 200127, China. E-mail: ruth_limin@126.com

^c Department of Critical Care Medicine, Renji Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai 200127, China

^d The MOE Key Laboratory of Spectrochemical Analysis and Instrumentation, Key Laboratory for Chemical Biology of Fujian Province State Key Laboratory of Physical Chemistry of Solid Surfaces, Department of Chemical Biology, College of Chemistry and Chemical Engineering Xiamen University, Xiamen 361005, China

