



Cite this: *Energy Environ. Sci.*,  
2022, 15, 395

## Correction: Addressing energy storage needs at lower cost via on-site thermal energy storage in buildings

Adewale Odukamaiya,<sup>a</sup> Jason Woods,<sup>a</sup> Nelson James,<sup>a</sup> Sumanjeet Kaur,<sup>b</sup> Kyle R. Gluesenkamp,<sup>c</sup> Navin Kumar,<sup>d</sup> Sven Mumme,<sup>e</sup> Roderick Jackson<sup>a</sup> and Ravi Prasher<sup>\*bf</sup>

DOI: 10.1039/d1ee90067f

Correction for 'Addressing energy storage needs at lower cost via on-site thermal energy storage in buildings' by Adewale Odukamaiya et al., *Energy Environ. Sci.*, 2021, 14, 5315–5329, DOI: 10.1039/D1EE01992A.

rsc.li/ees

There were errors in the insets of Fig. 5d–f. The orange lines should have been labelled  $COP_c/COP_{av} = 1$ ; the grey lines  $COP_c/COP_{av} = 1.5$ ; and the blue lines  $COP_c/COP_{av} = 2$ . The figure should have appeared as follows:




Fig. 5 The LCOS for thermal storage depends on many factors.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> National Renewable Energy Laboratory, Golden, Colorado, USA. E-mail: wale.odukamaiya@nrel.gov

<sup>b</sup> Lawrence Berkeley National Laboratory, Berkeley, California, USA. E-mail: rsprasher@lbl.gov

<sup>c</sup> Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA

<sup>d</sup> Gas Technology Institute, Des Plaines, Illinois, USA

<sup>e</sup> U.S. Department of Energy, Washington D.C., USA

<sup>f</sup> University of California, Berkeley, California, USA

