



CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



## Correction: Effect of the orientation and fluid flow on the accumulation of organotin compounds to Chemcatcher passive samplers

Cite this: *Environ. Sci.: Processes Impacts*, 2022, 24, 1957

H. Ahkola, <sup>\*a</sup> J. Juntunen, <sup>\*a</sup> M. Laitinen,<sup>b</sup> K. Krogerus,<sup>a</sup> T. Huttula,<sup>a</sup> S. Herve<sup>a</sup> and A. Witick<sup>c</sup>

DOI: 10.1039/d2em90026b

rsc.li/espi

Correction for 'Effect of the orientation and fluid flow on the accumulation of organotin compounds to Chemcatcher passive samplers' by H. Ahkola *et al.*, *Environ. Sci.: Processes Impacts*, 2015, 17, 813–824, <https://doi.org/10.1039/C4EM00585F>.

The authors regret a mistake in Table 4 of their manuscript. The unit of sampling rate ( $R_s$ ) in Table 4 should be “L per day”, not “mL per day”.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.



<sup>a</sup>Finnish Environment Institute (SYKE), Survontie 9A (Technopolis), 40500 Jyväskylä, Finland. E-mail: heidi.ahkola@ymparisto.fi; janne.juntunen@ymparisto.fi

<sup>b</sup>Numerola Ltd, P.O. Box 126, FI-40101 Jyväskylä, Finland

<sup>c</sup>Nab Labs Oy, Survontie 9 (YAD), 40500 Jyväskylä, Finland