

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Correction: Effect of the orientation and fluid flow on the accumulation of organotin compounds to Chemcatcher passive samplers

Cite this: *Environ. Sci.: Processes Impacts*, 2022, 24, 1957

H. Ahkola, ^{*a} J. Juntunen, ^{*a} M. Laitinen,^b K. Krogerus,^a T. Huttula,^a S. Herve^a and A. Witick^c

DOI: 10.1039/d2em90026b

rsc.li/espi

Correction for 'Effect of the orientation and fluid flow on the accumulation of organotin compounds to Chemcatcher passive samplers' by H. Ahkola *et al.*, *Environ. Sci.: Processes Impacts*, 2015, 17, 813–824, <https://doi.org/10.1039/C4EM00585F>.

The authors regret a mistake in Table 4 of their manuscript. The unit of sampling rate (R_s) in Table 4 should be “L per day”, not “mL per day”.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.



^aFinnish Environment Institute (SYKE), Survontie 9A (Technopolis), 40500 Jyväskylä, Finland. E-mail: heidi.ahkola@ymparisto.fi; janne.juntunen@ymparisto.fi

^bNumerola Ltd, P.O. Box 126, FI-40101 Jyväskylä, Finland

^cNab Labs Oy, Survontie 9 (YAD), 40500 Jyväskylä, Finland