Food & Function



CORRECTION

View Article Online
View Journal | View Issue



Cite this: Food Funct., 2022, **13**, 13064

Correction: Clinical correlation between serum cytokines and the susceptibility to *Polygonum multiflorum*-induced liver injury and an experimental study

Le Zhang,^a Ming Niu,^c Ai-wu Wei,^d Jin-fa Tang,^d Peng-yan Li,^c Di Song,^c Zhao-fang Bai,^c You-ping Liu,^e Xiao-he Xiao^c and Jia-bo Wang*^{b,c}

DOI: 10.1039/d2fo90091b rsc.li/food-function

Correction for 'Clinical correlation between serum cytokines and the susceptibility to *Polygonum multiflorum*-induced liver injury and an experimental study' by Le Zhang *et al.*, *Food Funct.*, 2022, **13**, 825–833, https://doi.org/10.1039/D1FO03489H.

The authors regret the incomplete description of the time of intragastric administration of *Polygonum multiflorum* (PM) water extract or *cis*-stilbene glycoside (CSG) solution in the original article, which may cause misunderstanding of days of administration. Two sentences should be added to make the methods section much clearer in section 2.3.3 and 2.3.4.

In section 2.3.3, a sentence needs to be added after the sentence "Low-dose PM water extract was 3.12 g kg⁻¹ (equivalent to 4 times the clinical equivalent dose), with a high dose of 6.24 g kg⁻¹". The additional sentence is: "Mice in corresponding groups were given PM water extract or deionized water once a day for 6 consecutive days, and fasted for 12 h after the last gavage. On the 7th day", followed by the sentence in the original text "mice in the groups labeled T were injected with TNF- α solution *via* the caudal vein, and the remaining groups were injected with normal saline."

In section 2.3.4, a sentence needs to be added after the sentence "CSG was dissolved in deionized water to the desired concentration". The additional sentence is: "Mice in corresponding groups were given CSG solution or deionized water once a day for 6 consecutive days, and fasted for 12 h after the last gavage. On the 7th day", followed by the sentence in the original text "mice in the groups labeled T were injected with TNF- α solution via the caudal vein, and the remaining groups were injected with normal saline."

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aCollege of Pharmacy, Southwest Minzu University, Chengdu, Sichuan, China

^bSchool of Traditional Chinese Medicine, Capital Medical University, Beijing, China. E-mail: jiabo_wang@ccmu.edu.cn

^cSenior Department of Hepatology, the Fifth Medical Center of PLA General Hospital, Beijing, China

^dThe First Affiliated Hospital of Henan University of Chinese Medicine, Zhengzhou, Henan, China

^eCollege of Pharmacy, Chengdu University of Traditional Chinese Medicine, Chengdu, Sichuan, China