



Cite this: *Nanoscale*, 2022, **14**, 9932

Correction: Integration of sequential analytical processes into sub-100 nm channels: volumetric sampling, chromatographic separation, and label-free molecule detection

Yoshiyuki Tsuyama,^a Kyojiro Morikawa^b and Kazuma Mawatari^{*a,b}

DOI: 10.1039/d2nr90127g
rsc.li/nanoscale

Correction for 'Integration of sequential analytical processes into sub-100 nm channels: volumetric sampling, chromatographic separation, and label-free molecule detection' by Yoshiyuki Tsuyama *et al.*, *Nanoscale*, 2021, **13**, 8855–8863, <https://doi.org/10.1039/D0NR08385B>.

The authors regret that references 6, 7, 14, 15, 21, 33, 37, 42 and 44 in the original article contained incorrect information. The corrected references are listed below as ref. 1–9, respectively.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

References

- 1 L. Yang and T. Yamamoto, *Front. Microbiol.*, 2016, **7**, 1500.
- 2 Z. Zhu, *Nano-Micro Lett.*, 2017, **9**, 25.
- 3 Y. Xu, *Adv. Mater.*, 2018, **30**, 1702419.
- 4 Q. Wu, N. Kaji, T. Yasui, S. Rahong, T. Yanagida, M. Kanai, K. Nagashima, M. Tokeshi, T. Kawai and Y. Baba, *Sci. Rep.*, 2017, **7**, 43877.
- 5 T. H. H. Le, H. Shimizu and K. Morikawa, *Micromachines*, 2020, **11**, 885.
- 6 S. J. Kim, Y. C. Wang, J. H. Lee, H. Jang and J. Han, *Phys. Rev. Lett.*, 2007, **99**, 044501.
- 7 K. Morikawa, Y. Kazoe, Y. Takagi, Y. Tsuyama, Y. Pihosh, T. Tsukahara and T. Kitamori, *Micromachines*, 2020, **11**, 995.
- 8 Y. Tsuyama and K. Mawatari, *Microfluid. Nanofluid.*, 2020, **24**, 28.
- 9 Y. Tsuyama, K. Morikawa and K. Mawatari, *J. Chromatogr. A*, 2020, **1624**, 461265.

^aDepartment of Bioengineering, School of Engineering, The University of Tokyo, 7-3-1, Hongo, Bunkyo, Tokyo 113-8656, Japan. E-mail: kmawatari@g.ecc.u-tokyo.ac.jp

^bDepartment of Applied Chemistry, School of Engineering, The University of Tokyo, 7-3-1, Hongo, Bunkyo, Tokyo 113-8656, Japan

