



## Correction: Dipyrrolyl-bis-sulfonamide chromophore based probe for anion recognition

Namdev V. Ghule,<sup>ac</sup> Sheshanath V. Bhosale<sup>\*b</sup> and Sidhanath V. Bhosale<sup>\*a</sup>

Cite this: *RSC Adv.*, 2022, 12, 8569

DOI: 10.1039/d2ra90024f

[rsc.li/rsc-advances](https://rsc.li/rsc-advances)

Correction for 'Dipyrrolyl-bis-sulfonamide chromophore based probe for anion recognition' by Namdev V. Ghule et al., *RSC Adv.*, 2014, 4, 27112–27115, DOI: 10.1039/C4RA04000G.

The authors regret that an incorrect version of Fig. 1 was included in the original article. The correct version of Fig. 1 is presented below.




Fig. 1 Color changes of receptor DPBS in chloroform upon addition of 5 equiv. of  $F^-$ ,  $Cl^-$ ,  $Br^-$ ,  $I^-$ ,  $H_2PO_4^-$ ,  $HSO_4^-$ ,  $ClO_4^-$  and  $AcO^-$  (tetra-butylammonium salts).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Polymers and Functional Material Division, CSIR-Indian Institute of Chemical Technology, Hyderabad 50060, AP, India. E-mail: [bhosale@iict.re.in](mailto:bhosale@iict.re.in)

<sup>b</sup>School of Applied Sciences, RMIT University, GPO Box 2476V, Melbourne 3001, Victoria, Australia. E-mail: [sheshanath.bhosale@rmit.edu.au](mailto:sheshanath.bhosale@rmit.edu.au); Tel: +61399252680

<sup>c</sup>Department of Organic Chemistry, School of Chemical Sciences, North Maharashtra University, Jalgaon-425001, M.S., India

