



Cite this: *Soft Matter*, 2022, 18, 9118


### Correction: Effect of the content and strength of hard segment on the viscoelasticity of the polyurethane elastomer: insights from molecular dynamics simulation

Yimin Wang,<sup>ab</sup> Ruibin Ma,<sup>ab</sup> Haoxiang Li,<sup>ab</sup> Shikai Hu,<sup>ab</sup> Yangyang Gao,<sup>\*ab</sup> Li Liu,<sup>\*ab</sup> Xiuying Zhao<sup>\*ab</sup> and Liqun Zhang<sup>ab</sup>

DOI: 10.1039/d2sm90153f  
[rsc.li/soft-matter-journal](https://doi.org/10.1039/d2sm90153f)

Correction for 'Effect of the content and strength of hard segment on the viscoelasticity of the polyurethane elastomer: insights from molecular dynamics simulation' by Yimin Wang *et al.*, *Soft Matter*, 2022, 18, 4090–4101, <https://doi.org/10.1039/D2SM00463A>.

The published article contains display errors in Fig. 1, 3, 6–9 and 12 in which several symbols in axis labels and in inset figure keys are not displayed correctly. The corrected images are shown here. The data and colour scheme in the figures are the same as in the original article; all other content of the article remains the same, and the interpretation of the results remains unchanged. The authors would like to apologise for any inconvenience caused.



**Fig. 1** (a) The normalized interaction energy ( $|E/\epsilon|$ ), (b) the formation probability (P) of the HS or SS and (c) the order parameter ( $\Psi$ ) with respect to the content of HS  $\alpha_H$  ( $T^* = 1.0$ ).

<sup>a</sup> State Key Laboratory of Organic-Inorganic Composites, Beijing University of Chemical Technology, 100029 Beijing, P. R. China. E-mail: liul@mail.buct.edu.cn, gaoyy@mail.buct.edu.cn

<sup>b</sup> Key Laboratory of Beijing City on Preparation and Processing of Novel Polymer Materials, Beijing University of Chemical Technology, 100029 Beijing, P. R. China






Fig. 3 (a) The normalized interaction energy ( $|E|/\epsilon$ ), (b) the order parameter ( $\Psi$ ), and (c) snapshots of the hard-block block PU with respect to the HS-HS interaction  $\epsilon_{HH}$ . The blue beads denote the SS beads while the red beads denote the HS beads ( $T^* = 1.0$ ,  $\alpha_H = 0.5$ ).




Fig. 6 The normalized interaction energy ( $|E|/\epsilon$ ) between (a) HS and HS, (b) HS and SS, or (c) SS and SS, and (d) the formation probability ( $P$ ) of HS or SS with respect to the content of HS  $\alpha_H$  for different shear strain amplitudes  $\gamma_0$  ( $T^* = 1.0$ ).






Fig. 7 (a) The thermal energy exchange ( $\Delta E_{ex}$ ) and (b) the dissipated energy within ten cycles ( $W_d$ ) with respect to the content of HS  $\alpha_H$  for different shear strain amplitudes  $\gamma_0$  ( $T^* = 1.0$ ).




Fig. 8 (a) The thermal energy exchange ( $\Delta E_{ex}$ ) contributed by each bead for (a) HS and (b) SS respectively with respect to the content of HS  $\alpha_H$  for different shear strain amplitudes  $\gamma_0$ . ( $T^* = 1.0$ ).




Fig. 9 (a) The parameter  $RS_{All}$  with respect to the content of HS  $\alpha_H$  for different shear strain amplitudes  $\gamma_0$ . (b) The  $RS$  contributed by the relative slippage between HS and HS, HS and SS, or SS and SS, respectively, with respect to  $\alpha_H$  at  $\gamma_0 = 0.8$  ( $T^* = 1.0$ ).






Fig. 12 (a) The thermal energy exchange ( $\Delta E_{ex}$ ) and (b) the thermal energy exchange ( $\Delta E_{ex}$ ) contributed by HS or SS, respectively, with respect to the HS–HS interactions for different shear strain amplitudes  $\gamma_0$  ( $T^* = 1.0$ ).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

