



Cite this: *J. Mater. Chem. B*, 2022,
10, 131

Correction: Magnetic mesoporous silica/ ε -polylysine nanomotor-based removers of blood Pb^{2+}

Zhiyong Liu,^a Tingting Xu,^{ab} Meng Wang,^a Chun Mao^{*a} and Bo Chi^{*c}

DOI: 10.1039/d1tb90188e

Correction for 'Magnetic mesoporous silica/ ε -polylysine nanomotor-based removers of blood Pb^{2+} ' by Zhiyong Liu *et al.*, *J. Mater. Chem. B*, 2020, **8**, 11055–11062, DOI: 10.1039/D0TB02270E.

rsc.li/materials-b

The authors of this manuscript regret an error in Fig. S8 of the electronic supplementary information of this manuscript. The corrected Fig. S8 is presented below.




Fig. S8 Fluorescence images of inside peripheral blood lymphocytes before (a) and after being incubated with (b) Fe_3O_4 NPs and (c) the MMS/P/H NRs; (d) cell viability of peripheral blood lymphocytes before and after being incubated with Fe_3O_4 and the MMS/P/H NRs.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a National and Local Joint Engineering Research Center of Biomedical Functional Materials, Jiangsu Key Laboratory of Biofunctional Materials, School of Chemistry and Materials Science, Nanjing Normal University, Nanjing 210023, China. E-mail: maochun@njnu.edu.cn

^b Jiangsu Co-Innovation Center of Efficient Processing and Utilization of Forest Resources, College of Light Industry and Food Engineering, Nanjing Forestry University, Nanjing 210037, China

^c State Key Laboratory of Materials-Oriented Chemical Engineering, College of Food Science and Light Industry, Nanjing Tech University, Nanjing 211816, China. E-mail: chibo@njtech.edu.cn

