CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Cite this: *J. Mater. Chem. B*, 2022, 10, 817

Correction: Rational design of Fe₃O₄@C nanoparticles for simultaneous bimodal imaging and chemo-photothermal therapy *in vitro* and *in vivo*

Qinghe Han,^a Xiaodong Wang,^b Zhiqiang Sun,^c Xiaofei Xu,^a Longhai Jin,^a Lixin Qiao^a and Qinghai Yuan^{*a}

DOI: 10.1039/d2tb90010f

rsc.li/materials-b

Correction for 'Rational design of Fe₃O₄@C nanoparticles for simultaneous bimodal imaging and chemo-photothermal therapy *in vitro* and *in vivo*' by Qinghe Han *et al.*, *J. Mater. Chem. B*, 2018, 6, 5443–5450, DOI: 10.1039/C8TB01184B.

The authors regret errors in several TEM, histological and fluorescence images in their *Journal of Materials Chemistry B* article and the corresponding Supplementary Information.

The original version of Fig. 1D contained two identical nanoparticles as the authors intended to include an inset of a typical nanoparticle and later decided to use the expanded image only, without removing the inset.

The correct version of Fig. 1 is shown here. The corrected version of Fig. 1 contains new data as the original data is no longer available.

The original version of Fig. 2E contained overlapping sections in panels a and c. The correct version of Fig. 2E is shown here. The corrected version of Fig. 2E contains new data as the original data is no longer available.

The original version of Fig. S10 was included in error and was a duplicate of the original Fig. 1E but with three nanoparticles removed. This occurred because these nanoparticles were removed to be used as insets and the image inadvertently saved after the nanoparticles had been removed. Fig. S10 in the Supplementary Information has been updated accordingly.

The Control and NPs panels for the Lung in the original version of Fig. S15 are duplicates and the original version of Fig. S16 was also included in error. Fig. S15 and S16 in the Supplementary Information have been corrected and updated accordingly.

An independent expert has viewed the corrected images and has concluded that they are consistent with the discussions and conclusions presented.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Radiology Department, The Second Hospital of Jilin University, Changchun 130041, P. R. China. E-mail: yuanqinghai123@sina.com

^b Digestive Endoscopic Department, The Second Hospital of Jilin University, Changchun 130041, P. R. China

^c Department of Interventional Center, Jilin Provincial Cancer Hospital, Changchun, Jilin 130012, P. R. China

Fig. 1 TEM images of (A) α - Fe_2O_3 NPs, (B) Fe_2O_3 @PAA eccentric core-shell NPs, (C) Fe_2O_3 @PAA/ SiO_2 eccentric core-shell NPs, (D) Fe_3O_4 @C/ SiO_2 eccentric core-shell NPs, and (E) Fe_3O_4 @C eccentric core-shell NPs. The inset in E is the polyporous C shell. (F) SEM image of Fe_3O_4 @C eccentric core-shell NPs.

Fig. 2 (E) Fluorescence images of HepG-2 cells subjected to different treatments via staining with calcein AM: (a) control; (b) laser irradiation only; (c) Fe_3O_4 @C eccentric core-shell NPs only; (d) Fe_3O_4 @C eccentric core-shell NPs with NIR irradiation (scale bars: 200 μm).