



Cite this: *Chem. Soc. Rev.*, 2023, 52, 5340

Correction: Near-infrared metal agents assisting precision medicine: from strategic design to bioimaging and therapeutic applications

Chonglu Li,^{†ab} Yida Pang,^{†b} Yuling Xu,^{†b} Mengjiao Lu,^{†c} Le Tu,^{†b} Qian Li,^d Amit Sharma,^e Zhenzhong Guo,^{*a} Xiangyang Li^{*c} and Yao Sun^{*b}

DOI: 10.1039/d3cs90060f

rsc.li/chem-soc-rev

Correction for 'Near-infrared metal agents assisting precision medicine: from strategic design to bioimaging and therapeutic applications' by Chonglu Li *et al.*, *Chem. Soc. Rev.*, 2023, 52, 4392–4442, <https://doi.org/10.1039/D3CS00227F>.

The authors regret that there were errors in some of the molecular structures in Fig. 5 (compound 19), Fig. 9 (compound 43), Fig. 11 (compounds 51 and 54), Fig. 12 (compound 56) and Fig. 15 (compounds 74 and 76) in the original article. The corrected figures are shown here. None of the conclusions in the paper are affected by these corrections.




Fig. 5 Chemical structures and maximum absorption/emission wavelengths of NIR-I Pt(II) polypyridine complexes (15–21).

^a Hubei Province Key Laboratory of Occupational Hazard Identification and Control, School of Medicine, School of Public Health, Wuhan University of Science and Technology, Wuhan 430065, China. E-mail: zhongbujueqi@hotmail.com

^b National Key Laboratory of Green Pesticide, College of Chemistry, Central China Normal University, Wuhan 430079, China. E-mail: sunyaogbasp@ccnu.edu.cn

^c National Key Laboratory of Green Pesticide, Key Laboratory of Green Pesticide and Agricultural Bioengineering, Ministry of Education, Guizhou University, Guiyang 550025, China. E-mail: xyl1@gzu.edu.cn

^d NHC Key Laboratory of Nuclear Medicine, Jiangsu Key Laboratory of Molecular Nuclear Medicine, Jiangsu Institute of Nuclear Medicine, Wuxi 214063, China

^e CSIR-Central Scientific Instruments Organisation, Sector-30C, Chandigarh 160030, India

[†] Equally contributed.






Fig. 9 Chemical structures and maximum absorption/emission wavelengths of NIR-I MMCs containing fluorophore ligands (**39–46**).




Fig. 11 Chemical structures and maximum absorption/emission wavelengths of NIR-II MMCs containing porphyrin ligands (**49–54**).




Fig. 12 Chemical structures and maximum absorption/emission wavelengths of NIR-II MMCs containing fluorophore ligands (**55–57**).






Fig. 15 Chemical structures and maximum absorption/emission wavelengths of NIR-I MOCs (72–77) containing fluorophores.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

