

Lab on a Chip

Devices and applications at the micro- and nanoscale
rsc.li/loc

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 1473-0197 CODEN LCAHAM 23(9) 2145-2358 (2023)




Cover
See Wenming Liu *et al.*,
pp. 2161–2174.
Image reproduced by
permission of Wenming Liu
from *Lab Chip*, 2023, 23, 2161.

COMMUNICATION

2154

From rectangular to diamond shape: on the three-dimensional and size-dependent transformation of patterns formed by single particles trapped in microfluidic acoustic tweezers

Zhichao Deng, Vijay V. Kondalkar, Christian Cierpka, Hagen Schmidt* and Jörg König*




PAPERS

2161

Facile construction of a 3D tumor model with multiple biomimetic characteristics using a micropatterned chip for large-scale chemotherapy investigation

Meilin Sun, Jinwei Zhang, Wenzhu Fu, Tingting Xuanyuan and Wenming Liu*



Editorial Staff

Executive Editor

Philippa Ross

Deputy Editor

Alice Smallwood

Editorial Production Manager

Jason Woolford

Development Editor

David Lake

Publishing Editors

Gabriel Clarke, Derya Kara-Fisher, Ziva Whitelock

Editorial Assistant

Leo Curtis

Publishing Assistant

Andrea Whiteside

Publisher

Jeanne Andres

For queries about submitted papers please contact Jason Woolford, Editorial Production Manager, in the first instance. E-mail: loc@rsc.org

For pre-submission queries please contact Philippa Ross, Executive Editor. E-mail: loc-rsc@rsc.org

Lab on a Chip (electronic: ISSN 1473-0189) is published 24 times a year by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF.

All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to the Royal Society of Chemistry Order Department, Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, CB4 0WF, UK

Tel +44 (0)1223 432398; E-mail orders@rsc.org

2023 Annual (electronic) subscription price: £1617; US\$2902.

Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT.

If you take an institutional subscription to any Royal Society of Chemistry journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip

Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank.

Whilst this material has been produced with all due care, the Royal Society of Chemistry cannot be held responsible or liable for its accuracy and completeness, nor for any consequences arising from any errors or the use of the information contained in this publication. The publication of advertisements does not constitute any endorsement by the Royal Society of Chemistry or Authors of any products advertised. The views and opinions advanced by contributors do not necessarily reflect those of the Royal Society of Chemistry which shall not be liable for any resulting loss or damage arising as a result of reliance upon this material. The Royal Society of Chemistry is a charity, registered in England and Wales, Number 207890, and a company incorporated in England by Royal Charter (Registered No. RC000524), registered office: Burlington House, Piccadilly, London W1J 0BA, UK, Telephone: +44 (0) 207 4378 6556.

Advertisement sales:

Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017;

E-mail advertising@rsc.org

For marketing opportunities relating to this journal, contact marketing@rsc.org

Lab on a Chip

Devices and applications at the micro- and nanoscale

rsc.li/loc

Lab on a Chip provides a unique forum for the publication of significant and original work related to miniaturisation, at the micro- and nano-scale, of interest to a multidisciplinary readership. The journal seeks to publish work at the interface between physical technological advancements and high impact applications that are of direct interest to a broad audience.

Editorial board

Editor-in-Chief

Aaron Wheeler, University of Toronto, Canada

Associate Editors

Jean-Christophe Baret, University of

Bordeaux

Yoon-Kyoung Cho, UNIST, South Korea

Amy Herr, University of California, Berkeley,

USA

Séverine Le Gac, University of Twente,

The Netherlands

Hang Lu, Georgia Institute of Technology, USA

Xingyu Jiang, Southern University of Science

and Technology, Shenzhen, China

Manabu Tokeshi, Hokkaido University, Japan

Hongkai Wu, Hong Kong University of Science

and Technology, China

Advisory Board

Esther Amstad, Swiss Federal Institute of

Technology in Lausanne (EPFL), Switzerland

Yoshinobu Baba, Nagoya University, Japan

Holger Becker, microfluidic ChipShop GmbH,

Germany

Anja Boisen, Technical University of Denmark,

Denmark

Oscar Ces, Imperial College London, UK

Dino Di Carlo, University of California, Los

Angeles, USA

Stephanie Descroix, Institut Curie, France

Petra Dittrich, ETH Zurich, Switzerland

Xudong Fan, University of Michigan, USA

Qun Fang, Zhejiang University, China

Albert Folch, University of Washington, USA

Piotr Garstecki, Institute of Physical Chemistry

of the Polish Academy of Sciences, Poland

Martin A. M. Gijs, EPFL, Switzerland

Mark Gilligan, Dolomite, UK

Keisuke Goda, University of Tokyo, Japan

Mei He, University of Kansas, USA

Tony Jun Huang, Duke University, USA

Yanyi Huang, Peking University, China

Daniel Irimia, Massachusetts General

Hospital, USA

David Issadore, University of Pennsylvania,

USA

Noo Li Jeon, Seoul National University, South

Korea

Michelle Khine, University of California,

Irvine, USA

Sunghoon Kwon, Seoul National University,

South Korea

Wlibur Lam, Georgia Institute of Technology

and Emory University, USA

Abraham Lee, University of California, Irvine,

USA

Gwo-Bin Lee, National Tsing Hua University,

Taiwan

Weihua Li, University of Wollongong, Australia

Xiujun Li, University of Texas at El Paso, USA

Chwee Teck Lim, National University of

Singapore, Singapore

Ai Qun Liu, Nanyang Technological University,

Singapore

Adrian Neild, Monash University, Australia

Nam-Trung Nguyen, Griffith University,

Australia

Nicole Pamme, Stockholm University, Sweden

Ian Papautsky, University of Illinois at Chicago,

USA

Jianhua Qin, Dalian Institute of Chemical

Physics, China

Sámuel Sánchez, Institute of Bioengineering of

Catalonia, Spain

Anderson Shum, University of Hong Kong,

China

David Sinton, University of Toronto, Canada

Shoji Takeuchi, University of Tokyo, Japan

Sindy Tang, Stanford University, USA

Yi-Chin Toh, Queensland University of

Technology, Australia

Albert van den Berg, University of Twente,

The Netherlands

Joel Voldman, Massachusetts Institute of

Technology, USA

Jeff Tza-Huei Wang, Johns Hopkins University,

USA

David Weitz, Harvard University, USA

George Whitesides, Harvard University, USA

Chaoyong James Yang, Xiamen University,

China

Po Ki Yuen, Corning Incorporated, New

York, USA

Roland Zengerle, Hahn-Schickard, Germany

Weian Zhao, University of California, Irvine,

USA

Information for Authors

Full details on how to submit material for publication in *Lab on a Chip* are given in the Instructions for Authors (available from <http://www.rsc.org/authors>). Submissions should be made via the journal's homepage: rsc.li/loc

Authors may reproduce/republish portions of their published contribution without seeking permission from the Royal Society of Chemistry, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)–Reproduced by permission of the Royal Society of Chemistry.

This journal is © The Royal Society of Chemistry 2023.

Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulation 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publishers or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA.

© The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).


Registered charity number: 207890



2175

Metallic micro-ring device for highly efficient large cargo delivery in mammalian cells using infrared light pulses


Ashwini Shinde, Pallavi Shinde, Srabani Kar, Kavitha Illath, Souvik Dey, Nitish R. Mahapatra, Moeto Nagai and Tuhin Subhra Santra*



2193

Graphene-based microfluidic perforated microelectrode arrays for retinal electrophysiological studies


Alberto Esteban-Linares, Xiaosi Zhang, Hannah H. Lee, Michael L. Risner, Sharon M. Weiss, Ya-Qiong Xu, Edward Levine* and Deyu Li*



2206

Heterogeneous tissue construction by on-demand bubble-assisted acoustic patterning


Qinghao Hu, Xuejia Hu, Yang Shi, Li Liang, Jiaomeng Zhu, Shukun Zhao, Yifan Wang, Zezheng Wu, Fubing Wang, Fuling Zhou and Yi Yang*



2217


Facilitation of axonal transcriptome analysis with quantitative microfluidic devices

Zhuoxuan Yang, Jun Yu, Jian Zhang, Huixue Song, Haixia Ye, Jianhui Liu, Nijia Wang, Pengfei Che, Gaoxin Long, Yunxuan Wang, Jaewon Park* and Sheng-Jian Ji*



2228


Mid-IR metasurface in 16-well cell culture chamber



Metasurface-enhanced infrared spectroscopy in multiwell format for real-time assaying of live cells

Steven H. Huang,* Giovanni Sartorello, Po-Ting Shen, Chengqi Xu, Olivier Elemento* and Gennady Shvets*


2241



High-DNA integrity sperm selection using rheotaxis and boundary following behavior in a microfluidic chip


Soroush Zeaei, Mohammad Zabetian Targhi,* Iman Halvaei and Reza Nosrati*

2249

Temporal sorting of microdroplets can identify productivity differences of itaconic acid from libraries of *Yarrowia lipolytica*

Emily K. Bowman,* Phuong T. Nguyen Hoang, Angela R. Gordillo Sierra, Karoline M. Vieira Nogueira and Hal S. Alper

2257



A multiscale, vertical-flow perfusion system with integrated porous microchambers for upgrading multicellular spheroid culture


Mai Takagi, Masumi Yamada,* Rie Utoh and Minoru Seki



2268

A versatile artificial skin platform for sweat sensor development


Emma J. M. Moonen, Tanveer ul Islam, Sebastiaan van Kemenade, Eduard Pelsers, Jason Heikenfeld and Jaap M. J. den Toonder*



2276

Droplet-based microfluidic platform for viscosity measurement over extended concentration range

Paul Cochard-Marchewka,* Nicolas Bremond and Jean Baudry



2286

Lab-in-a-fiber-based integrated particle separation and counting


T. Kumar, A. V. Harish, S. Etcheverry, W. Margulis, F. Laurell and A. Russom*




2294

Flexible coaxial composite fiber based on carbon nanotube and thermochromic particles for multifunctional sensor and wearable electronics

Ningle Hou, Hui Wang, Aijia Zhang, Ling Li,* Xiaoting Li* and Wenming Zhang*




2304



Transdermal on-demand drug delivery based on an iontophoretic hollow microneedle array system

Usanee Detamornrat, Marc Parrilla,*
Juan Domínguez-Robles, Qonita Kurnia Anjani,
Eneko Larrañeta, Karolien De Wael
and Ryan F. Donnelly*


2316



Holographic flow scanning cytometry overcomes depth of focus limits and smartly adapts to microfluidic speed

Zhe Wang, Vittorio Bianco,* Pier Luca Maffettone
and Pietro Ferraro


2327



Integration of silicon chip microstructures for in-line microbial cell lysis in soft microfluidics

Pavani Vamsi Krishna Nittala, Allison Hohreiter,
Emilio Rosas Linhard, Ryan Dohn, Suryakant Mishra,
Abhiteja Konda, Ralu Divan, Supratik Guha
and Anindita Basu*

2341



AC-electric-field-controlled multi-component droplet coalescence at microscale

Weidong Fang, Zhi Tao, Haiwang Li, Shuai Yin,
Tiantong Xu, Yi Huang* and Teckneng Wong



CORRECTION

2356

Correction: Fully-automated and field-deployable blood leukocyte separation platform using multi-dimensional double spiral (MDDS) inertial microfluidics

Hyungkook Jeon, Bakr Jundi, Kyungyong Choi, Hyunryul Ryu, Bruce D. Levy, Geunbae Lim and Jongyoon Han*

