

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Mater. Horiz.*, 2023, **10**, 1884

## Correction: Tuning the arrangement of lamellar nanostructures: achieving the dual function of physically killing bacteria and promoting osteogenesis

Shi Mo,<sup>ab</sup> Kaiwei Tang,<sup>bc</sup> Qing Liao,<sup>a</sup> Lingxia Xie,<sup>a</sup> Yuzheng Wu,<sup>b</sup> Guomin Wang,<sup>b</sup> Qingdong Ruan,<sup>b</sup> Ang Gao,<sup>a</sup> Yuanliang Lv,<sup>ad</sup> Kaiyong Cai,<sup>e</sup> Liping Tong,<sup>\*a</sup> Zhengwei Wu,<sup>\*bf</sup> Paul K Chu<sup>b</sup> and Huaiyu Wang<sup>\*a</sup>

DOI: 10.1039/d3mh90012f

[rsc.li/materials-horizons](http://rsc.li/materials-horizons)

Correction for 'Tuning the arrangement of lamellar nanostructures: achieving the dual function of physically killing bacteria and promoting osteogenesis' by Shi Mo *et al.*, *Mater. Horiz.*, 2023, **10**, 881–888, <https://doi.org/10.1039/d2mh01147f>.

The authors regret that the address of Liping Tong in the published article was incorrectly given as “<sup>b</sup>Department of Physics, Department of Materials Science and Engineering, and Department of Biomedical Engineering, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong, China”; it should be “<sup>a</sup>Institute of Biomedicine and Biotechnology, Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, Shenzhen, China”. In addition, Liping Tong, Zhengwei Wu and Huaiyu Wang should all be marked with the asterisk symbol \* to indicate that they are corresponding authors. The corrected author details are as shown herein.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Institute of Biomedicine and Biotechnology, Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, Shenzhen, China. E-mail: lp.tong@siat.ac.cn, hy.wang1@siat.ac.cn

<sup>b</sup> Department of Physics, Department of Materials Science and Engineering, and Department of Biomedical Engineering, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong, China

<sup>c</sup> School of Materials Science and Engineering, Xiangtan University, Xiangtan, China

<sup>d</sup> School of Advanced Manufacturing, Fuzhou University, Fuzhou, China

<sup>e</sup> Key Laboratory of Biorheological Science and Technology, Ministry of Education, College of Bioengineering, Chongqing University, Chongqing, China

<sup>f</sup> School of Nuclear Science and Technology, University of Science and Technology of China, Hefei, China. E-mail: wuzw@ustc.edu.cn