

# Polymer Chemistry

The home for the most innovative and exciting polymer chemistry, with an emphasis on polymer synthesis and applications thereof

[rsc.li/polymers](https://rsc.li/polymers)

*The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.*

## IN THIS ISSUE

ISSN 1759-9962 CODEN PCOHC2 14(34) 3891–3992 (2023)



### Cover

See Amitav Sanyal et al.,  
pp. 3897–3905.


Image reproduced by  
permission of Amitav Sanyal  
from *Polym. Chem.*, 2023,  
**14**, 3897.

## PAPERS

3897

### Redox-responsive nanogels for drug-delivery: thiol–maleimide and thiol–disulfide exchange chemistry as orthogonal tools for fabrication and degradation


Ismail Altinbasak, Salli Kocak, Rana Sanyal and Amitav Sanyal\*



3906

### Preparation and structure–property relationship of flexible aramid films with enhanced strength by introducing asymmetric and symmetric aromatic ether bond structures

Zheng Zhang, Wenqin Hong, Xiaoyan Wang, Changhai Xu, Yang Jiang, Jinmei Du,\* Dagang Miao and Guowei Xiao





## Editorial Staff

### Executive Editor

Maria Southall

### Deputy Editor

Laura Ghandhi

### Editorial Production Manager

Cara Sutton

### Assistant Editors

Sean Browner, Molly Colgate, Paul Scott, Alison Winder

### Editorial Assistant

Basita Javeed

### Publishing Assistant

Allison Holloway

### Publisher

Sam Keltie

For queries about submitted papers, please contact

Cara Sutton, Editorial Production Manager in the first instance.

E-mail: [polymers@rsc.org](mailto:polymers@rsc.org)

For pre-submission queries please contact Maria Southall,

Executive Editor. E-mail: [polymers-rsc@rsc.org](mailto:polymers-rsc@rsc.org)

Polymer Chemistry (electronic: ISSN 1759-9962)

is published 48 times a year by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF.

All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to the Royal Society of Chemistry Order Department, Royal Society of Chemistry,

Thomas Graham House, Science Park, Milton Road, Cambridge, CB4 0WF, UK

Tel +44 (0)1223 432398; E-mail: [orders@rsc.org](mailto:orders@rsc.org)

2023 Annual (electronic) subscription price: £2935; \$5014.

Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT.

If you take an institutional subscription to any Royal Society of Chemistry journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at [www.rsc.org/ip](http://www.rsc.org/ip)

Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank.

Whilst this material has been produced with all due care, the Royal Society of Chemistry cannot be held responsible or liable for its accuracy and completeness, nor for any consequences arising from any errors or the use of the information contained in this publication. The publication of advertisements does not constitute any endorsement by the Royal Society of Chemistry or Authors of any products advertised. The views and opinions advanced by contributors do not necessarily reflect those of the Royal Society of Chemistry which shall not be liable for any resulting loss or damage arising as a result of reliance upon this material. The Royal Society of Chemistry is a charity, registered in England and Wales, Number 207890, and a company incorporated in England by Royal Charter (Registered No. RC000524), registered office: Burlington House, Piccadilly, London W1J 0BA, UK. Telephone: +44 (0) 207 4378 6556.

### Advertisement sales:

Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017;

E-mail: [advertising@rsc.org](mailto:advertising@rsc.org)

For marketing opportunities relating to this journal, contact [marketing@rsc.org](mailto:marketing@rsc.org)

# Polymer Chemistry

[rsc.li/polymers](http://rsc.li/polymers)

The home for the most innovative and exciting polymer chemistry, with an emphasis on polymer synthesis and applications thereof.

## Editorial Board

### Editor-in-Chief

Christopher Barner-Kowollik, Queensland University of Technology, Australia

### Associate Editors

Athina Anastasaki, ETH Zurich, Switzerland

Filip Du Prez, Ghent University, Belgium

Holger Frey, Johannes Gutenberg University Mainz, Germany

Rongrong Hu, South China University of Technology, China

Jeremiah A Johnson, Massachusetts Institute of Technology, USA

Tanja Junkers, Monash University, Australia

Dominik Konkolewicz, Miami University, USA

Zhibo Li, Qingdao University of Science and Technology, China

Zi-Chen Li, Peking University, China

Emily Pentzer, Texas A&M University, USA

Sébastien Perrier, University of Warwick, UK

## Advisory Board

Steven Armes, University of Sheffield, UK

Remzi Becer, University of Warwick, UK

Matthew Becker, Duke University, USA

Erik Berda, University of New Hampshire, USA

Kerstin Blank, Max Planck Institute of Colloids and Interfaces, Germany

Eva Blasco, Heidelberg University, Germany

James Blinco, Queensland University of Technology, Australia

Chris Bowman, University of Colorado, USA

Cyrille Boyer, University of New South Wales, Australia

Neil Cameron, Monash University, Australia

Luis Campos, Columbia University, USA

Changle Chen, University of Science and Technology of China, China

Mao Chen, Fudan University, China

Xuesi Chen, Chinese Academy of Sciences, China

Yoshiki Chujo, Kyoto University, Japan

Franck D'Agosto, CPE Lyon, France

Priyadarshi De, Indian Institute of Science Education and Research Kolkata, India

Guillaume Delaittre, University of Wuppertal, Germany

Dagmar D'hooge, University of Ghent, Belgium

Elizabeth Elacqua, Pennsylvania State University, USA

Brett P Forst, Cornell University, USA

Theoni Georgiou, Imperial College London, UK

Didier Gigmes, Aix-Marseille Université, CNRS, France

Atsushi Goto, Nanyang Technological University, Singapore

Sophie Guillaumé, Institut des Sciences Chimiques de Rennes, France

Dave Haddleton, University of Warwick, UK

Nikos Hadjichristidis, King Abdullah University of Science and Technology, Saudi Arabia

Yanchun Han, Chinese Academy of Sciences, China

Eva Marie Harth, University of Houston, USA

Simon Harrison, CNRS - University of Toulouse, France

Laura Hartmann, Heinrich Heine University Düsseldorf, Germany

Fiona Hatton, Loughborough University, UK

Andrew B. Holmes, University of Melbourne, Australia

Richard Hoogenboom, University of Ghent, Belgium

Steve Howdle, University of Nottingham, UK

Feilie Huang, Zhejiang University, China

Toyaji Kakuchi, Changchun University of Science and Technology, China

Julia Kalow, Northwestern University, USA

Masami Kamigaito, Nagoya University, Japan

Justia Kennemur, Florida State University, USA

Christopher Kloxin, University of Delaware, USA

Jacques Lalevée, Institut de Science des Matériaux de Mulhouse, France

Katharina Landfester, Max Planck Institute for Polymer Research, Germany

Muriel Lansalot, Université Lyon, France

Sébastien Lecommandoux, ENSCPB, University of Bordeaux, France

Rachel Letteri, University of Virginia, USA

Guey-Sheng Liou, National Taiwan University, Taiwan

Guoliang Liu, Virginia Tech, USA

Shiyong Liu, University of Science & Technology, China

Timothy Long, Arizona State University, USA

ian Manners, University of Victoria, Canada

John Matson, Virginia Tech, USA

Markus Mueller, University of Sydney, Australia

Ravin Narain, University of Alberta, Canada

Julien Nicolas, University Paris-Sud, France

Yanqiu Han, Chinese Academy of Sciences, China

Eva Marie Harth, University of Houston, USA

Simon Harrison, CNRS - University of Toulouse, France

Laura Hartmann, Heinrich Heine University Düsseldorf, Germany

Fiona Hatton, Loughborough University, UK

Andrew B. Holmes, University of Melbourne, Australia

Richard Hoogenboom, University of Ghent, Belgium

Steve Howdle, University of Nottingham, UK

Feilie Huang, Zhejiang University, China

Toyaji Kakuchi, Changchun University of Science and Technology, China

Julia Kalow, Northwestern University, USA

Masami Kamigaito, Nagoya University, Japan

Justia Kennemur, Florida State University, USA

Christopher Kloxin, University of Delaware, USA

Jacques Lalevée, Institut de Science des Matériaux de Mulhouse, France

Katharina Landfester, Max Planck Institute for Polymer Research, Germany

Muriel Lansalot, Université Lyon, France

Sébastien Lecommandoux, ENSCPB, University of Bordeaux, France

Rachel Letteri, University of Virginia, USA

Guey-Sheng Liou, National Taiwan University, Taiwan

Guoliang Liu, Virginia Tech, USA

Shiyong Liu, University of Science & Technology, China

Timothy Long, Arizona State University, USA

ian Manners, University of Victoria, Canada

John Matson, Virginia Tech, USA

Markus Mueller, University of Sydney, Australia

Ravin Narain, University of Alberta, Canada

Julien Nicolas, University Paris-Sud, France

Yanqiu Han, Chinese Academy of Sciences, China

Eva Marie Harth, University of Houston, USA

Simon Harrison, CNRS - University of Toulouse, France

Laura Hartmann, Heinrich Heine University Düsseldorf, Germany

Fiona Hatton, Loughborough University, UK

Andrew B. Holmes, University of Melbourne, Australia

Richard Hoogenboom, University of Ghent, Belgium

Steve Howdle, University of Nottingham, UK

Feilie Huang, Zhejiang University, China

Toyaji Kakuchi, Changchun University of Science and Technology, China

Julia Kalow, Northwestern University, USA

Masami Kamigaito, Nagoya University, Japan

Justia Kennemur, Florida State University, USA

Christopher Kloxin, University of Delaware, USA

Jacques Lalevée, Institut de Science des Matériaux de Mulhouse, France

Katharina Landfester, Max Planck Institute for Polymer Research, Germany

Muriel Lansalot, Université Lyon, France

Sébastien Lecommandoux, ENSCPB, University of Bordeaux, France

Rachel Letteri, University of Virginia, USA

Guey-Sheng Liou, National Taiwan University, Taiwan

Guoliang Liu, Virginia Tech, USA

Shiyong Liu, University of Science & Technology, China

Timothy Long, Arizona State University, USA

ian Manners, University of Victoria, Canada

John Matson, Virginia Tech, USA

Markus Mueller, University of Sydney, Australia

Ravin Narain, University of Alberta, Canada

Julien Nicolas, University Paris-Sud, France

Yanqiu Han, Chinese Academy of Sciences, China

Eva Marie Harth, University of Houston, USA

Simon Harrison, CNRS - University of Toulouse, France

Laura Hartmann, Heinrich Heine University Düsseldorf, Germany

Fiona Hatton, Loughborough University, UK

Andrew B. Holmes, University of Melbourne, Australia

Richard Hoogenboom, University of Ghent, Belgium

Steve Howdle, University of Nottingham, UK

Feilie Huang, Zhejiang University, China

Toyaji Kakuchi, Changchun University of Science and Technology, China

Julia Kalow, Northwestern University, USA

Masami Kamigaito, Nagoya University, Japan

Justia Kennemur, Florida State University, USA

Christopher Kloxin, University of Delaware, USA

Jacques Lalevée, Institut de Science des Matériaux de Mulhouse, France

Katharina Landfester, Max Planck Institute for Polymer Research, Germany

Muriel Lansalot, Université Lyon, France

Sébastien Lecommandoux, ENSCPB, University of Bordeaux, France

Rachel Letteri, University of Virginia, USA

Guey-Sheng Liou, National Taiwan University, Taiwan

Guoliang Liu, Virginia Tech, USA

Shiyong Liu, University of Science & Technology, China

Timothy Long, Arizona State University, USA

ian Manners, University of Victoria, Canada

John Matson, Virginia Tech, USA

Markus Mueller, University of Sydney, Australia

Ravin Narain, University of Alberta, Canada

Julien Nicolas, University Paris-Sud, France

Yanqiu Han, Chinese Academy of Sciences, China

Eva Marie Harth, University of Houston, USA

Simon Harrison, CNRS - University of Toulouse, France

Laura Hartmann, Heinrich Heine University Düsseldorf, Germany

Fiona Hatton, Loughborough University, UK

Andrew B. Holmes, University of Melbourne, Australia

Richard Hoogenboom, University of Ghent, Belgium

Steve Howdle, University of Nottingham, UK

Feilie Huang, Zhejiang University, China

Toyaji Kakuchi, Changchun University of Science and Technology, China

Julia Kalow, Northwestern University, USA

Masami Kamigaito, Nagoya University, Japan

Justia Kennemur, Florida State University, USA

Christopher Kloxin, University of Delaware, USA

Jacques Lalevée, Institut de Science des Matériaux de Mulhouse, France

Katharina Landfester, Max Planck Institute for Polymer Research, Germany

Muriel Lansalot, Université Lyon, France

Sébastien Lecommandoux, ENSCPB, University of Bordeaux, France

Rachel Letteri, University of Virginia, USA

Guey-Sheng Liou, National Taiwan University, Taiwan

Guoliang Liu, Virginia Tech, USA

Shiyong Liu, University of Science & Technology, China

Timothy Long, Arizona State University, USA

ian Manners, University of Victoria, Canada

John Matson, Virginia Tech, USA

Markus Mueller, University of Sydney, Australia

Ravin Narain, University of Alberta, Canada

Julien Nicolas, University Paris-Sud, France

Yanqiu Han, Chinese Academy of Sciences, China

Eva Marie Harth, University of Houston, USA

Simon Harrison, CNRS - University of Toulouse, France

Laura Hartmann, Heinrich Heine University Düsseldorf, Germany

Fiona Hatton, Loughborough University, UK

Andrew B. Holmes, University of Melbourne, Australia

Richard Hoogenboom, University of Ghent, Belgium

Steve Howdle, University of Nottingham, UK

Feilie Huang, Zhejiang University, China

Toyaji Kakuchi, Changchun University of Science and Technology, China

Julia Kalow, Northwestern University, USA

Masami Kamigaito, Nagoya University, Japan

Justia Kennemur, Florida State University, USA

Christopher Kloxin, University of Delaware, USA

Jacques Lalevée, Institut de Science des Matériaux de Mulhouse, France

Katharina Landfester, Max Planck Institute for Polymer Research, Germany

Muriel Lansalot, Université Lyon, France


Sébastien Lecommandoux, ENSCPB, University of Bordeaux, France

## PAPERS

3916

## Impact of cyclization and dendronization on multi-tunable thermo-responsive behaviors of polyacrylamide copolymers


Jiaman Hu, Lu Lian, Yong Lin, Ran Chen and Youliang Zhao\*



3931

## High potential of new dyeing photoinitiators for fast curing of (meth)acrylate compositions under low intensity UV–Vis light


Paulina Bednarczyk, Alicja Balcerak-Woźniak, Janina Kabatc-Borcz\* and Zbigniew Czech



3950

## Synthesis of original polymeric hydroperoxides as innovative oxidizing agents for self-cure dental materials


Paul Morandi, Yohann Catel, Jörg Angermann, Pascal Fässler, Jean-Jacques Robin and Sophie Monge\*



3962


## A binary neodymium catalyst for the polymerization of lactones

Ruvanthi N. Kularatne, Somayeh Taslimy, Abhi Bhadran, John Michael O. Cue, Chandima Bulumulla, Erika L. Calubaquib, Ruwan Gunawardhana, Michael C. Biewer and Mihaela C. Stefan\*



## PAPERS

3971



**A single monomer difference can impact the nanostructure output of precision oligo(phosphodiesters)**

Donatien de Rochambeau, Maciej Bartóć, Felix J. Rizzato, Quentin Laurent, Xin Luo, Kai Lin Lau, Hassan S. Bazzi and Hanadi F. Sleiman\*

3978



- ✓ A fully biobased monomer
- ✓ A monomer with epoxide and ketone groups
- ✓ Undergo ring-opening and imine formation
- ✓ High-performance epoxy resin

**A robust fully bio-based aromatic–aliphatic ketone epoxide monomer for high-performance epoxy resin containing an imine structural moiety**

Ziting Cao, Yang You, Yunqi Li, Caijuan Huang, Yaozhu Tian, Shihao Zhao, Qin Chen\* and Haibo Xie\*

## CORRECTION

3989

**Correction: One pot synthesis of thiol-functional nanoparticles**

Aaron Priester,\* Jimmy Yeng, Krista Hilmas and Anthony J. Convertine\*