


 Cite this: *RSC Adv.*, 2023, 13, 9932

Retraction: Fabrication of divalent ion substituted hydroxyapatite/gelatin nanocomposite coating on electron beam treated titanium: mechanical, anticorrosive, antibacterial and bioactive evaluations

 A. Karthika,^a L. Kavitha,^b M. Surendiran,^a S. Kannan^c and D. Gopi^{*ad}

DOI: 10.1039/d3ra90025h

rsc.li/rsc-advances

 Retraction of 'Fabrication of divalent ion substituted hydroxyapatite/gelatin nanocomposite coating on electron beam treated titanium: mechanical, anticorrosive, antibacterial and bioactive evaluations' by A. Karthika et al., *RSC Adv.*, 2015, 5, 47341–47352, <https://doi.org/10.1039/C5RA05624A>.

The Royal Society of Chemistry, with the agreement of the named authors, hereby wholly retracts this *RSC Advances* article due to concerns with the reliability of the data in the published article.

Repeating fragments can be observed within the 50 $\mu\text{g mL}^{-1}$ panel in Fig. 7a, and in the control panel in Fig. 7b. An identical fragment is also duplicated in the 25 $\mu\text{g mL}^{-1}$ and 50 $\mu\text{g mL}^{-1}$ panels in Fig. 7b.

Given the significance of the concerns about the validity of the data, the findings presented in this paper are not reliable.

M. Surendiran was contacted but did not respond. S. Kannan responded but did not confirm whether they agreed to retract the article.

Signed: A. Karthika, L. Kavitha and D. Gopi

Date: 16th March 2023

Retraction endorsed by Laura Fisher, Executive Editor, *RSC Advances*

^aDepartment of Chemistry, Periyar University, Salem 636011, India. E-mail: dhanaraj_gopi@yahoo.com; Fax: +91 427 2345124; Tel: +91 427 2345766

^bDepartment of Physics, School of Basic and Applied Sciences, Central University of Tamilnadu, Thiruvavur 610101, India

^cDepartment of Zoology, School of Life Sciences, Periyar University, Salem-636 011, India

^dCentre for Nanoscience and Nanotechnology, Periyar University, Salem 636011, India

