

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *J. Mater. Chem. B*, 2023, **11**, 2789

## Correction: Restoring the electrical microenvironment using ferroelectric nanocomposite membranes to enhance alveolar ridge regeneration in a mini-pig preclinical model

Yiping Li,<sup>abc</sup> Yanze Meng,<sup>a</sup> Yuniang Bai,<sup>c</sup> Yijun Wang,<sup>a</sup> Jiaqi Wang,<sup>b</sup> Boon Chin Heng,<sup>d</sup> Jinqi Wei,<sup>e</sup> Xi Jiang,<sup>f</sup> Min Gao,<sup>\*cg</sup> Xiaona Zheng,<sup>\*cg</sup> Xuehui Zhang<sup>\*ag</sup> and Xuliang Deng<sup>cg</sup>

DOI: 10.1039/d3tb90039h

[rsc.li/materials-b](https://rsc.li/materials-b)

Correction for 'Restoring the electrical microenvironment using ferroelectric nanocomposite membranes to enhance alveolar ridge regeneration in a mini-pig preclinical model' by Yiping Li et al., *J. Mater. Chem. B*, 2023, **11**, 985–997, <https://doi.org/10.1039/D2TB02054H>.

One of the names of the authors for this article was accidentally spelled incorrectly. The name for author Boon Chin Heng was previously incorrectly spelled as Boonchin Heng in the published work. The correct spelling for this author's name has been shown in the authorship listed above.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Dental Materials & Dental Medical Devices Testing Center, Peking University School and Hospital of Stomatology, Beijing, 100081, P. R. China. E-mail: zhangxuehui@bjmu.edu.cn

<sup>b</sup> Department of Prosthodontics, Xiangya Stomatological Hospital & School of Stomatology, Central South University, Changsha, 410078, P. R. China

<sup>c</sup> Department of Geriatric Dentistry, Peking University School and Hospital of Stomatology, Beijing, 100081, P. R. China. E-mail: zhengxiaona@pku.edu.cn, dzgaomin@163.com

<sup>d</sup> Central Laboratory, Peking University School and Hospital of Stomatology, Beijing, 100081, P. R. China

<sup>e</sup> First Clinical Division, Peking University School and Hospital of Stomatology, Beijing, 100081, P. R. China

<sup>f</sup> Department of Oral Implantology, Peking University School and Hospital of Stomatology, Beijing, 100081, P. R. China

<sup>g</sup> National Engineering Research Center of Oral Biomaterials and Digital Medical Devices, NMPA Key Laboratory for Dental Materials, Beijing Laboratory of Biomedical Materials & Beijing Key Laboratory of Digital Stomatology, Peking University School and Hospital of Stomatology, Beijing 100081, P. R. China

