

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *J. Mater. Chem. B*, 2023,  
11, 4819

DOI: 10.1039/d3tb90089d  
[rsc.li/materials-b](http://rsc.li/materials-b)

## Correction: Blood brain barrier permeable gold nanocluster for targeted brain imaging and therapy: an *in vitro* and *in vivo* study

L. V. Nair,<sup>a</sup> R. V. Nair,<sup>a</sup> S. J. Shenoy,<sup>b</sup> A. Thekkuveettil<sup>c</sup> and R. S. Jayasree\*<sup>a</sup>

Correction for 'Blood brain barrier permeable gold nanocluster for targeted brain imaging and therapy: an *in vitro* and *in vivo* study' by L. V. Nair *et al.*, *J. Mater. Chem. B*, 2017, **5**, 8314–8321, <https://doi.org/10.1039/C7TB02247F>.

The authors regret unattributed data overlap between their article and ref. 1 shown here (ref. 37 of the original article).

The TEM in Fig. 1c of this article was re-used from ref. 1 without being correctly attributed and without permission from the Publisher.

The authors have now received the permission to reuse the data and the corrected caption is shown below:

**Fig. 1** UV/vis absorbance spectra (a) and photoluminescence spectra (b) of GQC and Dopa@GQC. TEM of (c) GQC and (d) Dopa@GQC. The scale bar in both cases is 20 nm. Reproduced in part from Lakshmi V. Nair *et al.*, *Small*, 2013, **9**(16), 2673–2677, with permission from Wiley.<sup>37</sup>

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

## References

- 1 L. V. Nair, D. S. Philips, R. S. Jayasree and A. Ajayaghosh, A Near-Infrared Fluorescent Nanosensor (AuC@Urease) for the Selective Detection of Blood Urea, *Small*, 2013, **9**(16), 2673–2677, DOI: [10.1002/smll.201300213](https://doi.org/10.1002/smll.201300213).

<sup>a</sup> Division of Biophotonics and Imaging, Sree Chitra Tirunal Institute for Medical Sciences and Technology (SCTIMST), Trivandrum-695012, India.

E-mail: [jayasree@sctimst.ac.in](mailto:jayasree@sctimst.ac.in), [jayashreemenon@gmail.com](mailto:jayashreemenon@gmail.com); Fax: +91-471-2341814; Tel: +91-471-2520273

<sup>b</sup> Division of In Vivo Models and Testing, Sree Chitra Tirunal Institute for Medical Sciences and Technology (SCTIMST), Trivandrum-695012, India

<sup>c</sup> Division of Molecular Medicine, Sree Chitra Tirunal Institute for Medical Sciences and Technology (SCTIMST), Trivandrum-695012, India

