Analyst



CORRECTION

View Article Online
View Journal | View Issue



Cite this: Analyst, 2024, 149, 254

Correction: Quantitative assessment of cardiomyocyte mechanobiology through high-throughput cantilever-based functional well plate systems

Jongyun Kim, Da,d Arunkumar Shanmugasundaram, Da,d Dong-Su Kim, Da,d,e Yun-Jin Jeong, Da,d Pooja P. Kanade, Da,d Eung-Sam Kim, Db,c Bong-Kee Lee Da,c and Dong-Weon Lee Da,c

DOI: 10.1039/d3an90085a rsc.li/analyst

Correction for 'Quantitative assessment of cardiomyocyte mechanobiology through high-throughput cantilever-based functional well plate systems' by Jongyun Kim *et al.*, *Analyst*, 2023, **148**, 5133–5143, https://doi.org/10.1039/D3AN01286G.

The authors regret that an incorrect grant number was shown in the acknowledgements section of the published article. The corrected section should read:

This work was supported by the National Research Foundation of Korea (NRF) grant funded by the Korean government (MSIT) (No. 2020R1A5A8018367 & RS-2022-00165505).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

amems and Nanotechnology Laboratory, School of Mechanical Engineering, Chonnam National University, Gwangju 61186, Republic of Korea. E-mail: mems@jnu.ac.kr

^bDepartment of Biological Sciences, Chonnam National University, Gwangju, 61186, Republic of Korea

^cCenter for Next-Generation Sensor Research and Development, Chonnam National University, Gwangju 61186, Republic of Korea

^dAdvanced Medical Device Research Center for Cardiovascular Disease, Chonnam National University, Gwangju 61186, Republic of Korea

^eGreen Energy & Nano Technology R&D Group, Korea Institute of Industrial Technology (KITECH), Gwangju, 61012, Republic of Korea