Analyst

CORRECTION

View Article Online
View Journal | View Issue

Open Access Article. Published on 05 January 2024. Downloaded on 7/28/2025 2:24:47 PM.
This article is licensed under a Creative Commons Attribution 3.0 Unported Licence.

Check for updates

Cite this: *Analyst*, 2024, **149**, 583

Correction: A poly(thymine)-templated fluorescent copper nanoparticle hydrogel-based visual and portable strategy for an organophosphorus pesticide assay

Jihua Chen,[a,b] Ting Han,[a,b] Xiuyun Feng,[a,b] Baojuan Wang[c] and Guangfeng Wang*[a,b]

DOI: 10.1039/d3an90089d

rsc.li/analyst

Correction for 'A poly(thymine)-templated fluorescent copper nanoparticle hydrogel-based visual and portable strategy for an organophosphorus pesticide assay' by Jihua Chen *et al.*, *Analyst*, 2019, **144**, 2423–2429, **https://doi.org/10.1039/C9AN00017H**.

The authors regret that an incorrect version of Fig. 1 was included in the original article. An incorrect image for the Cu nanoparticles in Fig. 1A was mistakenly used when collating the figure. The correct version of Fig. 1 is displayed below. The data analysis and conclusions in the paper remain unchanged.

[a]*Key Laboratory of Chem-Biosensing, Anhui Province, Key Laboratory of Functional Molecular Solids, Anhui Province, College of Chemistry and Materials Science, Center for Nano Science and Technology, Anhui Normal University, Wuhu 241000, PR China*
[b]*CAS Key Laboratory of Soft Matter Chemistry, Department of Chemistry, University of Science and Technology of China, Hefei, Anhui 230026, China. E-mail: wangyuz@mail.ahnu.edu.cn*
[c]*Institute of Molecular Biology and Biotechnology and Anhui Provincial Key Laboratory of the Conservation and Exploitation of Biological Resources, College of Life Sciences, Anhui Normal University, Wuhu 241000, P. R. China*

Open Access Article. Published on 05 January 2024. Downloaded on 7/28/2025 2:24:47 PM.
This article is licensed under a Creative Commons Attribution 3.0 Unported Licence.



Fig. 1 (A) TEM image of poly T30-Cu NPs (inset: crystal lattice structure). (B) Size distribution analysis of poly T30-Cu NPs. (C) Fluorescence spectrum of poly T30-Cu NPs: fluorescence excitation (Ex = 340 nm) and emission (Em = 615 nm). (D) UV-vis absorption spectrum of poly T30-Cu NPs. The arrow marks the characteristic absorption peak of Cu NPs (340 nm).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

 This journal is © The Royal Society of Chemistry 2024