

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Analyst*, 2024, **149**, 3263

## Correction: A compact and high-performance setup of capillary electrophoresis with capacitively coupled contactless conductivity detection (CE-C<sup>4</sup>D)

Lin Li, Yun-Peng Song, Dou-Dou Ren, Tang-Xiu Li, Ming-Hui Gao, Lei Zhou, Zhi-Cong Zeng\* and Qiaosheng Pu\*

DOI: 10.1039/d4an90039a  
[rsc.li/analyst](https://rsc.li/analyst)

Correction for 'A compact and high-performance setup of capillary electrophoresis with capacitively coupled contactless conductivity detection (CE-C<sup>4</sup>D)' by Lin Li *et al.*, *Analyst*, 2024, <https://doi.org/10.1039/d4an00354c>.

The authors regret that in the published article the author Qiaosheng Pu was incorrectly presented as Qi-aosheng Pu. The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

State Key Laboratory of Applied Organic Chemistry, College of Chemistry and Chemical Engineering, Lanzhou University, China. E-mail: [zengzc@lzu.edu.cn](mailto:zengzc@lzu.edu.cn), [puqs@lzu.edu.cn](mailto:puqs@lzu.edu.cn)

