


IN THIS ISSUE

ISSN 1759-9679 CODEN AMNECT 16(5) 649–788 (2024)



Cover


See Yusuke Nakamura and Masahiko Hashimoto, pp. 656–666. Image reproduced by permission of Masahiko Hashimoto from *Anal. Methods*, 2024, **16**, 656.

PAPERS

656

Droplet size affects the degree of separation between fluorescence-positive and fluorescence-negative droplet populations in droplet digital PCR


Yusuke Nakamura and Masahiko Hashimoto*



667

A novel nanoprobe for visually investigating the controversial role of miRNA-34a as an oncogene or tumor suppressor in cancer cells

Zhe Chen, Chuandong Ge, Xiaokai Zhu, Ping Sun, Zeyuan Sun, Tetiana Derkach, Mingyang Zhou,* Yaoguang Wang* and Mingming Luan*



RSC Sustainability

GOLD
OPEN
ACCESS

Dedicated to sustainable
chemistry and new solutions

For an open, green and inclusive future


rsc.li/RSCSus

Fundamental questions
Elemental answers

676

Viscosity-sensitive and AIE-active bimodal fluorescent probe for the selective detection of OCl^- and Cu^{2+} : a dual sensing approach via DFT and biological studies using green gram seeds


Malavika S. Kumar, Vishnu S., Malay Dolai, Anish Nag, Yatheesharadhya Bylappa and Avijit Kumar Das*



686

A lysosome-targeted fluorescent probe based on a BODIPY structure for Cys/Hcy detection


Wenxuan Zhang, Binbin Wu, Manshan Liang, Mengpei Zhang, Yutao Hu, Zu-Sheng Huang, Xiaoxia Ye, Bing Du,* Yun-Yun Quan* and Yongsheng Jiang*



695

Facile preparation of nitrogen/titanium-rich porous organic polymers for specific enrichment of *N*-glycopeptides and phosphopeptides


Jiayi Wang, Xiaoya Zhang, Yinghua Yan* and Rongrong Xuan*




704

A facile fluorescence Eu MOF sensor for ascorbic acid and ascorbate oxidase detection

Xin-Xin Dong, Tao-Li Chen, Xiang-Juan Kong,* Shuang Wu,* Fang-Fang Kong and Qiang Xiao*



709




Targeted multi-analyte UHPLC-MS/MS methodology for emerging contaminants in septic tank wastewater, sludge and receiving surface water

Kai Wilschnack, Bess Homer, Elise Cartmell, Kyari Yates and Bruce Petrie*

721


Sensitive EIA of fluoroquinolone antibiotic flumequine in honey



Sensitive immunoenzyme assay for the detection of antibiotic flumequine in honey

Olga D. Hendrickson, Anatoly V. Zherdev and Boris B. Dzantiev*


731



In situ growth of self-supported CuO nanorods from Cu-MOFs for glucose sensing and elucidation of the sensing mechanism

Liyuan Yu, Mengxiao Lv, Ting Zhang, Qixin Zhou, Juanhua Zhang, Xuexiang Weng,* Yongming Ruan* and Jiuju Feng

742



An impedimetric sensor based on molecularly imprinted nanoparticles for the determination of trypsin in artificial matrices – towards point-of-care diagnostics


Sabrina Di Masi,* Marco Costa, Francesco Canfarotta,* Antonio Guerreiro, Alicia Hartley, Sergey A. Piletsky and Cosimino Malitesta



751

Modulation of the enzyme-like activity of CuAsp nanozyme by gallic acid and the selective detection of bisphenol A in infant food packaging


Luwei Wang, Jie Li, Lulu Lei, Yongxin Li* and Hui Huang*



759

A benzoxazole-triphenylamine conjugated fluorogenic probe for specific detection of sarin gas mimic diethylchlorophosphate


Tuhina Sultana, Manas Mahato, Najmin Tohora, Sabbir Ahamed, Arpita Maiti, Susanta Ghanta and Sudhir Kumar Das*



772

Highly reproducible electrochemical biosensor for Influenza A virus towards low-resource settings

Julio Ojeda, Fiorella Torres-Salvador, Nicholas Bruno, Hannah Eastwood, Yulia Gerasimova and Karin Chumbimuni-Torres*



780

A hydrogel optical fibre sensor for rapid on-site ethanol determination

Simin Hong, Mingming Yan, Yuan Feng, Huifang Chen,* Ben Xu, Chunliu Zhao and Juan Kang

