




CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *Anal. Methods*, 2024, 16, 1416

Correction: Evaluation of separation performance for eggshell-based reversed-phase HPLC columns by controlling particle size and application in quantitative therapeutic drug monitoring

Tomoka Yoshii, Kohei Nakano, Tomoaki Okuda,  Daniel Citterio 
and Yuki Hiruta *

DOI: 10.1039/d4ay90022g

rsc.li/methods

Correction for 'Evaluation of separation performance for eggshell-based reversed-phase HPLC columns by controlling particle size and application in quantitative therapeutic drug monitoring' by Tomoka Yoshii *et al.*, *Anal. Methods*, 2023, 15, 1790–1796, <https://doi.org/10.1039/D3AY00219E>.

We regret that ref. 8 was incorrectly cited in the published article. The correct reference is given below as ref. 1.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

References

- 1 T. Yoshii, M. Mochida, K. Kaizu, Y. Soda, K. Kanamori, K. Nakanishi, T. Sato, H. Imai, D. Citterio and Y. Hiruta, *ACS Appl. Polym. Mater.*, 2022, 4, 6949–6957.

