

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Anal. Methods*, 2024, 16, 2614

## Correction: An impedimetric sensor based on molecularly imprinted nanoparticles for the determination of trypsin in artificial matrices – towards point-of-care diagnostics

Sabrina Di Masi,<sup>\*a</sup> Marco Costa,<sup>a</sup> Francesco Canfarotta,<sup>\*b</sup> Antonio Guerreiro,<sup>b</sup> Alicia Hartley,<sup>b</sup> Sergey A. Piletsky<sup>c</sup> and Cosimino Malitesta<sup>a</sup>

DOI: 10.1039/d4ay90029d

[rsc.li/methods](https://rsc.li/methods)

Correction for 'An impedimetric sensor based on molecularly imprinted nanoparticles for the determination of trypsin in artificial matrices – towards point-of-care diagnostics' by Sabrina Di Masi *et al.*, *Anal. Methods*, 2024, 16, 742–750, <https://doi.org/10.1039/D3AY01762A>.

The authors regret that the funding information provided in the original article was incorrect. The correct funding information is as follows:

The authors would like to thank the financial support of the project “Smart diagnostic devices based on integrated 2D-nanomaterials and molecularly imprinted polymers (2DnanoMIP)” (Prot. 2022T2E7NT - CUP F53D23004540006) and PhD program entitled “Green analytical chemistry: development of molecularly imprinted polymers for emerging pollutants” (CUP: F85F21005750001) funded by “Dottorati su tematiche Green del PON R&I 2014–2020.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Laboratorio di Chimica Analitica, DiSTeBA, Università del Salento, Edificio A6, Via per Monteroni, 73100, Lecce, Italy. E-mail: [sabrina.dimasi@unisalento.it](mailto:sabrina.dimasi@unisalento.it)

<sup>b</sup>MIP Discovery, Colworth Park, Sharnbrook, MK44 1LQ Bedford, UK. E-mail: [Francesco.Canfarotta@mipdiscovery.com](mailto:Francesco.Canfarotta@mipdiscovery.com)

<sup>c</sup>Department of Chemistry, University of Leicester, University Rd, LE1 7RH Leicester, UK

