



Cite this: *Chem. Commun.*, 2024, **60**, 11596

Correction: DNAzyme-activated CRISPR/Cas assay for sensitive and one-pot detection of lead contamination

Ruijie Deng,^b Yaxuan Bai,^a Yumei Liu,^b Yunhao Lu,^b Zhifeng Zhao,^b Yi Deng^a and Hao Yang^{*ab}

DOI: 10.1039/d4cc90326a

rsc.li/chemcomm

Correction for 'DNAzyme-activated CRISPR/Cas assay for sensitive and one-pot detection of lead contamination' by Ruijie Deng *et al.*, *Chem. Commun.*, 2024, **60**, 5976–5979, <https://doi.org/10.1039/D4CC01852D>.

The authors regret that the following acknowledgements were not included in the original article: "The authors thank the Analytical & Testing Center (Sichuan University) for its help with characterization. We would like to thank Yanping Huang from the Center of Engineering Experimental Teaching, School of Chemical Engineering, Sichuan University for her help."

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a School of Chemical Engineering, Sichuan University, Chengdu 610065, China. E-mail: hyang23@scu.edu.cn

^b College of Biomass Science and Engineering, Healthy Food Evaluation Research Center, Sichuan University, Chengdu 610065, China