

## CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)


Cite this: *Dalton Trans.*, 2024, **53**, 8494

## Correction: Synthetic routes to carbon substituted cobalt bis(dicarbollide) alkyl halides and aromatic amines along with closely related irregular pathways

Jan Nekvinda, <sup>\*a</sup> Dmytro Bovol, <sup>a</sup> Miroslava Litecká, <sup>a</sup> Ece Zeynep Tüzün, <sup>a</sup> Michal Dušek <sup>b</sup> and Bohumír Grüner <sup>a</sup>

DOI: 10.1039/d4dt90064b  
rsc.li/dalton


Correction for 'Synthetic routes to carbon substituted cobalt bis(dicarbollide) alkyl halides and aromatic amines along with closely related irregular pathways' by Jan Nekvinda *et al.*, *Dalton Trans.*, 2024, **53**, 5816–5826, <https://doi.org/10.1039/D4DT00072B>.

There was an error in Fig. 2 in the original manuscript which did not show the mechanism but repeated Scheme 2. The correct Fig. 2 is as shown below:

<sup>a</sup>Institute of Inorganic Chemistry of the Czech Academy of Sciences, Hlavní 1001, Husinec-Řež 25068, Czech Republic. E-mail: nekvin@iic.cas.cz

<sup>b</sup>Institute of Physics of the Czech Academy of Sciences, Na Slovance 1999/2, Prague 8, 182 21, Czech Republic





**Fig. 2** Top: Proposed mechanism for the formation of  $\text{Me}_4\text{N15a,b}$ . Bottom: X-ray structure of  $\text{Me}_4\text{N15b}$  plotted for  $t = 0$ ; for crystallographic parameters, selected interatomic distances and angles see Table S1 in the ESI.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

