

CORRECTION

View Article Online
View Journal | View Issue



Cite this: *Environ. Sci.: Water Res. Technol.*, 2024, 10, 566

Correction: Membrane degassing with the combination of sweep gas and vacuum pressure for ammonia removal

Hongsik Yoon,^a Jiho Lee,^b Gunhee Lee,^a Wanho Shin^a and Taijin Min^{*a}

DOI: 10.1039/d3ew90052e

rsc.li/es-water

Correction for 'Membrane degassing with the combination of sweep gas and vacuum pressure for ammonia removal' by Hongsik Yoon et al., *Environ. Sci.: Water Res. Technol.*, 2023, 9, 467–473, <https://doi.org/10.1039/D2EW00822J>.

Some values presented in the text for the mass transfer coefficient were in error, missing a minus sign before the exponent. All values in Table 1 were correct. The corrected values are shown below.

In the Water impact statement on page 467, the value of $2.03 \times 10^3 \text{ m h}^{-1}$ should read $2.03 \times 10^{-3} \text{ m h}^{-1}$, and the value of $3.95 \times 10^3 \text{ m h}^{-1}$ should read $3.95 \times 10^{-3} \text{ m h}^{-1}$.

In the Results and discussion section on page 470, the value of $2.03 \times 10^3 \text{ m h}^{-1}$ should read $2.03 \times 10^{-3} \text{ m h}^{-1}$; the value of $3.95 \times 10^3 \text{ m h}^{-1}$ should read $3.95 \times 10^{-3} \text{ m h}^{-1}$; the value of $5.75 \times 10^3 \text{ m h}^{-1}$ should read $5.75 \times 10^{-3} \text{ m h}^{-1}$; the value of $3.50 \times 10^3 \text{ m h}^{-1}$ should read $3.50 \times 10^{-3} \text{ m h}^{-1}$; and the value of $2.46 \times 10^3 \text{ m h}^{-1}$ should read $2.46 \times 10^{-3} \text{ m h}^{-1}$.

In the Conclusion section on page 472, the value of $2.03 \times 10^3 \text{ m h}^{-1}$ should read $2.03 \times 10^{-3} \text{ m h}^{-1}$, and the value of $1.18 \times 10^2 \text{ m h}^{-1}$ should read $3.95 \times 10^{-3} \text{ m h}^{-1}$.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Department of Sustainable Environment Research, Korea Institute of Machinery & Materials, Daejeon 34103, Republic of Korea. E-mail: tmin@kimm.re.kr

^b Department of Chemical and Biomolecular Engineering, University of Illinois at Urbana-Champaign, IL 61801, USA

