

CORRECTION

View Article Online  
View Journal | View Issue



Cite this: *Environ. Sci.: Water Res. Technol.*, 2024, 10, 2253

## Correction: Removal rate constants are not necessarily constant: the case of organic micropollutant removal in wastewater treatment plants

Tamara J. H. M. van Bergen,<sup>\*ab</sup> A. M. Schipper,<sup>ac</sup> D. Mooij,<sup>a</sup> A. M. J. Ragas,<sup>a</sup> M. W. Kuiper,<sup>d</sup> A. J. Hendriks,<sup>a</sup> M. A. J. Huijbregts<sup>a</sup> and R. van Zelm<sup>\*a</sup>

DOI: 10.1039/d4ew90025a

rsc.li/es-water

Correction for 'Removal rate constants are not necessarily constant: the case of organic micropollutant removal in wastewater treatment plants' by Tamara J. H. M. van Bergen *et al.*, *Environ. Sci.: Water Res. Technol.*, 2024, <https://doi.org/10.1039/D4EW00377B>.

In section 2, superscript formatting has been omitted from eqn (1). It should read as  $C_e = C_i \cdot e^{-kHRT}$  instead of  $C_e = C_i \cdot e^{-k} HRT$ .  
The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Environmental Science, Radboud Institute for Biology and Environmental Science, Radboud University, Nijmegen, The Netherlands.

E-mail: [tamara.van.bergen@rivm.nl](mailto:tamara.van.bergen@rivm.nl), [rosalie.vanzelm@ru.nl](mailto:rosalie.vanzelm@ru.nl)

<sup>b</sup> National Institute for Public Health and the Environment, Bilthoven, The Netherlands

<sup>c</sup> PBL Netherlands Environmental Assessment Agency, The Hague, The Netherlands

<sup>d</sup> Waterschap Drents Overijsselse Delta, Zwolle, The Netherlands

