

Cite this: *RSC Med. Chem.*, 2024, 15, 2570

## Correction: Discovery of dibenzylbutane lignan LCA derivatives as potent anti-inflammatory agents

Zhen Wang,<sup>†b</sup> Juan Zhang,<sup>†b</sup> Conghao Gai,<sup>a</sup> Jing Wang,<sup>a</sup> Xiaobin Zhuo,<sup>a</sup> Yan Song,<sup>c</sup> Yan Zou,<sup>a</sup> Peichao Zhang,<sup>a</sup> Guige Hou,<sup>d</sup> Qingguo Meng,<sup>\*b</sup> Qingjie Zhao<sup>\*a</sup> and Xiaoyun Chai<sup>†a</sup>

DOI: 10.1039/d4md90023e

rsc.li/medchem

Correction for 'Discovery of dibenzylbutane lignan LCA derivatives as potent anti-inflammatory agents' by Zhen Wang et al., *RSC Med. Chem.*, 2024, <https://doi.org/10.1039/d4md00053f>.

There was an error in the structural configuration of the compound LCA and its derivatives shown in Fig. 1 and Scheme 1. Fig. 1 should appear as follows:





Fig. 1 Design of target compounds.

<sup>a</sup> Department of Organic Chemistry, School of Pharmacy, Naval Medical University, Shanghai 200433, China. E-mail: qjzhao\_325@126.com, chaixy1207@163.com<sup>b</sup> School of Pharmacy, Key Laboratory of Molecular Pharmacology and Drug Evaluation, Yantai University, Yantai 264005, China. E-mail: zhenwang0703@163.com, qingguoMeng@163.com<sup>c</sup> Navy Medical Center, Naval Medical University, Shanghai 200433, China<sup>d</sup> School of Pharmacy, Binzhou Medical University, Yantai 264003, China

† These authors contributed equally to this work.



Scheme 1 should appear as follows:



**Scheme 1** Synthesis of target compounds. Reagents and conditions: (a) sulfuric acid, MeOH, reflux, 5 h; (b) H<sub>2</sub>, Pd/C, MeOH, rt, 10 h; (c) benzyl bromide, K<sub>2</sub>CO<sub>3</sub>, acetone, reflux, 5 h; (d) NaOH, MeOH, reflux, 3 h; (e) (S)-4-benzyloxazolidin-2-one, *N,N*-dicyclohexylcarbodiimide, 4-dimethylaminopyridine, CH<sub>2</sub>Cl<sub>2</sub>, rt, 12 h; (f) lithium diisopropylamide, iodobenzene diacetate, tetrahydrofuran, -78 °C, 2 h; (g) lithium hydroxide monohydrate, H<sub>2</sub>O<sub>2</sub>, tetrahydrofuran, H<sub>2</sub>O, 0 °C, 15 min, then rt, 12 h; (h) *O*-benzotriazole-*N,N,N',N'*-tetramethyl-uronium-hexafluoro-phosphate, *N,N*-diisopropylethylamine, *N,N*-dimethylformamide, rt, 4 h; (i) H<sub>2</sub>, Pd/C, MeOH, rt, 3 h.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

