

EDITORIAL

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *Nanoscale Adv.*, 2024, **6**, 3695

Introduction to Photocatalytic Materials for Clean Energy, Renewable Chemicals production, and Sustainable Catalysis

Rajeev Ahuja ^{ab} and Rajendra Srivastava ^{*c}

DOI: 10.1039/d4na90075h

rsc.li/nanoscale-advances

^aDepartment of Physics and Astronomy, Condensed Matter Theory, Materials Theory Division, Uppsala University, Uppsala 75120, Sweden. E-mail: rajeev.ahuja@physics.uu.se

^bDepartment of Physics, Indian Institute of Technology Ropar, Rupnagar, Punjab 140001, India

^cDepartment of Chemistry, Catalysis Research Laboratory, Indian Institute of Technology Ropar, Rupnagar, Punjab 140001, India. E-mail: rajendra@iitrpr.ac.in



Rajeev Ahuja

Rajeev Ahuja is a professor of computational materials science at Uppsala University, Sweden. Currently, he is the Director of the Indian Institute of Technology (IIT) Ropar, India. He is one of the most highly cited researchers in Sweden and India. He completed his PhD at IIT Roorkee, India, in 1992. The same year, he joined Uppsala University, Sweden, as a postdoctoral fellow. He became an Assistant Professor in 1996, Associate Professor in 2002, and

Professor in 2007 at Uppsala University, Sweden. His main area of interest is computational materials science, focusing on energy applications, such as batteries, and hydrogen storage and production, sensors, and high-pressure physics. He has published 1150 scientific papers in peer-reviewed journals, with an H-index of 103, i-10 index of 795, and citations of more than 48 000. Ahuja has supervised 30 PhD students and more than 35 postdocs. He has been elected to FRSC (Fellow of the Royal Society of Chemistry, London, UK) and APS-fellow by the American Physical Society (A.P.S.), USA, and appointed to the advisory Board of the *Journal of Materials Chemistry A & Materials Advances* at the Royal Society of Chemistry (UK). He is an Associate Editor of *Nano Energy*. He was also awarded the Beller Lectureship for the APS March Meeting 2017. He has been awarded the Wallmark prize 2011 from K.V.A. (Royal Swedish Academy of Sciences) and has previously received the Eder Lilly & Sven Thureus prize, and the Benzelius prize from K.V.S. Ahuja is an elected member of the Swedish Royal Society of Sciences (K.V.S.). He has been awarded the Best Alumnus award by I.I.T. Roorkee, India, for excellence in research in 2021.



Rajendra Srivastava

Dr Rajendra Srivastava is a Professor at the Department of Chemistry, Indian Institute of Technology (IIT Ropar), Punjab, India. He joined IIT Ropar as an Assistant Professor, headed the Department from March 2015 to May 2018, and is currently serving as Dean of Postgraduate & Research. He obtained a PhD degree from CSIR-National Chemical Laboratory, Pune, India, where his doctoral work won him the Best Thesis Award of 2006, conferred by the Catalysis Society of India. Afterward, he worked as a postdoctoral research fellow at KAIST, South Korea (2005–2007) and as a JSPS fellow at Hokkaido University, Japan (2007–2009). He received the NASI-SCOPUS Young Scientist Award 2017, The Catalysis Society of India Young Scientist Award 2018, Mid-carrier Faculty Research and Innovation Award 2019 from IIT Ropar, and Shiv Nath Rai Kohli Memorial Mid-Carrier Best Scientist Award 2022 from Punjab University, Chandigarh, India. He is a Fellow of the Royal Society of Chemistry, and the Indian Chemical Society. His fields of interest include the design and synthesis of nanostructured functional materials for catalytic applications, including photocatalysis and electrocatalysis. Thermocatalytic and photocatalytic processes are being developed for biomass and plastic waste valorisation, and CO₂ adsorption and conversion. He has published more than 194 peer-reviewed research articles in reputed international journals (Google Scholar: citations = 10 808, h-index = 53, i10-index = 169; Scopus: citations = 9431, h-index = 51), and has been granted nine patents.



The growing population has increased the demand for energy sources and commodity chemicals, which are mostly fulfilled by fossil-fuel sources. The excessive use of fossil fuels pollutes the air and water. The atmospheric CO₂ concentration reached 417.5 ppm in 2022, which is ~50% higher than the CO₂ concentration during the pre-industrial era (mid-1700).¹ The last 40 years have produced approximately 50% of the cumulative CO₂ emitted since 1750, a direct consequence of the growing population and the increasing fossil-fuel consumption for producing energy and chemicals.² According to the Paris Climate Agreement, to limit the global temperature rise to 1.5 °C above that of the pre-industrial era and to avoid temperature-driven catastrophic climatic events, CO₂ emissions must drop to zero by 2050.³ Lowering of the atmospheric CO₂ concentration can be accomplished by adopting three main strategies, namely: (a) reducing atmospheric CO₂ emissions *via* CO₂ capture & storage, and converting CO₂ into value-added chemicals;⁴ (b) renewable chemicals and fuel production employing sustainable energy sources; and (c) environmental remediation employing sustainable energy sources.

Sunlight provides a thousand times more energy to the earth's surface each year than global energy consumption annually, offering a sustainable energy source.⁵ Harnessing the power of sunlight, photocatalytic materials need to be developed to catalyze chemical reactions that hold promise for clean energy production, synthesizing renewable chemicals, and mitigating environmental pollutants. The early research on solar-light-driven technologies, namely photocatalysis (PC) and photoelectrocatalysis (PEC), mainly focused on H₂ fuel generation *via* H₂O splitting and producing valuable organic compounds, such as pharmaceutical building blocks and fine chemicals. However, the recent focus has shifted towards producing hydrocarbon fuels and chemicals from CO₂, intending to decarbonize the earth's atmosphere.⁵ The photocatalytic conversion of CO₂ into methane, methanol, formaldehyde, acetic acid, and higher hydrocarbon fuels and alcohols is attracting growing

interest.^{6–8} The recent focus has shifted towards producing renewable chemicals, fuels and NH₃, and removing water and air pollutants employing light energy, as it offers an alternative strategy to produce value-added chemicals and hydrocarbon fuels currently obtained from non-renewable fossil fuels.

Air pollution remains a pressing global issue due to the continuous release of NO_x from fossil-fuel combustion, contributing to photochemical smog and acid rain, and adversely affecting human health and ecosystems. Semiconductor photocatalysis offers a sustainable solution by harnessing solar energy to convert NO_x into less-harmful compounds under mild conditions;^{9,10} efficient photocatalysts enhance NO removal and selectively convert NO to environmentally benign products like NO₃[–], minimizing secondary emissions. Developing advanced photocatalytic systems tailored for effective NO_x reduction holds promise for mitigating air pollution and advancing environmental sustainability. In addressing water pollution caused by industrial dyes, photocatalytic dye degradation plays a crucial role.^{11,12} When irradiated with light, the photocatalyst generates reactive oxygen species (ROS) such as hydroxyl radicals (·OH) and superoxide anions (O₂^{·–}). These highly reactive ROS oxidize dye molecules, breaking them down into less-harmful compounds like water and carbon dioxide.

Photoelectrochemical water splitting and the photocatalytic hydrogen evolution reaction (HER) are two advanced approaches for sustainable H₂ production from water using sunlight.¹³ PEC utilizes semiconducting materials to generate H₂ and O₂ through efficient optimization of material nanostructures, heterojunction engineering, and surface functionalities. The HER, on the other hand, focuses specifically on using semiconductor photocatalysts to drive the reduction of protons (H⁺) from water to produce hydrogen gas (H₂). This process harnesses the absorption of sunlight by photocatalysts to generate electron–hole pairs. PEC water splitting and photocatalytic HER support the transition to a hydrogen-based economy by offering a renewable, environmentally

friendly alternative to fossil fuels, thus advancing global sustainability efforts.

All of the above-discussed photocatalytic applications for environmental remediation can be realized by synthesizing efficient photocatalytic materials. This can be accomplished by adopting modern synthetic strategies and integrating advanced materials science with photocatalytic principles to unlock unprecedented opportunities to harness solar energy. Innovations in catalyst design, such as creating multi-component systems and incorporating plasmonic materials, have shown significant promise in enhancing photocatalytic performance. One of the primary strategies in photocatalytic synthesis is the development of semiconductor-based materials with tailored nanostructures. By engineering the size, shape, and composition of semiconductor nanoparticles, researchers can significantly improve light absorption, charge separation, and surface reactivity. Modifications such as doping with metal or non-metal elements, creating heterojunctions, and surface functionalization improve photocatalytic performance by extending the light absorption range into the visible spectrum and enhancing charge separation.

This collection of reviews, minireviews and research articles highlights the pivotal role of multifunctional nanomaterials in advancing the efficiency, selectivity, and scalability of photocatalytic processes in harnessing clean energy, producing renewable chemicals, and developing sustainable catalytic routes.

The collection begins with a comprehensive minireview by Wang *et al.* (<https://doi.org/10.1039/D3NA00837A>), on metal–organic framework (MOF)-based photocatalytic materials. MOFs have high crystallinity, large surface area, and variable metal nodes, linkers, and functional ability, which makes them ideally suited for the design and development of photocatalytic processes. The minireview elucidates the design rules and principles for engineering MOFs in manipulating the interfacial charge dynamics in MOFs for enhanced photocatalytic applications.



Harnessing graphene-based nanocomposites for photocatalytic applications leverages graphene's exceptional electronic conductivity and large surface area, enhancing charge transfer and overall photocatalytic efficiency. Integrating graphene with semiconductor materials promotes efficient light absorption and charge separation, making it a promising approach for advanced photocatalytic systems. Potbhare *et al.* (<https://doi.org/10.1039/D3NA01071F>) contributed an updated review on graphene-based metal oxide nanocomposites, emphasizing their dual functionality in photocatalysis and energy storage systems. This review summarizes recent advancements in materials synthesis techniques and highlights their potential impact on sustainable catalytic processes and environmental remediation strategies.

Innovative functionalization strategies enhance photocatalysts' efficiency and selectivity and demonstrate their applicability in selective chemical transformations and environmental pollutant remediation. Vega-Fernández *et al.* (<https://doi.org/10.1039/D4NA00149D>) introduce novel strategies for photocatalytically functionalizing thin-layer membranes using a monomer truncation strategy, showcasing organic polymer films with enhanced photocatalytic activity. This photoactive film demonstrated effective luminescence properties, enabling the oxidation of sulfides to sulfoxides and the reduction of aryl bromines.

Enhancing photocatalytic efficiency for NO_x removal focuses on refining materials properties and integrating advanced nanostructures, significantly boosting the degradation rates of nitrogen oxides. These advancements offer more efficient and environmentally friendly solutions for air pollution control. Pham *et al.* (<https://doi.org/10.1039/D4NA00035H>) explore the efficient photocatalytic removal of NO_x pollutants using triangular Ag nanoparticles coupled with TiO_2 . This study underscores significant enhancements in photocatalytic efficiency while minimizing toxic byproducts, highlighting the role of

plasmonic nanomaterials in sustainable air purification technologies.

Utilizing semiconductor photoelectrode materials for solar hydrogen production is a promising approach to generate clean, green energy with a zero-carbon footprint while minimally altering existing infrastructure. Sitaaraman *et al.* (<https://doi.org/10.1039/D4NA00088A>) present an innovative nanostructured tandem cell for unassisted solar water splitting, featuring $\text{FeOOH}/\text{NiOOH}$ -coated BiVO_4 as a photoanode and TiO_2 -protected $\text{Cu}_2\text{O}/\text{CuO}$ as a photocathode. This work showcases efficient hydrogen evolution under sunlight, offering a sustainable pathway toward renewable hydrogen production.

Combining semiconductors with complementary electronic properties to form heterojunctions optimizes charge transfer and separation, enhancing photocatalytic activity through reduced recombination losses. Luo *et al.* (<https://doi.org/10.1039/D3NA01091K>) introduce an S-scheme heterojunction of $\text{BiVO}_4/\text{VS-MoS}_2$ for efficient photocatalytic nitrogen fixation, which is very attractive for the sustainable production of NH_3 . This study highlights significant advancements in utilizing nanoscale heterostructures to overcome kinetic barriers and achieve high-efficiency nitrogen reduction under ambient conditions, which is crucial for sustainable agriculture and chemical synthesis.

Present methods of nanomaterials synthesis often struggle to achieve precise control over synthetic outcomes, primarily due to poorly defined reaction protocols, and this challenge becomes multi-fold when agricultural waste is used as a direct source. Verma *et al.* (<https://doi.org/10.1039/D3NA00596H>) explore the viability of utilizing lignocellulosic waste, specifically sugarcane press mud, for synthesizing ZnO nanoparticles using three distinct precursor salts. These nanoparticles were subsequently evaluated for their effectiveness in the photocatalytic degradation of rhodamine dyes.

Surface plasmon resonance (SPR)-based heterogeneous photocatalysts have demonstrated significantly enhanced photocatalytic efficiency under

visible light. The effectiveness of plasmonic photocatalysis depends on various factors within the system, including the choice of specific metals or noble metals and the supporting materials utilized. Rani *et al.* (<https://doi.org/10.1039/D3NA00583F>) investigate microwave-assisted synthesis of $\text{Ni-NiO@Ni}_2\text{CO}_3(-\text{OH})_2$ core-shell@sheet hybrid nanostructures for plasmonic photocatalysis. Their work demonstrates enhanced hydrogen evolution through flexible nanosheets, highlighting the potential of cheaper metals in solar-driven water-splitting technologies.

In conclusion, this themed collection encapsulates the forefront of research and development in photocatalytic materials, offering insights into novel materials design, synthesis methodologies, and their diverse applications in clean energy and environmental (air and water) remediation. As guest editors, we sincerely thank the authors for their pioneering contributions and the editorial team of *Nanoscale Advances* for their support in curating this comprehensive exploration of photocatalytic innovations. This themed collection will catalyze interdisciplinary collaboration, fostering new ideas and practical innovations in pursuing sustainable energy solutions.

References

- 1 X. Bai, Z. Su, J. Wei, L. Ma, S. Duan, N. Wang, X. Zhang and J. Li, Zinc(II) Porphyrin-Based Porous Ionic Polymers (PIPs) as Multifunctional Heterogeneous Catalysts for the Conversion of CO_2 to Cyclic Carbonates, *Ind. Eng. Chem. Res.*, 2022, **61**, 5093–5102.
- 2 IPCC, Summary for Policymakers, in *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*, ed. O. Edenhofer, R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx, Cambridge University Press,



Cambridge, United Kingdom and New York, NY, USA, 2014.

3 A. Shrivhare, D. Jampaiah, S. K. Bhargava, A. F. Lee, R. Srivastava and K. Wilson, Hydrogenolysis of Lignin-Derived Aromatic Ethers over Heterogeneous Catalysts, *ACS Sustain. Chem. Eng.*, 2021, **9**, 3379–3407.

4 E. Gong, S. Ali, C. B. Hiragond, H. S. Kim, N. S. Powar, D. Kim, H. Kim and S. In, Solar Fuels: Research and Development Strategies to Accelerate Photocatalytic CO₂ Conversion into Hydrocarbon Fuels, *Energy Environ. Sci.*, 2022, **15**, 880–937.

5 A. Galushchinskiy, R. González-Gómez, K. McCarthy, P. Farràs and A. Savateev, Progress in Development of Photocatalytic Processes for Synthesis of Fuels and Organic Compounds under Outdoor Solar Light, *Energy Fuels*, 2022, **36**, 4625–4639.

6 A. Behera, A. K. Kar and R. Srivastava, Challenges and Prospects in the Selective Photoreduction of CO₂ to C1 and C2 Products with Nanostructured Materials: A Review, *Mater. Horiz.*, 2022, **9**, 607–639.

7 S. Samanta, R. Yadav, A. Kumar, A. Kumar Sinha and R. Srivastava, Surface Modified C, O Co-Doped Polymeric g-C₃N₄ as an Efficient Photocatalyst for Visible Light Assisted CO₂ Reduction and H₂O₂ Production, *Appl. Catal., B*, 2019, **259**, 118054.

8 C. Wang, Z. Sun, Y. Zheng and Y. H. Hu, Recent progress in visible light photocatalytic conversion of carbon dioxide, *J. Mater. Chem. A*, 2019, **7**, 865–887.

9 J. Lasek, Y.-H. Yu and J. C. S. Wu, Removal of NO_x by Photocatalytic Processes, *J. Photochem. Photobiol., C*, 2013, **14**, 29–52.

10 G. Jiang, X. Li, M. Lan, T. Shen, X. Lv, F. Dong and S. Zhang, Monodispersed bismuth nanoparticles decorated graphitic carbon nitride: enhanced visible-light-response photocatalytic NO removal and reaction pathway, *Appl. Catal., B*, 2017, **205**, 532–540.

11 S. Khan, T. Noor, N. Iqbal and L. Yaqoob, Photocatalytic Dye Degradation from Textile Wastewater: A Review, *ACS Omega*, 2024, **9**, 21751–21767.

12 H. Yao, M. Fan, Y. Wang, G. Luo and W. Fei, Magnetic titanium dioxide based nanomaterials: synthesis, characteristics, and photocatalytic application in pollutant degradation, *J. Mater. Chem. A*, 2015, **3**, 17511–17524.

13 T. Hisatomi, J. Kubota and K. Domen, Recent Advances in Semiconductors for Photocatalytic and Photoelectrochemical Water Splitting, *Chem. Soc. Rev.*, 2014, **43**, 7520–7535.

