## **Nanoscale Horizons**



## CORRECTION

**View Article Online** 



Cite this: Nanoscale Horiz., 2024, 9, 2069

## Correction: New horizons on advanced nanoscale materials for Cultural Heritage conservation

Rosangela Mastrangelo, David Chelazzi and Piero Baglioni\*

Correction for 'New horizons on advanced nanoscale materials for Cultural Heritage conservation' by Rosangela Mastrangelo et al., Nanoscale Horiz., 2024, 9, 566-579, https://doi.org/10.1039/D3NH00383C.

DOI: 10.1039/d4nh90062f

rsc.li/nanoscale-horizons

The authors regret that some of the diffusion coefficients (D) listed in Table 1 in the published article have been attributed to the incorrect gel. The new Table 1 provided below replaces the originally published version and contains the correct diffusion coefficients. These errors do not affect the experimental data, results analysis and conclusions of the work.

Table 1 Cleaning performances of H-PVA - L1-L3 gels: average greyscale intensity of pixels in the cleaned areas (0: black, 255: white). Diffusion coefficients (D) of the dye Alexa Fluor in a tartrazine aqueous solution (free dye) and in TC-PNs with the increasing pore size. The apparent tortuosity,  $\tau_{\rm app}^{-2}$ , was calculated according to eqn (1)

Gel	Greyscale intensity in the cleaned areas	$D \left( \mu \text{m}^2 \text{ s}^{-1} \right)$	$ au_{ m app}^{-2}$
Free dye	<del>-</del>	$278 \pm 14$	_
H-PVA – L1	$231\pm2$	$168 \pm 8$	1.7
H-PVA – L2	$233 \pm 4$	$128\pm14$	2.2
H-PVA – L3	$240\pm2$	$131 \pm 8$	2.1

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.