

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)Cite this: *RSC Adv.*, 2024, **14**, 10262DOI: 10.1039/d4ra90030h  
[rsc.li/rsc-advances](http://rsc.li/rsc-advances)

## Correction: Ocular biocompatibility evaluation of POSS nanomaterials for biomedical material applications

Chenghui Shen,<sup>ab</sup> Yuemei Han,<sup>a</sup> Bailiang Wang,<sup>a</sup> Junmei Tang,<sup>a</sup> Hao Chen<sup>\*a</sup> and Quankui Lin<sup>\*a</sup>

Correction for 'Ocular biocompatibility evaluation of POSS nanomaterials for biomedical material applications' by Chenghui Shen *et al.*, *RSC Adv.*, 2015, **5**, 53782–53788, <https://doi.org/10.1039/C5RA08668J>.

The authors regret that the magnification of the cell staining images was missed in the caption of Fig. 4. The corrected caption of Fig. 4 is as shown here. The figures remain the same.

**Fig. 4** Fluorescence micrographs of DCFH-DA stained HLECs (A), and cells incubated with 200 mg mL<sup>-1</sup> NH<sub>2</sub>-POSS (B), HO-POSS (C) or SH-POSS (D), for indicating the intracellular ROS level (200 $\times$ ).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.