## **Sensors & Diagnostics**



## CORRECTION

View Article Online



Cite this: Sens. Diagn., 2024, 3, 1992

## Correction: modulation of the binding sites for an adaptable DNA interactive probe: efficient chromo-fluorogenic recognition of Al3+ and live cell bioimaging

Atanu Maji, a Debarpan Mitra, b Amitav Biswas, a Moumita Ghosh, a Rahul Naskar, a Saswati Gharami, a Nabendu Murmu<sup>b</sup> and Tapan K. Mondal\*a

DOI: 10.1039/d4sd90044h

rsc.li/sensors

Correction for 'Modulation of the binding sites for an adaptable DNA interactive probe: efficient chromofluorogenic recognition of Al<sup>3+</sup> and live cell bioimaging' by Atanu Maji et al., Sens. Diagn., 2024, https:// doi.org/10.1039/D4SD00242C

The authors regret the error in the names of Saswati Gharami and Nabendu Murmu, who should have been listed as separate authors, and the omission of the affiliation of Debarpan Mitra and Nabendu Murmu, from the original manuscript. The corrected list of authors and affiliations for this paper is as shown herein.

In addition, the authors regret the irrelevant crystal data included in the manuscript, as there is no new crystal data associated with this work.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>&</sup>lt;sup>a</sup> Department of Chemistry, Jadavpur University, Kolkata-700032, India. E-mail: tapank.mondal@jadavpuruniversity.in

<sup>&</sup>lt;sup>b</sup> Department of Signal Transduction and Biogenis Amines (STBA), Chittaranjan National Cancer Institute, Kolkata-700026, India