



Cite this: *Soft Matter*, 2024, 20, 8158

DOI: 10.1039/d4sm90160f

rsc.li/soft-matter-journal

Correction: Flow and clogging of capillary droplets

Yuxuan Cheng,^{*a} Benjamin F. Lonial,^b Shivnag Sista,^a David J. Meer,^b Anisa Hofert,^b Eric R. Weeks,^b Mark D. Shattuck^c and Corey S. O'Hern^{adef}

Correction for 'Flow and clogging of capillary droplets' by Yuxuan Cheng *et al.*, *Soft Matter*, 2024, <https://doi.org/10.1039/D4SM00752B>.

The authors regret that an incorrect version of Fig. 2 was included in the original article. The correct version of Fig. 2 is presented below.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Department of Physics, Yale University, New Haven, Connecticut, 06520, USA. E-mail: yuxuan.cheng@yale.edu

^b Department of Physics, Emory University, Atlanta, GA 30322, USA

^c Benjamin Levich Institute and Physics Department, The City College of New York, New York, New York 10031, USA

^d Department of Mechanical Engineering and Materials Science, Yale University, New Haven, Connecticut, 06520, USA

^e Program in Computational Biology and Bioinformatics, Yale University, New Haven, Connecticut, 06520, USA

^f Department of Applied Physics, Yale University, New Haven, Connecticut, 06520, USA. E-mail: Corey.ohern@yale.edu






Fig. 2 Series of images of a single droplet flowing through a narrow orifice with width $w = 0.4\sigma$ from (a) oil-in-water experiments with undeformed droplet diameter $\sigma \approx 3.5$ mm and tilt angle $\theta \approx 28^\circ$ and (b) a DP simulation in 2D at dimensionless line tension $\Gamma = \Gamma^*$ and near-wall drag coefficient $b_0 = b_0^*$. The scale bar indicates 1 mm. The rightward pointing arrow indicates the direction of droplet flow. Below panel (a), we provide the distances of the droplet center of mass to the orifice h at which the images are captured. We find that $\Gamma^* \approx 0.16$ and $b_0^*/b_\infty \approx 0.064$ minimize the deviation in the droplet's center of mass speed Δ_ν between the DP simulations and experiments. These best-fit values give $\Delta_\nu \approx 0.09$ and $\Delta_A \approx 0.01$. In panel (a), we overlay the shape of the droplet from the DP simulations at $h = 0$ (red dashed line) onto the corresponding droplet image for the experiments (black solid line). Droplet (c) shape parameter A and (d) center of mass speed in the driving direction v_g plotted as a function of h/σ for both experiments (open circles) and DP simulations (solid lines). We estimate the dimensionless surface tension in the experiments to be $\Gamma_{\text{exp}} \approx 0.57$. The error bars for the experimental data are obtained using the standard deviation of the measured quantities from at least five different trials with one droplet.

