

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *J. Mater. Chem. A*, 2024, **12**,
28550

DOI: 10.1039/d4ta90193b
rsc.li/materials-a

Correction: Review on the synthesis of Li-rich layered oxide cathodes

Kexin Gu,^{ab} Zhepu Shi,^{ac} Xiao Li,^{ab} Bao Qiu^{*ab} and Zhaoping Liu^{*ab}

Correction for 'Review on the synthesis of Li-rich layered oxide cathodes' by Kexin Gu et al., *J. Mater. Chem. A*, 2024, **12**, 24727–24745, <https://doi.org/10.1039/D4TA03917C>.

The authors regret that an incorrect version of Fig. 8 was included in the originally published article. The correct version of Fig. 8 is shown below.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aNingbo Institute of Materials Technology and Engineering (NIMTE), Chinese Academy of Sciences, Ningbo 315201, P.R. China. E-mail: qiubao@nimte.ac.cn; liuzp@nimte.ac.cn

^bCenter of Materials Science and Optoelectronics Engineering, University of Chinese Academy of Sciences (UCAS), Beijing 100049, P.R. China

^cEastern Institute for Advanced Study, Eastern Institute of Technology, Ningbo 315200, P.R. China




Fig. 8 (a) Effect of the lithium source type and content and sintering temperature on the primary particle size of LLOs. (b) SEM images of LLOs at different lithium contents and sintering temperatures. Reproduced with permission.¹²⁵ Copyright 2022, Elsevier. (c) and (d) Cell parameters and (e) phase content of LLOs with different primary particle sizes. Reproduced with permission.¹²⁵ Copyright 2022, Elsevier. (f) The effect pattern of lithium sources with different melting points on the particle size of the material. (g) Atomic-scale HAADF-STEM images of LLOs prepared with high melting point Li_2CO_3 and low melting point LiOH . Reproduced with permission.⁴⁵ Copyright 2023, Elsevier. (h) Refinement results. Reproduced with permission.⁴⁵ Copyright 2023, Elsevier.