



Cite this: *J. Mater. Chem. B*,  
2024, 12, 11265

DOI: 10.1039/d4tb90174f

rsc.li/materials-b

## Correction: Blood-clotting model and simulation analysis of polyvinyl alcohol–chitosan composite hemostatic materials

Yifan Zhao,<sup>ae</sup> Junhong Hao,<sup>\*b</sup> Zexin Chen,<sup>c</sup> Mengmeng Li,<sup>a</sup> Jianxun Ren<sup>c</sup> and Xiaobing Fu<sup>d</sup>

Correction for 'Blood-clotting model and simulation analysis of polyvinyl alcohol–chitosan composite hemostatic materials' by Yifan Zhao et al., *J. Mater. Chem. B*, 2021, **9**, 5465–5475, <https://doi.org/10.1039/D1TB00159K>.

The authors apologise for an error in Fig. 2a due to figure compilation. The corrected Fig. 2 is shown below.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Fourth Medical Center of PLA General Hospital, Beijing, 100048, China

<sup>b</sup> Key Laboratory of Power Station Energy Transfer Conversion and System of Ministry of Education, School of Energy Power and Mechanical Engineering, North China Electric Power University, Beijing 102206, China. E-mail: [hjh@ncepu.edu.cn](mailto:hjh@ncepu.edu.cn)

<sup>c</sup> Key Laboratory for Thermal Science and Power Engineering of Ministry of Education, Department of Engineering Mechanics, Tsinghua University, Beijing 100084, China

<sup>d</sup> Wound Healing Unit, PLA General Hospital, Beijing, 100853, China

<sup>e</sup> Department of Anesthesiology, Medical School of Chinese PLA, Beijing 100853, China






Fig. 2 SEM images of the PVA, CS, and PVA–CS<sub>x</sub> sponges.

