

Cite this: *Anal. Methods*, 2025, 17, 1401

## Expression of concern: Electrochemical genosensor based on gold nanostars for the detection of *Escherichia coli* O157:H7 DNA

Nasrin Razmi,<sup>\*a</sup> Mohammad Hasanzadeh,<sup>b</sup> Magnus Willander<sup>\*a</sup> and Omer Nur<sup>a</sup>DOI: 10.1039/d5ay90010g  
rsc.li/methodsExpression of concern for 'Electrochemical genosensor based on gold nanostars for the detection of *Escherichia coli* O157:H7 DNA' by Nasrin Razmi *et al.*, *Anal. Methods*, 2022, 14, 1562–1570, <https://doi.org/10.1039/D2AY00056C>.

*Analytical Methods* is publishing this expression of concern in order to alert readers that concerns have been raised over the integrity of the data in Table 2 and Fig. 4.

The measurements reported in the article, including the limit of detection and linear range, were found to have been calculated without reference samples and may be incorrect.

The data in Fig. 4 was first published, in part, in Fig. S13 of <https://doi.org/10.1039/D1RA04764G>.

The authors have been contacted but have not yet been able to provide additional data to verify their results. An expression of concern will continue to be associated with the article until a conclusive outcome is reached.

Philippa Ross

14th January 2025

Executive Editor, *Analytical Methods*

<sup>a</sup>Physics and Electronics, Department of Science and Technology, Linköping University, SE-601 74 Norrköping, Sweden. E-mail: [Nasrin.razmi@liu.se](mailto:Nasrin.razmi@liu.se); [magnus.willander@liu.se](mailto:magnus.willander@liu.se); Tel: +46 11 36 34 72

<sup>b</sup>Pharmaceutical Analysis Research Center, Tabriz University of Medical Sciences, Tabriz 51664, Iran

