

Analytical Methods

rsc.li/methods

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 1759-9679 CODEN AMNECT 17(4) 625–860 (2025)




Cover
Front cover image © Science
Photo Library/Getty Images.

MINIREVIEWS

635

Electroanalytical overview: the use of laser-induced graphene sensors

Robert D. Crapnell, Elena Bernalte, Rodrigo A. A. Muñoz and Craig E. Banks*




Electrochemical sensing using laser-induced graphene

652

Recent developments in isothermal amplification technology for rapid detection of SARS-CoV-2

Linlin Wang, Ruitong Tang, Wentao Wang, Lingguang Bu, Jingle Sun, Yurong Fu,* Meng Li* and Zhengjun Yi*



**GOLD
OPEN
ACCESS**

EES Batteries

**Exceptional research on
batteries and energy storage**

Part of the EES family

**Join
in**

Publish with us


rsc.li/EESBatteries

COMMUNICATIONS

665

Preliminary studies for the standardization of a pXRF analyzer *via* ICP-OES for the accurate quantification of Pb in new paint

Caryn S. Seney, Adam M. Kiefer,* Samantha T. Brown, Evan R. Stair, David G. Nelson, Lloyd L. Bando, W. Benjamin Stewart, Nuren Z. Lara and Clare Donaldson



671

Chitosan as a fluorescent probe for the detection of the AIE-active food colorant quinoline yellow

Yuan Gu, Jianwei Wu, Bingyong Lin, Yueliang Wang, Yuanyuan Yao, Lifan Chen, Jianguo Xu* and Longhua Guo*




PAPERS

677

An interpretable multi-scale convolutional attention residual neural network for glioma grading with Raman spectroscopy


Qingbo Li,* Xupeng Shao, Yan Zhou, Yinyan Wang, Zeya Yan, Hongbo Bao and Lipu Zhou




688

Self-reduction of gold@platinum bimetallic nanoparticles on Ti₃C₂T_x MXene nanoribbons coupled with hydrogel and smartphone technology for colorimetric detection of silver ions

Jing Li, Xun Zhou, Guanghua Mao, Gangbing Zhu and Yinhui Yi*




698



Quantitative and rapid lateral flow immunoassay for cardiac troponin I using dendritic mesoporous silica nanoparticles and gold nanoparticles

Yafei Li, Yu Yao, Qingqing Hua and Jishun Li*


708



A DNA conformational nanoswitch for amplification of both low-abundance protein imaging in living cells and photodynamic therapy

Mingzhu Fan, Wei Guo, Xinran Li, Huile Fan, Zhihui Luo, Jiayao Xu,* Huakui Huang* and Shulong Wang*


714



An electrochemical sensor based on electrodeposited methylene blue on a carbon nanotube decorated hydrogel for the detection of ascorbic acid

Linghui Tang, Yufeng Huang, Zhihuan Qian, Jifan Zhao, Yasushi Hasebe, Yan Dong and Yue Wang*

724



A polyaniline-enhanced quartz crystal microbalance sensor for room-temperature camphor detection


Rizky Aflaha, Muammar Romiz Dzaki, Laila Katriani, Ahmad Hasan As'ari, Chlara Naren Maharani, Agus Kuncaka, Taufik Abdillah Natsir, Aditya Rianjanu, Ruchi Gupta, Kuwat Triyana and Roto Roto*



735

A simple and stable dual-emission fluorescent system based on R6G/Eu-MOF for the rapid and sensitive determination of orientin


Huifeng Xu,^{*} Weihua Huang, Rui Pan, Ronglin Chen, Lili Wang,^{*} Yun Yu, Xihai Li and Xi Zhu^{*}



742

Analysis of alkyl-anthraquinone derivatives from hydrogen peroxide industrial process, using LC × LC-HRMS with shifting gradients


Clémence Giffard, Florent Rouvière, Olivier Falletti, Béatrice Allard-Breton, Laurent Wendlinger, Jean-Michel Bossoutrot and Karine Faure^{*}



752

Morphology-dependent nanoplasmonic assay: a powerful signaling platform for multiplexed total antioxidant capacity analysis


Zeinab Feyzollahi, Mahdiye Hassanpoor, Afsaneh Orouji and Mohammad Reza Hormozi-Nezhad^{*}




762

A metal organic framework, UiO-66-NH₂, based on a molybdenum Schiff base complex for the efficient electrochemical determination of diphenoxylate

Samira Saeednia,^{*} Masoud Rezaeinasab,^{*} Parvaneh Iranmanesh and Sobhan Abbasi Razgaleh




772



Automatic magnetic solid phase extraction for rapid and high-throughput determination of neonicotinoid insecticides and their metabolites in serum, breast milk and urine samples

Kaiqin Huang, Jing Yi, Guocheng Liu, Yangyang Liu, Kaixin Jiang, Zhuowen Li, Yanji Qu, Meiqing Lin and Shengtao Ma*


783



Au nanoparticle-modified hollow carbon spheres as an advanced electrochemical sensing platform for effective detection of homocysteine in human serum

Na Li, Yan Zhang, Dongyu Zhang, Xiaoli Zhang, Ning Wei* and Xiuhui Liu*


792



A fluorescent probe based on pyrazoline with significant Stokes shifts for the detection of Cu^{2+} ions and its applications

Yajing Shang,* Xinghu Wu and Haoting Luo

800



Development and clinical validation of photochemical biosensors for monitoring hemoglobin, blood lipids and uric acid in plateau areas


Bo Yu, Qiuping Li, Wei Zhang, Xiaoyan Xiang, Danzeng Quda, Gasong Zhuoga, Qiong Huang, Jie Cheng,* Jinhong Guo,* Zhijuan Liu* and Li Shi*



808

Direct-detection of glyphosate in drinking water via a scalable and low-cost laser-induced graphene sensor


Bruno Vasconcellos Lopes, Guilherme Kurz Maron, Mateus Gallucci Masteghin, Raphael Dorneles Caldeira Balboni, S. Ravi P. Silva and Neftali Lenin Villarreal Carreno*



816

An effective method for detecting nitrous oxide using alkaline washing and GC-MS

Mu Yang, Wenqing Gao,* Liang Ma, Xingyu Chen, Haixing Wang,* Jiancheng Yu* and Keqi Tang



823

One-pot isothermal CRISPR/Dx system for specific and sensitive detection of microRNA


Xinyu Li, Zhihao Huang, Cia-Hin Lau, Jiaqi Li, Minghai Zou, Weidong Wu, Xiaoqing Chen, Jiahui Li, Yumei Huang, Tao Wang, Yulin Li, Meijing Xu, Xiaojun Huang, Haibao Zhu* and Chunkang Yang*




834

Preliminary establishment and evaluation of a rapid detection method for GII human norovirus based on time-resolved fluorescence chromatography

Kebei Wang, Min Li, Chaofan Yin, Lei Cheng, Fang Li, Lei Zuo, Xiaojun Wang, Xudong Wang and Yunlong Wang*




841



Non-suppressed ion chromatography-tandem electrospray mass spectrometry using a short column for simultaneous analysis of dichloroacetic acid, trichloroacetic acid, and bromate: aqueous ammonia as the eluent additive

Mingguo Peng, Jiali Chen, Shi Cheng,^{*} Huaicheng Zhang, Liangtao Pu, Erdeng Du, Qingfeng Cheng, Yanting Zuo^{*} and Aimin Li

850



Glycan profiling of multiple sclerosis oligoclonal bands with MALDI-TOF

Furkan Şahin, Zelal Zuhul Kaya, Mustafa Serteser, Hasan Ümit Öztürk^{*} and Ahmet Tarık Baykal^{*}

