

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *Biomater. Sci.*, 2025, **13**, 1591

DOI: 10.1039/d5bm90017d
rsc.li/biomaterials-science

Correction: D–A–D organic fluorescent probes for NIR-II fluorescence imaging and efficient photothermal therapy of breast cancer

Jie Gao,^a Lin Yuan,^a Yu Min,^a Bing Yu,^{*a,b} Hailin Cong^{*b,d} and Youqing Shen^{a,c}

Correction for 'D–A–D organic fluorescent probes for NIR-II fluorescence imaging and efficient photothermal therapy of breast cancer' by Jie Gao *et al.*, *Biomater. Sci.*, 2024, **12**, 1320–1331, <https://doi.org/10.1039/D3BM01604H>.

The authors regret an error in Fig. 6 in the original manuscript. The correct version of Fig. 6 is as shown below.

^aCollege of Chemistry and Chemical Engineering, College of Materials Science and Engineering, Institute of Biomedical Materials and Engineering, Qingdao University, Qingdao, 266071, China. E-mail: yubing198@qdu.edu.cn

^bState Key Laboratory of Bio-Fibers and Eco-Textiles, Qingdao University, Qingdao 266071, China

^cKey Laboratory of Biomass Chemical Engineering of Ministry of Education, Center for Bionanoengineering, and Department of Chemical and Biological Engineering, Zhejiang University, Hangzhou, Zhejiang, 310027, China

^dSchool of Materials Science and Engineering, Shandong University of Technology, Zibo 255000, China. E-mail: conghailin@sut.edu.cn




Fig. 6 Histological examination of the main organs and tumors of mice in four groups. (a) H&E staining of the major organs; (b) H&E staining of tumor sections (scale = 200 μ m).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

