

# Sustainable Food Technology

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: R. Pabaati, K. V. Reddy, B. M. Venkatesh, A. Akila, P. Paul Vijay, G. VSree ajran, N. R. Maddela and R. Prasad, *Sustainable Food Technol.*, 2025, DOI: 10.1039/D5FB00303B.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.

## Sustainability Spotlight Statement

View Article Online  
DOI: 10.1039/D5FB00303B

The dark reality of microbial resistance and all its effects on food safety should be taken into account when choosing and integrating antimicrobials into food packaging materials. Sensor technologies are known to be a promising approach as an alternative food packaging method as well as minimizing the harmful effects of plastic on the environment. Different kinds of sensors, such as optical, edible, chemical, and biosensors, are used depending on the type of food being packaged. Thus, this technology will help us to monitor the quality of food in real-time. In order to create a bright and sustainable future, we require a multidisciplinary strategy that brings together professionals from all biotechnology domains, in particular engineering, food technology, microbiology, and material sciences. These novel strategies should be further studied to taking the complete advantage of these while overcoming the challenges associated with them. Further research becomes pivotal, taking into consideration that the food should not be contaminated and should be maintained in an efficient manner. Sustainable and environment-friendly food packaging systems are absolutely essential for a sustainable future.



# Advancements in food packaging strategies with a focus on Antimicrobials and Sensor Technologies: A comprehensive review

Pabbati Ranjit <sup>1,#</sup>, Kondakindi Venkateswar Reddy <sup>1,#</sup>, Belli Madhuri Venkatesh <sup>1</sup>, Aleti Akila <sup>1</sup>, P. Paul Vijay <sup>1</sup>, Guntheti G D D Sree Vajran <sup>1</sup>, Naga Raju Maddela <sup>2</sup>, Ram Prasad <sup>3,\*</sup>

<sup>1</sup> Center for Biotechnology, University college of Engineering science and Technology, Jawaharlal Nehru Technological University of Hyderabad, Kukatpally, Hyderabad 500085, Telangana, India

<sup>2</sup> Departamento de Ciencias Biológicas, Facultad de Ciencias de La Salud, Universidad Técnica de Manabí, Portoviejo, 130105, Ecuador

<sup>3</sup> Department of Botany, Mahatma Gandhi Central University, Motihari 845401, Bihar, India

#Equal contribution

**\*Corresponding author**

Dr. Ram Prasad, Ph.D., Associate Professor, Department of Botany, Mahatma Gandhi Central University, Motihari 845401, Bihar, India. Email: rpjnu2001@gmail.com

## Authors' ORCiDs:

Pabbati Ranjit: 0000-0001-9979-950X

Kondakindi Venkateswar Reddy: 0000-0002-7240-1714

Belli Madhuri Venkatesh: 0009-0003-8197-5669

Aleti Akila: 0009-0009-7526-096X

P. Paul Vijay: 0009-0008-8890-5766

Guntheti G D D Sree Vajran: 0009-0009-8603-9291

Naga Raju Maddela: 0000-0002-7893-0844

Ram Prasad: 0000-0002-3670-0450



**Highlights**

- Food packaging with healthful, risk-free food without contamination is essential.
- Antimicrobial food packaging brings antimicrobials into the food packaging films.
- Active, bioactive, smart, and intelligent food packaging techniques are innovative in food safety, quality and shelf life.
- Bio-, edible-, optical sensors-based packaging materials can detect changes in food quality.
- The food packaging industry is facing environmental, technical, and regulatory issues.



37 **Abstract**View Article Online  
DOI: 10.1039/D5FB00303B

38 Food that is fresh, healthy, quick, and fast is in higher consumer demand with strict  
39 rules to prevent food-borne infectious diseases has clearly increased over time due to  
40 busy lifestyles and world's growing population. In order to provide the wholesome and  
41 risk-free food without any contamination, food packing is important. Several studies  
42 have been going on innovative packaging technologies, among which antimicrobial  
43 food packaging technology is one. Antimicrobial food packaging is a potential approach  
44 that successfully incorporates the antimicrobials into the film of the food packaging. In  
45 the form of a thorough review, this paper provides a brief introduction to all the  
46 innovative food packaging technologies focusing on the overview of contemporary  
47 antimicrobial agent research targeted at prolonging the storage life of food to enhance  
48 its quality and safety via suppressing pathogen development. This study addresses the  
49 various kinds of antimicrobial agents and novel techniques that are in use at present as  
50 well as those that are still being researched giving importance to their usage in food  
51 packaging. Emerging novel technologies such as active, bioactive, smart and intelligent  
52 packaging are considered to be a suitable alternative to combat increasing harmful  
53 plastic effects on not only consumers but also the environment. This review gives a  
54 brief information about the combination of natural and technological strategies for  
55 enhancing the food packaging strategies. Technology plays a critical role in the  
56 discovery of different types of packaging materials which include bio-sensors, edible  
57 sensors, optical sensors and various kinds of indicators to detect the changes in the  
58 food's quality. However, while outlining their applications, challenges/disadvantages  
59 associated with antimicrobials are also highlighted for the future research to be in an  
60 appropriate path.



**Keywords:** food packaging; antimicrobial packaging; antimicrobials; sensor technologies.


**1. Introduction**

The production, processing, shipping, and storage of food present considerable challenges, requiring adherence to regulations for human health, environmental safety, and financial viability.<sup>1</sup> Over 1.3 billion metric tons of usable food are wasted annually.<sup>2</sup> The global demand for diverse food products necessitates extensive transportation, highlighting the critical role of proper food packaging in ensuring safety and minimizing waste.<sup>1</sup> Food packaging generally fulfils four primary objectives: protection, communication, convenience, and containment,<sup>3-5</sup> with its most vital function being the preservation of food quality and safety through prevention of spoilage and contamination, and extension of shelf life.<sup>1, 6</sup> Materials such as glass, polymers/plastics, metals, and paper are commonly used, often in composite forms.<sup>7</sup> Polymers/plastics constitute the largest segment of the food packaging market (37%), followed by paper and board (34%).<sup>8</sup> The main function of traditional food packaging materials like polyethylene terephthalate (PET), high-density polyethylene (HDPE), and low-density polyethylene (LDPE) is to operate as physical barriers that shield food from outside environmental elements including light, air, and moisture. These films have some degree of success in maintaining food quality, but they don't have any cognitive or active features, including the capacity to stop microbiological growth or track the freshness of food in real time. These restrictions have prompted the creation of active and intelligent packaging technologies, which use sensors, indications, or antimicrobial agents to improve food safety and shelf life above and beyond what is possible with traditional materials.<sup>9,10</sup> Sustainability is a key component of these developments, since

View Article Online  
DOI: 10.1039/D5FB00303B



smart packaging solutions use breakthroughs like biodegradable materials and improved packaging designs to limit waste and their negative effects on the environment.<sup>11</sup>



**Figure 1.** Primary plastic production by industrial sector 2015 (a), and Plastic waste generation by industrial sector, 2015 (b).

Antimicrobial food packaging tackles microbiological infection without chemical preservatives, whereas antioxidant food packaging reduces oxidation-related degradation, which is especially advantageous for oils, fats, and processed foods.<sup>12</sup> This review article discusses about advanced packaging technologies giving special



importance to antimicrobial packaging and sensor technologies along with their applications.


## 2. Active food packaging

Active packaging technology includes components that are purposefully placed in or on the packing material or the headspace of the container so that they can release or absorb substances into the surrounding environment of the food product.<sup>13</sup> Using active packaging for perishable items reduces the amount of active chemicals used, reduces localized activity and particle transfer from film to food, and gets rid of needless industrial processes that could contaminate the product, among other advantages.<sup>14</sup> As a result, the primary goal of active packaging is to avoid microbiological and chemical contamination while still preserving food's visual and organoleptic features.<sup>15</sup> Ethylene scavengers, oxygen scavengers, antimicrobials, preservative releasers, antioxidants and flavour and odour absorber/releasers are all commonly employed in active packaging technologies.<sup>16</sup> Moisture absorbers are non-migratory active packaging that absorb excess moisture by utilizing hygroscopic substrates or substances (e.g. Cellulose, silica gel) establish an atmosphere less conducive to the growth of microorganisms and deterioration.<sup>15</sup> Ethylene removal systems aid in the reduction of ethylene (which accelerates the ripening process) in the packaging atmosphere, hence reducing unwanted impacts on the products.<sup>17</sup> Ethylene can be removed using ethylene absorbents (e.g. Silica, activated carbon), which act physically by absorbing and holding its molecules,<sup>15</sup> and ethylene scavengers (i.e. Potassium permanganate, 4–6%)<sup>18</sup> anchored on an inert matrix, such as alumina or silica gel,<sup>19</sup> which act chemically. Carbon dioxide scavengers (CO<sub>2</sub> absorbers comprising calcium, sodium, and potassium hydroxides) remove excess CO<sub>2</sub> from food, preventing discolouration, off-flavor development, and tissue destruction<sup>15,17,20</sup> as shown in **Figure 2**. Similarly, oxygen






scavengers (i.e. Iron-based scavengers) remove oxygen, which causes unwanted organoleptic changes like colour changes, off-flavor development, and the degradation of nutritional characteristics, as well as supporting microbial growth.<sup>19,21</sup> Phenolic chemicals (such as butylated hydroxytoluene) are commonly employed synthetic antioxidants that inhibit lipid oxidation in fat-containing foods and also have properties of antimicrobials.<sup>19,20</sup> Paraffin waxes, fatty acids, sugar alcohols, glycols, metallics, salt hydrates and eutectics may be used in future in food packaging.<sup>15</sup> Different kinds of active packaging materials and their functions were shown in **Table 1**.



**Figure 2.** Various active scavenging approaches in food packaging.

Sustainable active packaging that incorporates antimicrobial packaging solutions can meet industry standards for safety, quality, and longer shelf life.<sup>22</sup> The active and intelligent packaging solutions work as a protective barrier, shielding the food item from numerous physical, chemical, and biological risks. They also act to indicate the freshness and quality of the food product while continuously monitoring the time and temperature of the food product, ensuring the overall safety and quality of the items. Both active and intelligent packaging systems strive to improve food safety and quality by delivering safe and nutritious food to customers, but their responsibilities in achieving this goal differ. The similarities and differences of intelligent and active packaging systems were shown in **Figure 3**.<sup>23</sup>





**Figure 3.** The similarities and differences of active and intelligent food packaging systems.



142 **Table 1.** Various materials and their functions involved in active food packaging.

Active packaging method	Materials	Functions	Foods which can be packaged	Reference
Moisture absorbers	Starch copolymers, silica gel	Reduce food water activity	Meats, fruits, fish and vegetables	24
O <sub>2</sub> scavengers	Ethanol oxidase, ascorbic acid, glucose oxidase.	Inhibits growth of microorganisms and prevents food alterations	Juices (brewing industry), wines, Sauces etc.	25
Desiccants	Calcium oxide, natural clay	Control moisture content	Chips, Spices, candies, Nuts, gums, etc.	25
Antioxidants	Alpha tocopherol, rosemary extract	Oxidation of food due to the formation of radicals can be avoided	Butter, nuts, fresh meat, bakery products, oils, meat derivatives, vegetables and fruits	26
Ethylene Scavengers	Potassium permanganate, zeolites, activated carbon, metal oxides, nanoparticles	Control the amount of ethylene (a growth hormone) and prevent early ripeness of vegetables and fruits.	Ethylene sensitive vegetables and fruits, banana, carrots, mangoes, onions, and tomatoes.	19,27
Humectants	NaCl	Absorbs moisture from the surroundings of food	Tomatoes	25
Ethanol emitters	Ethanol is present in encapsulated forms	Antimicrobial agent reduces oxidative changes; food preservative.	Dried fish, bakery products	28,29



Antimicrobials	Plant extracts, chlorine dioxide, essential oils	Inhibits the growth of bacteria, fungi and virus	Fish, meat, poultry, dairy and baked products	26
----------------	--	--	---	----

---

## 2.1 Food packaging with antimicrobials

View Article Online  
DOI: 10.1039/D5FB00303B

One of the more promising methods for eradicating pathogenic microbes that harm food items is antimicrobial packaging, which is a subtype of controlled release packaging and active packaging. It effectively incorporates the antimicrobial agent into the polymeric film used for packaging and then releases it over a predetermined duration of time, hence expanding the shelf life by many times. Antimicrobial agents have arisen provides longer effectiveness, broader coverage, greater controllability, and improved environmental performance. One of the innovative approaches under antimicrobial packing is to developing functional meals and introduces bioactive packaging, a technology where packaging or coatings actively improve consumer health.<sup>30</sup> Barriers in food packaging can be removed through methods like microencapsulation and nanoencapsulation, providing a sustainable solution for food packaging technologies.<sup>31</sup> Log-reduction curves or minimum inhibitory concentration (MIC) values acquired at fixed concentrations are frequently used to quantify antimicrobial efficacy *in vitro*. These ideals, however, hardly ever correspond to actual food systems.<sup>32</sup> The apparent dose needed to accomplish the same microbial decrease in complicated matrices is usually more than that found in straightforward laboratory conditions.<sup>33</sup> Antimicrobial sorption onto dietary ingredients, chemical inactivation, decreased solubility, and limited mass transfer within heterogeneous structures are some of the causes of this disparity. As a result, in contrast to those in broth media, dose-response curves in meals typically show a tilt to the right.<sup>33</sup> To enable a realistic assessment of efficacy, it is crucial to examine antimicrobial performance in both relevant food matrices and standardized model systems.<sup>32</sup>

A number of variables, including as pH, water activity ( $a_w$ ), lipid and protein content, and temperature, affect how effective antimicrobial drugs are.<sup>26,34,35</sup> Antimicrobial



activity is increased in acidic environments and decreased in low pH environments. While fat and protein content can lower bioavailability, water activity ( $a_w$ ) can protect against microorganisms by lowering metabolism and diffusion rates.<sup>26,39,40</sup> Antimicrobial stability can also be impacted by temperature; at refrigerated temperatures, certain antimicrobials exhibit decreased solubility or diffusion.<sup>41-43</sup> Therefore, in order to properly evaluate antimicrobial medicines, real-world testing circumstances are crucial.<sup>26,35,44</sup>

Encapsulation and nanocarrier designs (e.g. liposomes, polymeric nanoparticles, cyclodextrins) are examples of controlled-release systems and nanocarriers that adjust release rates to ensure that antibiotics act when needed, thereby lowering chronic low-dose exposure that leads to resistance.<sup>45</sup> Immobilization / surface-anchored antimicrobials (e.g. layer-by-layer immobilization or covalent anchoring) lowering the exposure and regulates migration risk by reducing migration into food while maintaining contact activity.<sup>46</sup> Although regulatory frameworks are changing, the use of biological agents (e.g. bacteriophages, bacteriocins and tailored peptides) with narrow specificity reduces off-target selection pressure and are being assessed for safe packaging applications.<sup>47</sup> Natural antimicrobials and essential oils can be encapsulated via microencapsulation, inclusion biopolymer matrices, and nano emulsions, which increase stability, regulate sensory impact, and lessen resistance pressure by requiring fewer dosages.<sup>48</sup> In order to prevent continuous release and reduce resistance selection, materials that release antimicrobials in reaction to pH, moisture, or microbial enzymes are known as stimuli-responsive and intelligent release (on-demand activation).<sup>49</sup>

Standardizing safety and migration testing, better analytical techniques and regulatory advice for migrants (plasticizers, nanoparticles, and additives) to create strong dossiers that the Food and Drug Administration (FDA) and European Food Safety Authority



(EFSA) need and speed up approvals.<sup>50</sup> Bio-based and sustainable polymer platforms shifting to food-grade and biodegradable polymer carriers that reduce long-term environmental contamination and are simpler to defend under safety regulations.<sup>51</sup>

### 2.1.1 Principles and mechanisms of antimicrobial action

Antimicrobial activity can be accomplished in the packaging system by limiting the microbial development by lengthening the lag period and lowering microorganism live counts by slowing down the growth rate.<sup>52</sup> Antimicrobial packaging systems are particularly developed to manage germs that compromise foods' quality, safety, and shelf life, as food security is a major concern nowadays. Microorganisms' characteristics can be quite useful in determining which antimicrobial agents to use. Antioxidants, natural antimicrobials, essential oils, antimicrobial polymers, biotechnology products and other substances are common antimicrobial agents used.<sup>53</sup>

Packaging materials can be surface-modified, integrated, coated, or immobilized with antimicrobial chemicals to provide antimicrobial activity.<sup>25</sup> Antimicrobial films are divided into two categories: those that inhibits surface microbe growth without migration and those that come with an antimicrobial that penetrates into the food's surface.<sup>25</sup> The antimicrobial agent may not migrate at all, only becoming active when the food or target microorganisms come into direct touch with it. Alternatively, it may gradually diffuse partially or completely into the headspace or food, where it demonstrates its protective effect as shown in **Table 2**.<sup>54,55</sup> Bioactive packaging aims to extend food shelf-life and quality by incorporating antimicrobials and antioxidants, often derived from plant-based secondary metabolites, into packaging materials. These compounds can migrate into food, becoming constituents and offering antimicrobial and antioxidant properties. They can also function as plasticizers, enhancing the mechanical properties of biofilms and packaging.<sup>56</sup>



219 **Table 2.** Mechanism of action of various antimicrobial agents in food packaging View Article Online  
DOI: 10.1039/D5FB00303B

Antimicrobial agent	Mechanism of action	Packaging application	Reference
Silver nanoparticles (AgNPs)	Releases Ag <sup>+</sup> ions → bind thiol groups of enzymes/proteins; generate ROS; disrupt DNA/protein replication; membrane leakage	Incorporated in biopolymer films (e.g. chitosan, PLA) for meat, dairy	57
Zinc oxide nanoparticles (ZnONPs)	ROS production (H <sub>2</sub> O <sub>2</sub> , •OH, O <sub>2</sub> <sup>-</sup> ); Zn <sup>2+</sup> release damages membranes and proteins	Active coatings/films for fruits, cheese	58
Essential oils (e.g. Thymol, Carvacrol, Eugenol, Cinnamaldehyde)	Hydrophobic molecules integrate into lipid bilayers → membrane disruption, ion leakage, protein denaturation	Electrospun films and vapor-phase active packaging	59
Bacteriocins (e.g. Nisin, Pediocin)	Bind lipid II in bacterial membrane → pore formation → leakage of ions/metabolites; bactericidal against Gram <sup>+</sup>	Biodegradable films and coatings for cheese, meat	33
Chitosan	Cationic groups bind to negatively charged microbial cell walls → leakage of proteins/ions; chelates metals → enzyme inhibition	Stand-alone antimicrobial film or nanocomposite with AgNPs	60
Enzymes (e.g. Lysozyme, glucose Oxidase)	Lysozyme: hydrolyzes β-(1,4) glycosidic bonds in peptidoglycan; Glucose oxidase: generates H <sub>2</sub> O <sub>2</sub> → oxidative stress	Immobilized in protein/polysaccharide films	61
Organic acids (e.g. Lactic acid, sorbic acid, acetic acid)	Undissociated acids diffuse into cell → dissociate → intracellular acidification, enzyme inhibition	Coated films, edible coatings for fruits/vegetables	52

220

221 **2.1.2 Types of antimicrobial agents in food packaging**

222 The food business is increasingly focusing on maintaining the quality and safety of food  
223 goods as consumers become more health conscious and want fresh, minimally





processed foods.<sup>22</sup> Due to their distinct physiologies, different harmful microorganisms respond differently to antimicrobial treatments. To ensure the quality of food and its safety, antimicrobial agents are mixed into food particles or packaging materials and released gradually, resulting in a prolonged shelf life. Microbicidal and microbistatic effects are thus two essential activities of antimicrobial agents. For the duration of the storage period, the antimicrobial agent must actively work in order to keep the concentration above the minimal inhibitory levels for preventing the development of microbiological species.<sup>53</sup> Antimicrobial agents are chemically manufactured or drawn from the biomass of living things, including animals, plants and microbes for food preservation. The functional properties of antimicrobial packaging films made of biopolymers like polylactic acid (PLA) and fossil-derived polymers like LDPE have been thoroughly studied, but most studies do not use life cycle assessment (LCA) to compare their environmental impacts, particularly carbon footprints. Such comparisons are essential since PLA's supposed sustainability over LDPE is not always clear-cut; LCA studies have demonstrated that although PLA may occasionally lower greenhouse gas emissions, these benefits can be countered by its production and end-of-life management.<sup>62-64</sup> Claims of antimicrobial PLA films' superiority in terms of the environment are still up for debate in the absence of systematic LCA-based assessments. Thus, various antimicrobial agents are discussed in the following **Table 3**.

**Table 3.** Different antimicrobial agents and their applications in food packaging.

Category	Origin	Examples	Applications in Packaging / Food	Reference
Organic acids and salts	Natural (fermentation) and synthetic	Lactic, acetic, propionic acids; salts: sodium lactate, potassium lactate, sodium acetate, sodium benzoate, potassium sorbate	Active films (e.g., EVOH + sorbic acid–chitosan microcapsules), dipping (e.g. salmon, trout fillets), PE films with salts	65






Category	Origin	Examples	Applications in Packaging / Food	Reference
Antimicrobial peptides (AMPs) and Bacteriocins	Microbial origin (e.g. bacteriocins) and animal peptides	Nisin, pediocin, enterocin, leucocin, cathelicidins, defensins	Direct incorporation in polymer (e.g. soy, zein, PLA), surface coating, nanoencapsulation	66
Antioxidants and polyphenols	Plant origin (e.g. fruits, herbs, spices)	Phenolic acids, flavonoids, stilbenes, lignans, tannins (e.g., caffeic acid, quercetin, xanthohumol)	Films with grape seed, green tea, hops extracts; active coatings with antioxidant + antimicrobial dual activity	19
Essential oils (EOs)	Plant metabolites (e.g. herbs, spices, citrus)	Carvacrol, thymol, eugenol, cinnamaldehyde, citral, limonene	Active starch films, encapsulation in chitosan/PLA, coatings for cheese, meat, fish	67,65
Plant extracts (mixtures)	Plant secondary metabolites (e.g. polyphenols, terpenoids, glucosinolates)	Oregano, rosemary, clove, garlic, onion, mustard extracts	Extract-incorporated films/coatings for meat, fish, cheese, fruits, vegetables	68
Enzymes	Microbial/animal proteins	Lysozyme, dispersin B, alginate lyase, DNase I, proteinase K, lysostaphin	Edible films (e.g. chitosan + lysozyme), enzyme coatings for cheese/meat/fish, combinations with chito-oligosaccharides	69

2.1.3 Incorporation strategies for antimicrobial agents

There are various ways to include antimicrobial agents into food packaging materials, and each has advantages and disadvantages of its own. Direct integration, in which the antimicrobial component is mixed into the polymer matrix during extrusion, casting, or molding, is one of the most used techniques. Controlled release is made possible by this method's homogeneous distribution of the active agent, scalability, and relative simplicity. However, sensitive bioactives like peptides, enzymes, or essential oils may

be degraded by high processing temperatures, which could lessen their antibacterial efficacy<sup>66,67</sup> as illustrated in **Figure 4**.



**Figure 4.** The development of antimicrobial food packaging systems

Another method is coating, which involves applying the antimicrobial agent in layers, sprays, or dips onto the packing film's surface. Higher surface concentrations can be attained and the agent's activity is maintained since it is not exposed to high processing temperatures. This is beneficial because microbial development usually takes place on the food–package interface. However, during storage, this tactic could have poor adhesion, uneven release, and limited durability.<sup>65</sup>

Immobilization is a more sophisticated technique that uses nanocarriers like cyclodextrins or nanoparticles to covalently bind, crosslink, or entrap antimicrobial compounds on the packing surface. Immobilization increases stability, decreases migration into food, and extends antibacterial activity. But it is more expensive and complicated, and sometimes the compound's bioactivity can be changed by chemical alteration.<sup>69,70</sup>

Finally, a new generation of packaging systems is represented by multilayer structures. This technique confines antimicrobial substances to a particular active layer, which is subsequently joined by lamination or layer-by-layer assembly with additional functional layers (such barrier or mechanical reinforcement layers). This structure enables the creation of multipurpose packaging with integrated barrier, mechanical, and antibacterial qualities while shielding delicate agents from deterioration during processing. Higher manufacturing costs and the requirement for sophisticated processing technologies are the primary obstacles.<sup>19</sup> Complete overview of antimicrobial packaging was illustrated in the **Figure 5**.



**Figure 5.** Overview of antimicrobial packaging in food packing systems



### 3. Intelligent food packaging

View Article Online  
DOI: 10.1039/D5FB00303B

Although the terms "smart," "active," and "intelligent" packaging technologies are interchangeable, they refer to distinct ideas. While active packaging extends the shelf life of food by influencing the environment, intelligent packages keep an eye on the condition of food goods. Smart packaging is frequently utilized in commercial items and expands on conventional food packaging techniques. Using a variety of signals, including pH, humidity, temperature, and chemicals, intelligent packaging seeks to assess the quality of food. However, because of the high prices, complex equipment needs, and challenging integration with current packaging materials, real-time monitoring on a broad commercial scale is still a long way off.<sup>71</sup> Intelligent packaging has the ability to enhance product safety, lessen its negative effects on the environment, and make packaged goods and food companies more appealing. "Materials and articles that monitor the condition of packaged food or the environment surrounding the food" is how the EFSA defines intelligent packaging products. Despite not interacting with the goods, they can convey the circumstances of the packaged product. Their mission is to keep an eye on the goods and provide customers with information. This may include details like the manufacturing period, storage conditions, or the state of a package and its contents. These can be positioned on the primary (inside or exterior), secondary, or tertiary packaging, depending on whether it is a reactive or simple intelligent package.<sup>72</sup> By identifying and sensing changes in the food, intelligent packaging, which is a communication-integrated system that monitors and improves the quality of packaged food. By lowering food waste and illnesses, enhancing environmental controls, and giving real-time information about product location and condition, this technology can increase supply chain efficiency. Additionally, it helps customers improve their shopping experience and make well-informed purchases. There are two categories of





applications for intelligent packaging systems: quantitative sensors and qualitative sensors. When choosing and creating intelligent packaging solutions for meat quality monitoring, it is essential to comprehend parameters and mechanisms. Sensors give quick, accurate, and trustworthy information regarding the safety and quality of products. Cost-effective information about freshness, temperature history, and package integrity can be obtained via indicators including time-temperature, pH, and gas indicators. For industrial packaging applications, sensors and indicators need to be accurate, biocompatible, mass-producible, economical, reusable, and user-friendly.<sup>73</sup> Various devices included under intelligent packaging has been illustrated in the **Figure 6**.



**Figure 6.** Devices involved in Intelligent Packaging

**3.1 Sensor technologies in food packaging**



A sensor is an apparatus used to identify, locate, or measure matter or energy by emitting signals in a continuous stream for detecting or quantifying a chemical or physical property. A receptor and a transducer are the two major functional pieces of most sensors.<sup>74-76</sup> For instance, along with pathogen-specific fluorescence, the N-CDs-CS-CMC (novel nitrogen doped carbon dots cellulose sulfate-carboxymethyl cellulose composite) film demonstrated potent antibacterial action against *S. aureus*, *C. albicans*, and *E. coli*. It became pH-responsive when beetroot was added, changing colour in response to acidity. It increased the shelf life of tomatoes from four to ten days when they were wrapped. Additionally, the film identified chromium by changing colour, demonstrating its multipurpose use in food safety and quality control<sup>77</sup>. When the film, which is composed of sulfur/nitrogen-modified carbon dots (S,N-CQDs) and hydroxyethyl cellulose (HEC), comes into touch with Salmonella, it turns from red to light red, signifying that the chicken meat has spoilt. The film's sensitivity to pH changes associated with meat decomposition is seen in this colour shift. Additionally, the S,N-CQDs have antibacterial qualities that allow them to prolong the shelf life of packaged meat by 12 days, which is longer than the 3-day extension offered by the film that does not contain S,N-CQDs.<sup>78</sup> The carboxymethyl cellulose-N-fullerene-g-poly(co-acrylamido-2-methyl-1-propane sulfonic acid) (CMC-N-fullerene-AMPS) hydrogel was created in this study. The hydrogel's antibacterial qualities were greatly enhanced by the addition of N-fullerenes. Furthermore, when the hydrogel came into contact with *E. coli*, it changed from dark red to brilliant orange-red, displaying a characteristic "turn-on" fluorescence.<sup>79</sup>

Types of sensors are as follows:

#### i) Biosensors



341 Biosensors are devices that sense, record, and send data regarding biological reactions.<sup>80</sup>  
 342 Bioreceptors and transducers are employed in biosensors.<sup>81</sup> The transducer translates  
 343 biological signals into measurable electronic responses after the bioreceptor detects the  
 344 analyte of interest.<sup>80</sup> Enzymes, microorganisms, nucleic acids, hormones and antigens  
 345 are examples of bio-receptors that are either organic or biological. Electrochemical,  
 346 optical, or calorimetric transducers are available and are system dependent.<sup>74</sup>  
 347 ToxinGuard® (Toxin Alert, Canada) is an example of biosensor where this visual  
 348 diagnostic device detects pathogens such as *E. coli*, *Listeria* sp., *Salmonella* sp., and  
 349 *Campylobacter* sp. by employing printed antibodies on PE based packaging  
 350 material.<sup>82</sup> There have been biosensors designed to detect xanthine and biogenic amines.  
 351 The colorimetric analyte detection is used in the majority of bio-based substances in  
 352 food packaging sensors.<sup>1</sup> Because decaying proteins release alkaline volatile compounds  
 353 containing nitrogen (e.g. cadaverine, histamine, putrescine, and ammonia), colorimetric  
 354 pH-sensitive sensors are often enough to assess food quality based on pH changes.<sup>83,84</sup>  
 355 Because the structures of natural dyes such as  $\beta$ -carotene, curcumin and chlorophyll are  
 356 particularly sensitive to oxidative radicals, they could be useful for sensing.<sup>1</sup>  
 357 The creation of biosensors has shown great promise for carbon dots (CDs) because of  
 358 their high surface-to-volume ratio, variable fluorescence, outstanding biocompatibility,  
 359 and simplicity of functionalization with biomolecules.<sup>85,86</sup> Enzymes, antibodies, nucleic  
 360 acids, or aptamers can be used to modify their surfaces, allowing for the sensitive and  
 361 selective detection of biological targets like infections, proteins, DNA, and glucose.<sup>87,88</sup>  
 362 In biosensing platforms based on Förster resonance energy transfer (FRET), CDs  
 363 frequently function as either fluorescent probes or energy donors/acceptors.<sup>85</sup> The basis  
 364 for detection is frequently the quenching or increase of CD fluorescence in response to  
 365 particular analytes.<sup>86,87</sup> CDs are especially helpful in non-invasive biosensing and real-





time monitoring applications, such as medical diagnostics and point-of-care systems, due to their stability in physiological and aquatic settings.<sup>86,88</sup>

Although biodegradable sensors are being marketed as environmentally friendly options for smart food packaging, scaling issues prevent their widespread use.<sup>89</sup> The main challenges are obtaining specialized materials, high production costs, and poor compatibility with industrial processes. Non-biodegradable conductive components are the source of e-waste issues. Compostable printed sensors are now being investigated by researchers employing water-based printing formulations, bio-based inks, and natural polymers; however, industrial adoption of these methods is still restricted and most of the research is conducted at the laboratory level.

## ii) Chemical sensors

Chemical sensing in food packaging could potentially benefit from synthetic dyes based on diverse polydiacetylenes and azo-compounds. Enzymatic activities, wherein the change in color is often a function of temperature and time, can also be used to create colorimetric indicators and sensors.<sup>1</sup> The food package containing a gaseous analyte, is detected by gas sensors which include sensors for oxygen, water vapour, carbon dioxide, and ethanol, as well as piezoelectric crystal sensors, metal oxides, organic conducting polymers, semiconductor field effect transistors.<sup>75,76</sup> The chemical sensor, also known as a chemical receptor is a coating that is unique to a certain chemical and is used to detect the presence, make-up, activity, and concentration of that chemical or gas by surface adsorption. The presence of specific compounds is detected and transformed into signals by a transducer.<sup>74</sup> An electrode represents the transduction element in electrochemical sensors. Reference, counter, and working electrodes are linked to a potentiostat in a conventional electrochemical sensor. At the interface of electrode/analyte, a redox reaction takes place when voltage is applied via the

View Article Online  
DOI: 10.1039/D5FB00303B



potentiostat, causing electrons to flow between the electroactive species and the electrode, resulting in a current proportionate to the analyte concentration.<sup>90</sup> Inhibition zones and molecular docking simulations demonstrating robust binding interactions with bacterial proteins support the substantial antibacterial activity of betalains-N-CQD (Betalains-nitrogen-doped carbon dots) film against common foodborne pathogens such as *Escherichia coli*, *Staphylococcus aureus*, and *Candida albicans*. Additionally, the film serves as a fluorescence sensor, displaying clear colour changes in response to various microbes and Pb(II) heavy metals, allowing for quick, visual detection. Because of the betalains, the film also functions as a pH sensor, showing colour changes (yellow in acidic, brown in alkaline) that are helpful for tracking food degradation.<sup>91</sup> For instance, in order to identify tomato spoilage, a very recent study conducted by Tohamy<sup>92</sup> created pH-sensitive colorimetric sensors using carboxymethyl cellulose (CMC) sheets embedded with sulfur and nitrogen-doped carbon dots (SN-CDs), which were made from leftover red onion peel. The films allowed for naked-eye monitoring due to their intense fluorescence, antibacterial activity, and noticeable color changes (i.e. yellow in acidic, red in alkaline conditions) that corresponded to spoilage-induced pH shifts. Computational research and structural analyses provided additional evidence of these films' efficacy as environmentally friendly smart packaging materials.<sup>92</sup> By tracking variations in fluorescence intensity, wavelength shift, or lifetime, CDs in optical sensors can identify metal ions (such as Fe<sup>3+</sup>, Hg<sup>2+</sup>, and Pb<sup>2+</sup>), tiny compounds (such as dopamine and ascorbic acid), or environmental contaminants (such as pesticides and antibiotics).<sup>85,87</sup>

### iii) Optical sensors

Optical sensors either provide an optical signal (such as, color, chemiluminescence or fluorescence) or alter the system's optical characteristics. The resulting optical signal is visible to the unaided eye or quantified with a photodetector, which transforms optical



signals into electrical impulses that can be quantified.<sup>15</sup> Analytical electrochemical sensors and the selectivity of biological recognition methods are combined in electrochemical biosensors. Carbon dots' potent and adjustable photoluminescence, upconversion fluorescence, and photostability are the main components of optical sensing.<sup>85,87</sup> Excitation-dependent emission from CDs makes multiplexed sensing possible with a single probe.<sup>93</sup> Their distinct optical response is frequently brought on by interactions between the analyte and CD surface functional groups, electron/energy transfer, or surface passivation processes.<sup>88,93</sup> Moreover, CDs can be incorporated into films, optical fibers, or field-use portable devices.<sup>87</sup> They are appealing for environmental monitoring, food safety analysis, and biological imaging-based sensing due to their low toxicity and straightforward production.<sup>86,88</sup>

#### iv) Edible sensors

Edible sensors are made of biodegradable, consumable materials and make use of intelligent packaging technology. They offer up-to-date details on food product contamination, nutrition, and deterioration. Researchers recently created a proof-of-concept sensor for frozen meals that monitors temperature variations during shipping and storage by changing color when inside temperatures rise beyond a predetermined threshold, indicating possible contamination. This breakthrough, which ensures safety and freshness without changing the food itself, is essential for the future of food monitoring.<sup>94</sup> Edible sensors constructed entirely of natural and biodegradable ingredients that have no negative or severe long-term impacts on humans, are used for detecting food spoilage.<sup>15</sup> Other technologies that replicate the human olfactory system in a device developed to acquire reproducible data enabling detection and characterization of aroma combinations contained in the odour include electronic noses. Each smell, flavour, or savour elicits a distinct response.<sup>74</sup> Food-based edible films were successfully created, and when exposed to specific gaseous amines, they dramatically changed color from purple to yellow. When the sensor film was exposed to the headspace above meat and fisheries products



throughout their degradation at 21°C and 4°C, colorimetric alterations were also noticeable.<sup>95</sup>  
Various types of sensors were presented in the **Table 4**.

**v) Printed sensors**

Printed sensors are a new development in packaging technology that allows organizations to collect real-time data without the need for bulky electronics. These sensors are thin sticky strips integrated with electronics that measure temperature, humidity, and vibrations. This technology is especially beneficial for monitoring perishable foods, as it allows for real-time condition tracking during transportation and storage. Businesses can use printed sensors to improve product quality control while lowering packaging space and material costs.<sup>96</sup> In addition to protecting food from environmental contamination, the synergistic integration of intelligent food packaging (IFP) with PE (printed electronics) technologies—which has moved from science fiction to a field of study—also actively contributes to food safety and quality. By evaluating the freshness of food, the legitimacy of medications, the environmental conditions (temperature, humidity, light, etc.) in circulation, and other elements, it extends the shelf life in ways that standard packaging is quite difficult.<sup>97</sup> Flexible printed sensors and radio frequency identification systems are two examples of specific products that have been successfully developed based on flexible printed electronics. These products are excitingly able to meet various requirements for food safety, including ingredient detection, environmental monitoring, logistics tracking, and anti-counterfeiting and anti-theft measures.<sup>98</sup> Dairy product spoiling may be detected using 3D printed sensors, tackling the serious problem of foodborne illnesses that impact one in six Americans. Colorimetric indicators in packaging are crucial for consumer safety and lowering food poisoning cases because contamination in fresh items is frequently undetectable. In addition to improving quality evaluation and encouraging functional integration within



autonomous systems, these technologies can be scaled for industrial food processing and agricultural applications.<sup>99</sup>

#### vi) Humidity sensors

One of the most significant environmental elements affecting food items' quality, safety, and shelf life is humidity. While insufficient humidity may result in texture loss, staling, or a decrease in product weight, excessive moisture within packing can encourage mold growth, microbial growth, and biochemical deterioration.<sup>100,101</sup> As a result, one of the main functions of intelligent and active packaging technologies is the monitoring and regulation of humidity within food packages. Water vapor in the air or within packaging can be detected and measured using humidity sensors. They primarily function according to three principles: (i) Capacitive sensors track variations in hygroscopic materials' dielectric constant;<sup>102</sup> (ii) Resistive sensors identify changes in resistance brought on by water molecules that have been absorbed;<sup>103</sup> and (ii) Colorimetric indicators are based on the obvious color shift of materials or dyes that are sensitive to humidity.<sup>104</sup>

Recent innovations that enable real-time remote monitoring of humidity in packaged foods include wireless RFID-enabled devices and sensors based on nanomaterials (e.g. graphene oxide, carbon nanotubes, and MXenes).<sup>90,105</sup> Additionally, humidity sensors that are printable and biodegradable are becoming available, which means they can be used with environmentally friendly packaging materials.<sup>106</sup> Producers may improve quality control, increase shelf life, and decrease food waste by incorporating humidity sensors into food packaging. This will also give customers and supply chain stakeholders more information.

### 3.2 Near field communication (NFC) chips



491 With its ability to facilitate wireless data interchange between consumer smartphones  
492 and NFC chips embedded in labels or films, NFC technology is quickly becoming a  
493 crucial element in intelligent food packaging. This makes packaging more secure,  
494 traceable, and interactive. Product authentication and anti-counterfeiting are two of  
495 NFC's main uses in food packaging, especially for expensive goods like wine, dairy  
496 powders, olive oil, and infant formula. Customers may rapidly confirm authenticity by  
497 scanning the NFC tag, which lowers the dangers associated with fake goods.<sup>107</sup> By  
498 recording and transmitting data regarding product origin, transportation, and storage  
499 conditions, NFC also facilitates supply chain traceability, increasing compliance and  
500 transparency.<sup>106</sup> NFC chips improve customer engagement in addition to safety. To  
501 increase trust and brand loyalty, a quick scan can provide recipes, nutritional  
502 information, promotions, or sustainability features.<sup>104</sup> Additionally, NFC packaging can  
503 offer real-time food freshness monitoring when combined with sensors, such as those  
504 for temperature, humidity, or gas. This is crucial for cold-chain logistics and perishable  
505 goods.<sup>108</sup> Large-scale food applications can benefit from NFC's benefits over classic  
506 RFID, which include smartphone compatibility, affordability, and flexibility. Big data  
507 analytics and cloud-based monitoring are also made possible via its Internet of Things  
508 (IoT) connection. Many sensors, indicators and data carriers have played a major role in  
509 understanding the properties of food related to its quality. They provide information  
510 about the product's freshness by observing any chemical changes in the food, its texture  
511 or any pH changes in the surroundings of the product to avoid any microbial  
512 contamination. They also trace the product while it is being transported from provider to  
513 consumer.<sup>109</sup> These advanced packaging technologies are incorporating biodegradable  
514 substances into the packaging materials which results in the sustainable conservation of  
515 environment. They also prevent food contamination and food loss.<sup>110</sup> Due to these



516 technologies the consumption, storage and transportation has been efficiently increased  
517 thereby reaching the consumer expectations.<sup>111</sup>



518 **Table 4.** Various devices and their functions involved in intelligent food packaging.

Intelligent packaging devices		Examples	Functions	Reference
1. Indicators	Freshness and ripeness indicators	Sensor label from FQSI (Food quality sensor international Inc)	Used to detect biogenic amines.	72
	Time-temperature indicators	Visual indicators. TTI/RFID tag Fresh check	Detect any internal and external changes in the food's temperature and also carries data for product identification.	72
	Gas indicators	Water vapour indicators, CO <sub>2</sub> indicators, O <sub>2</sub> indicators.	Detect any kind of changes in internal atmosphere of packages. Monitor changes in gas composition.	112
	pH indicator	pH sensitive dyes	Make food safer for customers by indicating its quality.	113
2. Sensors	Fluorescence based oxygen sensors.	O <sub>2</sub> xyDot®	Detects any changes in the concentration of oxygen in the packages.	114
	Biosensors.	Toxin guard	Can detect pathogens	72
	Gas sensors.	Potentiometric CO <sub>2</sub> sensors.	The most sophisticated method available for measuring O <sub>2</sub> in package headspace.	112
	Oxygen sensors	Piezoelectric crystal sensors.	These sensors are utilized to know the amount of O <sub>2</sub> in Modified atmosphere packaging.	114





3. Smart packaging devices	Barcodes	UPC (Universal product code). RSS expand barcode. RSS-14 stacked omni-directional barcode. PDF 417	These are three common type of data carriers which encode larger data in reduced forms. Carry information about the product.	112
	RFID (Radio frequency identification tags)		Traceability, product identification, promotion, security.	72
	NFC chips (Near field communication)		Anti-counterfeiting, cold-chain tracking, consumer engagement, freshness monitoring authentication	100, 106-108

**4. Challenges**

While novel packaging has great promise for increasing traceability, safety, and sustainability, it also confronts significant challenges that must be solved. In order to improve food quality, nutrition, and shelf life while reducing environmental effect, it is crucial to include a variety of biomaterials, sensors, biodegradable materials, nanotechnology, essential oils, and plant extracts when developing novel food packaging (NFP) systems. NFP represents the future of packaging technology and includes smart, green, and active technologies that enhance food longevity and consumer health.<sup>115</sup>

**4.1 Integration Challenges and Synergistic Potential of Smart Systems**

It becomes economically untenable for low-margin items to integrate technology like sensors, RFID tags, and indicators since they dramatically increase packing costs, frequently surpassing the traditional threshold of 10% of the whole product value and occasionally accounting for 50% to 100% of the product cost.<sup>11</sup> Particularly in supply chains that are fragmented, many intelligent technologies struggle to seamlessly interface with traditional IT, manufacturing, or logistical systems.<sup>116</sup> Including sensors, batteries, and electronic parts makes recycling more difficult and can increase packaging waste, which goes against sustainability objectives.<sup>72</sup> By providing precise information on product quality that can deter theft and minimise food waste, smart packaging technologies improve supply chain systems through real-time monitoring and traceability. Experts from a variety of disciplines must work together in a multidisciplinary manner to integrate them into conventional packaging. The successful use of technology can be facilitated by the application of supply chain management principles.<sup>117</sup>

**4.2 Functionality: Designing Integrated Antimicrobial-Sensor Platforms**



When microbial activity is still low, some antimicrobial drugs are released too soon, wasting their effectiveness during the crucial later stages of storage or spoiling.<sup>118</sup> In order for packaging to both detect deterioration or risk and take action to stop spoiling or pathogen growth, integrated antimicrobial-sensor platforms combine real-time sensing of the package/food environment (temperature, gases, pH, metabolites, or microbial markers) with active antimicrobial responses (controlled release, contact-killing surfaces, or triggering preservative delivery). By focusing treatments just where necessary, this hybrid "sense-and-respond" strategy can decrease waste, increase safety, and prolong shelf life.<sup>119</sup>

Among the integration strategies are:

1. Films with passive antimicrobials (contact-killing/constant release).
2. Controlled-release, stimuli-responsive systems- that only release antimicrobials in response to sensor-detected conditions (such as a temperature increase, pH change, or gas signature) minimize needless exposure to active agents and increase their efficacy.<sup>120</sup>

#### 4.3 Regulatory and Safety Considerations for Smart Materials

Strict regulatory scrutiny is triggered when active agents, particularly nanomaterials or novel chemicals, are used in packaging (e.g., FDA in the U.S., Novel Food Laws in the EU). Prior to commercialization, extensive safety testing and compliance are necessary.<sup>121</sup> Smart packaging must be evaluated for chemical and microbiological risks (including nanomaterials and antimicrobials), obtain the proper pre-market authorizations or notifications, adhere to food-contact regulations (safety, migration, labeling, and traceability), and meet standards for recyclability, occupational safety, and data/privacy when devices gather information<sup>122</sup>

#### 4.4 Economic Feasibility and Consumer Acceptance:

The creation of environmentally friendly smart packaging, such as biodegradable sensors, is still in its infancy and is not yet generally accessible. A key factor in



determining market success is consumer perception. According to studies, perceived safety, affordability, usefulness, trust, and environmental impact all influence how widely smart packaging is used.<sup>123</sup> Customers may discard perfectly safe food due to misinterpretations of color-changing freshness indications, eroding brand credibility and increasing waste.<sup>11</sup> A number of variables, including production cost, scalability, material availability, and market value, affect the economic viability of smart packaging technologies, such as active, intelligent, and antimicrobial-sensor systems. Although these technologies have the potential to decrease food waste, increase shelf life, and improve supply-chain transparency, their uptake is frequently hindered by the high cost of materials and manufacturing, as well as difficulties integrating with current packaging systems.<sup>124,5</sup>

Another important consideration is scalability. Through mass printing methods, technologies such as printed electronics and biodegradable biopolymer sensors are demonstrating promise in reducing production costs. For smart packaging to be commercially successful, cooperation between material scientists, food producers, and technology suppliers is essential.<sup>125</sup>

## 5. Applications

Chitosan and zinc oxide (ZnO) nanocomposites have demonstrated encouraging outcomes; for example, coatings containing chitosan–ZnO nanoparticles significantly decreased *E. coli* in cheeses, while ZnO-based pad absorbents eradicated *Campylobacter jejuni* from raw chicken meat.<sup>126</sup> These packaging types release antimicrobial compounds (such as organic acids or essential oils) in response to microbial development, particularly for meat products. Optimizing release kinetics-based activation of antimicrobial drugs at the appropriate time to maximize efficacy remains a challenge. The development of intelligent systems such as time temperature




595 indicators (TTIs), gas sensors, RFID, and colorimetric indicators for food safety was  
596 examined in this article. It emphasizes antibacterial methods and chromogenic  
597 indicators based on natural compounds.<sup>118</sup> The biosensors use enzymes, antibodies,  
598 antigens, phages, or nucleic acids to detect volatile substances with excellent selectivity,  
599 such as H<sub>2</sub>S, NH<sub>3</sub>, and CO<sub>2</sub>. Examples from the commercial world include "Toxin  
600 Guard™" and "Flex Alert" for infections such as *Salmonella*, *Listeria*, and *E.*  
601 *coli*.<sup>127</sup> Optical sensors are used to detect colour changes, temperature variations, or gas  
602 to keep an eye on spoiling. Examples of technologies used in produce include "Fresh  
603 Tag®," "Sensor QTM," and "Food Sentinel System."<sup>127</sup> Electrochemical sensors are  
604 used to monitor the pH, oxygen content, and chemical composition of meat and dairy  
605 products. For example, they can identify trace amounts of gases or additives by  
606 monitoring changes in electrode signals.<sup>127</sup> Bio-based solutions, which are mostly used  
607 for perishable goods like meat, fish, and shellfish, give information on how fresh a  
608 product is. The most researched choices for creating bio-based sensors were the  
609 pigments betalains, curcumin, and anthocyanins, which are typically derived from fruits  
610 and plants and their waste. When combined with a package, these pigments can provide  
611 the biopolymer some activity, extending the shelf life of the goods being packaged.  
612 They also have antibacterial and antioxidant qualities.<sup>128</sup> Because of their antibacterial  
613 qualities, chemically produced nanoparticles such as nano-Ag, ZnONPs, TiO<sub>2</sub>NPs, and  
614 CuONPs are utilized in coatings and packaging films. For safety and environmental  
615 considerations, green synthesis techniques are becoming more and more popular.  
616 Superior mechanical, barrier, and antibacterial qualities are provided by complex  
617 composites, gold nanoparticles, and nanocrystalline cellulose.<sup>129</sup> The use of sensors,  
618 nanomaterials, and other intelligent elements into active and intelligent packaging  
619 systems has demonstrated great promise in prolonging food products' shelf lives while



preserving their quality and safety. By enabling the real-time monitoring of crucial parameters like temperature, humidity, and gas composition, the integration of Artificial Intelligence (AI) and the Internet of Things (IoT) into packaging systems holds revolutionary promise. Supply chains may cut down on food waste, enhance storage conditions, and guarantee fresher items by using predictive AI algorithms to evaluate this data and forecast shelf life, detect quality degradation, and predict spoilage. Furthermore, by offering real-time lifecycle data, improving recycling efficiency, and lowering contamination in waste streams, sustainable solutions like recyclable, sensor-embedded materials, such as RFID tags on biodegradable substrates can completely transform waste management.<sup>11</sup>

By keeping an eye on and preserving ideal circumstances, intelligent packaging plays a critical role in increasing the shelf life of perishable goods. To keep a constant temperature and stop spoiling, it uses Gas Regulation Modified Atmosphere Packaging (MAP), active cooling systems, and humidity control desiccants. By identifying anomalies early, this technology also improves food safety by avoiding the consumption of spoilt or dangerous goods. By guaranteeing the safety and freshness of perishable goods, intelligent packaging increases consumer trust and saves money for manufacturers, retailers, and customers. Additionally, it uses sophisticated sensors for real-time monitoring and early problem detection, and it displays the product's freshness visually. Reducing food waste and satisfying the rising demand for perishable items that are safe, fresh, and of excellent quality depend on this creative strategy.<sup>130</sup> A brief overview of applications of active and intelligent packaging has been demonstrated in the **Figure 7**.





**Figure 7:** Overview of applications of active and intelligent packaging technologies (Created by Biorender).

Eco-friendly packaging options are being adopted by businesses in an effort to lessen their carbon footprint. Among the environmentally friendly choices are temperature-sensitive packaging, NFC tags, QR codes, biodegradable materials, and compostable film. In addition to improving sustainability and convenience, these solutions close the gap between technology and customer demands, spurring innovation in the dynamic market.<sup>130</sup>

## Conclusions

Passive containment solutions have gradually given way to active, intelligent platforms that combine antimicrobial agents and sensor technology in food packaging advancements. Foodborne pathogens can be decreased, shelf life can be increased, and chemical preservatives can be reduced with antimicrobial packaging. In the meantime,





real-time food safety, quality, and storage condition monitoring is made possible by sensor-integrated packaging. Large-scale commercialization is still hampered by issues including consumer acceptance, cost-effectiveness, material compatibility, regulatory approval, and environmental sustainability, despite these encouraging advancements. To further the field of antimicrobial chemicals and nanosensors in food, future research should concentrate on standardization, safety evaluations, scalability, sustainability, circular economy strategies, intelligent data integration, and consumer-centric research. This entails creating standardized testing procedures, creating affordable, environmentally friendly materials, fusing sensing technology with digital platforms, and comprehending customer attitudes. The next generation of sensor-enabled and antimicrobial packaging can go from lab prototypes to commercially feasible, environmentally friendly solutions by tackling these research priorities. In addition to improving food safety and quality, these developments will support international initiatives to cut down on food waste and guarantee a robust food supply chain. Sustainable and environmentally friendly food packaging systems are essential.

**Authors' contribution**

PR, KVR: Conceptualization, Writing - Original Draft, Software; BMV, AA, PPV, GGDDSV: Formal analysis, Investigation, Data curation; NRM, RP: Writing – Original Draft, Writing – Review and Editing, Formal analysis, Methodology.

**Conflicts of interest**

The authors declare that they have no conflict of interest.

**Data availability**

All the data is presented within the manuscript itself.

**Acknowledgements**





PR, KVR, BMV, AA, PPV, and GGDDSV are thankful to Jawaharlal Nehru Technological University of Hyderabad (Kukatpally, Hyderabad, India) for encouraging throughout this work.

## References:

1. N. Halonen, P. S. Pálvölgyi, A. Bassani, C. Fiorentini, R. Nair, G. Spigno and K. Kordas, Bio-based smart materials for food packaging and sensors—a review, *Frontiers in materials*, 2020, **7**, 82.
2. S. Roy, T. Ghosh, W. Zhang and J.-W. Rhim, Recent progress in PBAT-based films and food packaging applications: A mini-review, *Food Chemistry*, 2024, **437**, 137822.
3. G. L. Robertson, *Food packaging: principles and practice*, CRC press, 2005.
4. D. Schaefer and W. M. Cheung, Smart packaging: opportunities and challenges, *Procedia Cirp*, 2018, **72**, 1022-1027.
5. M. Vanderroost, P. Ragaert, F. Devlieghere and B. De Meulenaer, Intelligent food packaging: The next generation, *Trends in food science & technology*, 2014, **39**, 47-62.
6. X. He, H. Deng and H.-m. Hwang, The current application of nanotechnology in food and agriculture, *Journal of food and drug analysis*, 2019, **27**, 1-21.
7. Z. Berk, in *Food Process Engineering and Technology (Third Edition)*, ed. Z. Berk, Academic Press, 2018, DOI: <https://doi.org/10.1016/B978-0-12-812018-7.00027-0>, pp. 625-641.
8. J. Muncke, Food Packaging Materials, Food Packaging Forum, *Journal*, 2012.
9. Restuccia, D., Spizzirri, U. G., Parisi, O. I., Cirillo, G., Curcio, M., Iemma, F., ... & Picci, N. (2010). New EU regulation aspects and global market of active and intelligent packaging for food industry applications. *Food control*, *21*(11), 1425-1435.
10. Yildirim, S., Röcker, B., Pettersen, M. K., Nilsen-Nygaard, J., Ayhan, Z., Rutkaite, R., ... & Coma, V. (2018). Active packaging applications for food. *Comprehensive Reviews in food science and food safety*, *17*(1), 165-199.
11. Mkhari, T., Adeyemi, J. O., & Fawole, O. A. (2025). Recent advances in the fabrication of intelligent packaging for food preservation: a review. *Processes*, *13*(2), 539.
12. P. M. Gorde, D. R. Dash, S. K. Singh and P. Singha, Advancements in sustainable food packaging: A comprehensive review on utilization of nanomaterials, machine learning and deep learning, *Sustainable Chemistry and Pharmacy*, 2024, **39**, 101619.



13. I. S. Arvanitoyannis and A. C. Stratakos, Application of modified atmosphere packaging and active/smart technologies to red meat and poultry: a review, *Food and Bioprocess Technology*, 2012, **5**, 1423-1446.

14. T. Bolumar, M. L. Andersen and V. Orlien, Antioxidant active packaging for chicken meat processed by high pressure treatment, *Food Chemistry*, 2011, **129**, 1406-1412.

15. E. Drago, R. Campardelli, M. Pettinato and P. Perego, Innovations in smart packaging concepts for food: An extensive review, *foods*, 2020, **9**, 1628.

16. P. Prasad and A. Kochhar, Active packaging in food industry: a review, *Journal of Environmental Science, Toxicology and Food Technology*, 2014, **8**, 1-7.

17. K. K. Gaikwad and Y. S. Lee, Current scenario of gas scavenging systems used in active packaging-A review, *Korean J Packag Sci Technol*, 2017, **23**, 109-117.

18. K. K. Gaikwad, S. Singh and Y. S. Negi, Ethylene scavengers for active packaging of fresh food produce, *Environmental Chemistry Letters*, 2020, **18**, 269-284.

19. C. Vilela, M. Kurek, Z. Hayouka, B. Röcker, S. Yildirim, M. D. C. Antunes, J. Nilsen-Nygaard, M. K. Pettersen and C. S. Freire, A concise guide to active agents for active food packaging, *Trends in Food Science & Technology*, 2018, **80**, 212-222.

20. I. Ahmed, H. Lin, L. Zou, A. L. Brody, Z. Li, I. M. Qazi, T. R. Pavase and L. Lv, A comprehensive review on the application of active packaging technologies to muscle foods, *Food Control*, 2017, **82**, 163-178.

21. Y. Byun, D. Darby, K. Cooksey, P. Dawson and S. Whiteside, Development of oxygen scavenging system containing a natural free radical scavenger and a transition metal, *Food chemistry*, 2011, **124**, 615-619.

22. P. Upadhyay, M. Zubair, M. Roopesh and A. Ullah, An overview of advanced antimicrobial food packaging: emphasizing antimicrobial agents and polymer-based films, *Polymers*, 2024, **16**, 2007.

23. M. Thirupathi Vasuki, V. Kadirvel and G. Pejavara Narayana, Smart packaging—An overview of concepts and applications in various food industries, *Food Bioengineering*, 2023, **2**, 25-41.

24. S. Yadav and P. K. Dutta, Moisture-Absorbent Food Packaging Systems and the Role of Chitosan, *Smart Food Packaging Systems: Innovations and Technology Applications*, 2024, 169-193.

25. P. Suppakul, J. Miltz, K. Sonneveld and S. W. Bigger, Active packaging technologies with an emphasis on antimicrobial packaging and its applications, *Journal of food science*, 2003, **68**, 408-420.

26. R. Patel, J. Prajapati and S. Balakrishnan, 2015.

27. J. Wyrwa and A. Barska, Packaging as a source of information about food products, *Procedia Engineering*, 2017, **182**, 770-779.



28. I. Majid, M. Thakur and V. Nanda, Innovative and safe packaging technologies for food and beverages: updated review, *Innovations in technologies for fermented food and beverage industries*, 2018, 257-287.
29. E. Latou, S. Mexis, A. Badeka, S. Kontakos and M. Kontominas, Combined effect of chitosan and modified atmosphere packaging for shelf life extension of chicken breast fillets, *LWT-Food science and Technology*, 2014, **55**, 263-268.
30. A. Lopez-Rubio, E. Almenar, P. Hernandez-Muñoz, J. M. Lagarón, R. Catalá and R. Gavara, Overview of active polymer-based packaging technologies for food applications, *Food Reviews International*, 2004, **20**, 357-387.
31. Y. Wyser, M. Adams, M. Avella, D. Carlander, L. Garcia, G. Pieper, M. Rennen, J. Schuermans and J. Weiss, Outlook and challenges of nanotechnologies for food packaging, *Packaging Technology and Science*, 2016, **29**, 615-648.
32. A. Etxabide, D. Mojío, P. Guerrero, K. de la Caba and J. Gómez-Estaca, Chitin nanowhisker-containing photo-crosslinked antimicrobial gelatin films, *Food Hydrocolloids*, 2024, **147**, 109371.
33. M. Gumienna and B. Górna, Antimicrobial food packaging with biodegradable polymers and bacteriocins, *Molecules*, 2021, **26**, 3735.
34. P. M. Davidson, J. N. Sofos and A. L. Branen, *Antimicrobials in food*, CRC press, 2005.
35. R. Gyawali and S. A. Ibrahim, Natural products as antimicrobial agents, *Food control*, 2014, **46**, 412-429.
36. P. M. Davidson and M. A. Harrison, Resistance and adaptation to food antimicrobials, sanitizers, and other process controls, *Food Technology-Champaign Then Chicago-*, 2002, **56**, 69-78.
37. R. M. Raybaudi-Massilia, J. Mosqueda-Melgar and O. Martin-Belloso, Antimicrobial activity of essential oils on *Salmonella enteritidis*, *Escherichia coli*, and *Listeria innocua* in fruit juices, *Journal of food protection*, 2006, **69**, 1579-1586.
38. C. Burel, A. Kala and L. Purevdorj-Gage, Impact of pH on citric acid antimicrobial activity against Gram-negative bacteria, *Letters in applied microbiology*, 2021, **72**, 332-340.
39. L. R. Beuchat, Microbial stability as affected by water activity, *Cereal Foods World*, 1981, **26**, 345-349.
40. L. Leistener and G. Gould, Hurdle Technologies: Combination Treatments for Food Stability, Safety and Quality, *Journal*, 2002.
41. F. Devlieghere, L. Vermeiren and J. Debevere, New preservation technologies: possibilities and limitations, *International dairy journal*, 2004, **14**, 273-285.
42. V. K. Juneja, H. P. Dwivedi and X. Yan, Novel natural food antimicrobials, *Annual review of food science and technology*, 2012, **3**, 381-403.

View Article Online  
DOI: 10.1039/D5FB00303B



- 806 43. R. M. Syamaladevi, J. Tang, R. Villa-Rojas, S. Sablani, B. Carter and C. Campbell, Influence of water activity on thermal resistance of microorganisms in low-moisture foods: a review, *Comprehensive Reviews in Food Science and Food Safety*, 2016, **15**, 353-370.
- 807
- 808
- 809
- 810 44. M. C. Giannakourou, I. Semenoglou, M. Arvaniti, E. Dermesonlouoglou and P. Taoukis, Effect of Temperature and Water Activity on the Quality Kinetics of Packaged Fish Powder During Storage, *Food and Bioprocess Technology*, 2025, 1-16.
- 811
- 812
- 813
- 814 45. J. R. Westlake, M. W. Tran, Y. Jiang, X. Zhang, A. D. Burrows and M. Xie, Biodegradable active packaging with controlled release: principles, progress, and prospects, *ACS Food Science & Technology*, 2022, **2**, 1166-1183.
- 815
- 816
- 817 46. A. H. A. Nor, M. T. M. Jalil, E.-K. Seow, M. H. M. Idris and M. F. Z. R. Yahya, Antimicrobial packaging: mechanisms, materials, incorporation methods, strategies, biodegradability, and smart innovations—a comprehensive review, *Food Materials Research*, 2025, **5**.
- 818
- 819
- 820
- 821 47. R. V. Wagh, R. Priyadarshi, A. Khan, Z. Riahi, J. S. Packialakshmi, P. Kumar, S. N. Rindhe and J.-W. Rhim, The role of active packaging in the defense against foodborne pathogens with particular attention to bacteriophages, *Microorganisms*, 2025, **13**, 401.
- 822
- 823
- 824
- 825 48. L. Kumar, P. Tyagi, L. Lucia and L. Pal, Innovations in Edible Packaging Films, Coatings, and Antimicrobial Agents for Applications in Food Industry, *Comprehensive Reviews in Food Science and Food Safety*, 2025, **24**, e70217.
- 826
- 827
- 828
- 829 49. S. Latif, A. Latif, W. Waheed, A. Shankar, J. Balaji, A. Imran, M. S. Naseer, F. Tariq, F. Islam and A. B. Kinki, Effect of intelligent controlled release anti-microbial packaging in food preservation, *Food Production, Processing and Nutrition*, 2025, **7**, 33.
- 830
- 831
- 832
- 833 50. R. Rodríguez-Ramos, A. Santana-Mayor, A. Herrera-Herrera, B. Socas-Rodríguez and M. Rodríguez-Delgado, Recent advances in the analysis of plastic migrants in food, *TrAC Trends in Analytical Chemistry*, 2024, **178**, 117847.
- 834
- 835
- 836
- 837 51. P. Purnama, T. Samanta, R. T. K. Dewi, I. Iswaldi, M. Samsuri, Z. S. Saldi, M. Y. Tsang, L. J. Diguna and M. D. Birowosuto, Recent Advances in Antimicrobial Food Packaging From Bio-Based Polymers: A Comprehensive Review, *Journal of Applied Polymer Science*, 2025, e57275.
- 838
- 839
- 840
- 841 52. R. Chawla, S. Sivakumar and H. Kaur, Antimicrobial edible films in food packaging: Current scenario and recent nanotechnological advancements—a review, *Carbohydrate Polymer Technologies and Applications*, 2021, **2**, 100024.
- 842
- 843
- 844
- 845 53. B. Malhotra, A. Keshwani and H. Kharkwal, Antimicrobial food packaging: Potential and pitfalls, *Frontiers in microbiology*, 2015, **6**, 611.
- 846
- 847 54. J. Brockgreitens and A. Abbas, Responsive food packaging: Recent progress and technological prospects, *Comprehensive Reviews in Food Science and Food Safety*, 2016, **15**, 3-15.
- 848
- 849



- 850 55. L. Vermeiren, F. Devlieghere and J. Debevere, Effectiveness of some recent antimicrobial packaging concepts, *Food additives & contaminants*, 2002, **19**, 163-171.
- 851
- 852
- 853 56. A. Moeini, P. Pedram, E. Fattahi, P. Cerruti and G. Santagata, Edible polymers and secondary bioactive compounds for food packaging applications: Antimicrobial, mechanical, and gas barrier properties, *Polymers*, 2022, **14**, 2395.
- 854
- 855
- 856
- 857 57. K. Kraśniewska, S. Galus and M. Gniewosz, Biopolymers-based materials containing silver nanoparticles as active packaging for food applications—a review, *International Journal of Molecular Sciences*, 2020, **21**, 698.
- 858
- 859
- 860 58. V. R. Lebaka, P. Ravi, M. C. Reddy, C. Thummala and T. K. Mandal, Zinc oxide nanoparticles in modern science and technology: multifunctional roles in healthcare, environmental remediation, and industry, *Nanomaterials*, 2025, **15**, 754.
- 861
- 862
- 863
- 864 59. S. Ataei, P. Azari, A. Hassan, B. Pinguang-Murphy, R. Yahya and F. Muhamad, Essential oils-loaded electrospun biopolymers: A future perspective for active food packaging, *Advances in Polymer Technology*, 2020, **2020**, 9040535.
- 865
- 866
- 867
- 868 60. R. Priyadarshi and J.-W. Rhim, Chitosan-based biodegradable functional films for food packaging applications, *Innovative Food Science & Emerging Technologies*, 2020, **62**, 102346.
- 869
- 870
- 871 61. M.-I. Socaciu, M. Fogarasi, C. A. Semeniuc, S. A. Socaci, M. A. Rotar, V. Mureşan, O. L. Pop and D. C. Vodnar, Formulation and characterization of antimicrobial edible films based on whey protein isolate and tarragon essential oil, *Polymers*, 2020, **12**, 1748.
- 872
- 873
- 874
- 875 62. S. Madival, R. Auras, S. P. Singh and R. Narayan, Assessment of the environmental profile of PLA, PET and PS clamshell containers using LCA methodology, *Journal of Cleaner Production*, 2009, **17**, 1183-1194.
- 876
- 877
- 878 63. S. Nessi, L. Rigamonti and M. Grosso, Packaging waste prevention activities: A life cycle assessment of the effects on a regional waste management system, *Waste Management & Research*, 2015, **33**, 833-849.
- 879
- 880
- 881 64. V. Siracusa, P. Rocculi, S. Romani and M. Dalla Rosa, Biodegradable polymers for food packaging: a review, *Trends in food science & technology*, 2008, **19**, 634-643.
- 882
- 883
- 884 65. R. Ribeiro-Santos, M. Andrade, N. R. de Melo and A. Sanches-Silva, Use of essential oils in active food packaging: Recent advances and future trends, *Trends in food science & technology*, 2017, **61**, 132-140.
- 885
- 886
- 887 66. Y. Liu, D. E. Sameen, S. Ahmed, J. Dai and W. Qin, Antimicrobial peptides and their application in food packaging, *Trends in Food Science & Technology*, 2021, **112**, 471-483.
- 888
- 889
- 890 67. N. Lakshmayya, A. K. Mishra, Y. K. Mohanta, J. Panda, B. Naik, B. Mishra and R. S. Varma, Essential oils-based nano-emulsion system for food safety and preservation: Current status and future prospects, *Biocatalysis and Agricultural Biotechnology*, 2023, **53**, 102897.
- 891
- 892
- 893







894 68. S. Vesković, in *Natural Food Preservation: Controlling Loss, Advancing*  
895 *Safety*, Springer, 2025, pp. 193-238.

896 69. B. Masoumi, M. Tabibiazar, Z. Golchinfar, M. Mohammadifar and H.  
897 Hamishehkar, A review of protein-phenolic acid interaction: reaction  
898 mechanisms and applications, *Critical Reviews in Food Science and*  
899 *Nutrition*, 2024, **64**, 3539-3555.

900 70. T. Fadiji, M. Rashvand, M. O. Daramola and S. A. Iwarere, A review on  
901 antimicrobial packaging for extending the shelf life of food, *Processes*,  
902 2023, **11**, 590.

903 71. A. Dodero, A. Escher, S. Bertucci, M. Castellano and P. Lova, Intelligent  
904 packaging for real-time monitoring of food-quality: Current and future  
905 developments, *Applied Sciences*, 2021, **11**, 3532.

906 72. P. Müller and M. Schmid, Intelligent packaging in the food sector: A brief  
907 overview. *Foods*, 8 (1), 16, *Journal*, 2019.

908 73. M. Nami, M. Taheri, J. Siddiqui, I. A. Deen, M. Packirisamy and M. J.  
909 Deen, Recent progress in intelligent packaging for seafood and meat quality  
910 monitoring, *Advanced Materials Technologies*, 2024, **9**, 2301347.

911 74. K. Biji, C. Ravishankar, C. Mohan and T. Srinivasa Gopal, Smart packaging  
912 systems for food applications: a review, *Journal of food science and*  
913 *technology*, 2015, **52**, 6125-6135.

914 75. J. Kerry, M. O’grady and S. Hogan, Past, current and potential utilisation of  
915 active and intelligent packaging systems for meat and muscle-based  
916 products: A review, *Meat science*, 2006, **74**, 113-130.

917 76. E. Kress-Rogers, *Handbook of biosensors and electronic noses: medicine,*  
918 *food, and the environment*, CRC Press, 2024.

919 77. Tohamy, H. A. S. (2025). Beet root carbon dots cellulose sulfate film as a  
920 novel naked eye pH sensor for chromium and bacterial detection in  
921 tomatoes. *Scientific Reports*, 15(1), 30235.

922 78. Tohamy, H. A. S. (2025). A novel anthocyanins hydroxyethyl cellulose film  
923 for intelligent chicken meat packaging with mechanical study, DFT  
924 calculations and molecular Docking study. *Scientific Reports*, 15(1), 27311.

925 79. Tohamy, H. A. S. (2025). Fullerene-functionalized cellulosic hydrogel  
926 biosensor with bacterial turn-on fluorescence response derived from  
927 carboxymethyl cellulose for intelligent food packaging with DFT  
928 calculations and molecular docking. *Gels*, 11(5), 329.

929 80. K. L. Yam, P. T. Takhistov and J. Miltz, Intelligent packaging: concepts and  
930 applications, *Journal of food science*, 2005, **70**, R1-R10.

931 81. E. C. Alocilja and S. M. Radke, Market analysis of biosensors for food  
932 safety, *Biosensors and Bioelectronics*, 2003, **18**, 841-846.

933 82. W. T. Bodenhamer, G. Jackowski and E. Davies, Surface binding of an  
934 immunoglobulin to a flexible polymer using a water soluble varnish matrix,  
935 *Journal*, 2004.

83. I. A. Bulushi, S. Poole, H. C. Deeth and G. A. Dykes, Biogenic amines in fish: roles in intoxication, spoilage, and nitrosamine formation—a review, *Critical reviews in food science and nutrition*, 2009, **49**, 369-377.
84. L. Prester, Biogenic amines in fish, fish products and shellfish: a review, *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*, 2011, **28**, 1547-1560.
85. K. F. Kayani, D. Ghafoor, S. J. Mohammed and O. B. Shatery, Carbon dots: synthesis, sensing mechanisms, and potential applications as promising materials for glucose sensors, *Nanoscale Advances*, 2024.
86. J. G. López, M. Muñoz, V. Arias, V. García, P. C. Calvo, A. O. Ondo-Méndez, D. C. Rodríguez-Burbano and F. Fonthal, Electrochemical and Optical Carbon Dots and Glassy Carbon Biosensors: A Review on Their Development and Applications in Early Cancer Detection, *Micromachines*, 2025, **16**, 139.
87. W. He, D. Zhang, Y. Gao, D. Li, G. Xing, H. Mou and J. Song, Biomass-derived carbon quantum dots as fluorescent probes for biosensing: a review, *Chemical Communications*, 2025.
88. T. Stuart, X. Yin, S. J. Chen, M. Farley, D. T. McGuire, N. Reddy, R. Thien, S. DiMatteo, C. Fumeaux and P. Gutruf, Context-aware electromagnetic design for continuously wearable biosymbiotic devices, *Biosensors and Bioelectronics*, 2023, **228**, 115218.
89. G. Dell'Erba, The scale-up of printed electronics is more than just technical challenges, *Nature Reviews Electrical Engineering*, 2024, **1**, 634-636.
90. M. Ghaani, C. A. Cozzolino, G. Castelli and S. Farris, An overview of the intelligent packaging technologies in the food sector, *Trends in Food Science & Technology*, 2016, **51**, 1-11.
91. Tohamy, H. A. S. (2025). A novel natural chromogenic visual and luminescent sensor platform for Multi-Target analysis in strawberries and shape memory applications. *Foods*, 14(16), 2791.
92. H.-A. S. Tohamy, Novel intelligent naked-eye food packaging pH-sensitive and fluorescent sulfur, nitrogen-carbon dots biosensors for tomato spoilage detection including DFT and molecular docking characterization, *International Journal of Biological Macromolecules*, 2025, 143330.
93. N. Mate, Pranav, K. Nabeela, N. Kaur and S. M. Mobin, Insight into the modulation of carbon-dot optical sensing attributes through a reduction pathway, *ACS omega*, 2022, **7**, 43759-43769.
94. Ilic, I. K., Lamanna, L., Cortecchia, D., Cataldi, P., Luzio, A., & Caironi, M. (2022). Self-powered edible defrosting sensor. *ACS sensors*, 7(10), 2995-3005.
95. Dudnyk, I., Janeček, E. R., Vaucher-Joset, J., & Stellacci, F. (2018). Edible sensors for meat and seafood freshness. *Sensors and Actuators B: Chemical*, 259, 1108-1112.







978 96. K. Sweta, Top 10 Smart Packaging Technologies Revolutionizing Food, 21 December 2024. <https://www.foodinfotech.com/top-10-smart-packaging-technologies-revolutionizing-food/>. Accessed 21 June 2025.). View Article Online  
DOI: 10.1039/D5FB00303B

979

980

981 97. Liao, Y., Zhang, R., & Qian, J. (2019). Printed electronics based on

982 inorganic conductive nanomaterials and their applications in intelligent food

983 packaging. *RSC advances*, 9(50), 29154-29172.

984 98. Yue, C., Wang, J., Wang, Z., Kong, B., & Wang, G. (2023). Flexible printed

985 electronics and their applications in food quality monitoring and intelligent

986 food packaging: Recent advances. *Food Control*, 154, 109983.

987 99. Agron, D. J. S., & Kim, W. S. (2024). 3D printing technology: role in

988 safeguarding food security. *Analytical chemistry*, 96(11), 4333-4342.

989 100. B. Kuswandi, Y. Wicaksono, Jayus, A. Abdullah, L. Y. Heng and M.

990 Ahmad, Smart packaging: sensors for monitoring of food quality and safety,

991 *Sensing and Instrumentation for Food Quality and Safety*, 2011, **5**, 137-146.

992 101. C. E. Realini and B. Marcos, Active and intelligent packaging systems for a

993 modern society, *Meat science*, 2014, **98**, 404-419.

994 102. Z. Chen and C. Lu, Humidity sensors: a review of materials and

995 mechanisms, *Sensor letters*, 2005, **3**, 274-295.

996 103. H. Farahani, R. Wagiran and M. N. Hamidon, Humidity sensors principle,

997 mechanism, and fabrication technologies: a comprehensive review, *Sensors*,

998 2014, **14**, 7881-7939.

999 104. B. Kuswandi, Freshness sensors for food packaging. Reference Module in

1000 Food Science, *Journal*, 2017.

1001 105. E. Liu, Z. Cai, Y. Ye, M. Zhou, H. Liao and Y. Yi, An overview of flexible

1002 sensors: Development, application, and challenges, *Sensors*, 2023, **23**, 817.

1003 106. E. Poyatos-Racionero, J. V. Ros-Lis, J.-L. Vivancos and R. Martinez-Manez,

1004 Recent advances on intelligent packaging as tools to reduce food waste,

1005 *Journal of cleaner production*, 2018, **172**, 3398-3409.

1006 107. O. Urbano, A. Perles, C. Pedraza, S. Rubio-Arraez, M. L. Castelló, M. D.

1007 Ortolá and R. Mercado, Cost-effective implementation of a temperature

1008 traceability system based on smart RFID tags and IoT services, *Sensors*,

1009 2020, **20**, 1163.

1010 108. A. Naik, H. S. Lee, J. Herrington, G. Barandun, G. Flock, F. Güder and L.

1011 Gonzalez-Macia, Smart packaging with disposable NFC-enabled wireless

1012 gas sensors for monitoring food spoilage, *ACS sensors*, 2024, **9**, 6789-6799.

1013 109. A. U. Alam, P. Rathi, H. Beshai, G. K. Sarabha and M. J. Deen, Fruit quality

1014 monitoring with smart packaging, *Sensors*, 2021, **21**, 1509.

1015 110. F. Versino, F. Ortega, Y. Monroy, S. Rivero, O. V. López and M. A. García,

1016 Sustainable and bio-based food packaging: A review on past and current

1017 design innovations, *Foods*, 2023, **12**, 1057.

1018 111. J. H. Han, A review of food packaging technologies and innovations,

1019 *Innovations in food packaging*, 2014, 3-12.

112. W. Heo and S. Lim, A review on gas indicators and sensors for smart food packaging, *Foods*, 2024, **13**, 3047.
113. E. Balbinot-Alfaro, D. V. Craveiro, K. O. Lima, H. L. G. Costa, D. R. Lopes and C. Prentice, Intelligent packaging with pH indicator potential, *Food engineering reviews*, 2019, **11**, 235-244.
114. Mohebi and L. Marquez, Intelligent packaging in meat industry: An overview of existing solutions, *Journal of food science and technology*, 2015, **52**, 3947-3964.
115. Ahari, H., & Soufiani, S. P. (2021). Smart and active food packaging: Insights in novel food packaging. *Frontiers in Microbiology*, 12, 657233.
116. T. K. Dasaklis, T. G. Voutsinas, G. T. Tsoulfas and F. Casino, A systematic literature review of blockchain-enabled supply chain traceability implementations, *Sustainability*, 2022, **14**, 2439.
117. Chen, S., Brahma, S., Mackay, J., Cao, C., & Aliakbarian, B. (2020). The role of smart packaging system in food supply chain. *Journal of food science*, 85(3), 517-525.
118. J. Zhang, J. Zhang, L. Zhang, Z. Qin and T. Wang, Review of Recent Advances in Intelligent and Antibacterial Packaging for Meat Quality and Safety, *Foods*, 2025, **14**, 1157.
119. Du, H., Sun, X., Chong, X., Yang, M., Zhu, Z., & Wen, Y. (2023). A review on smart active packaging systems for food preservation: Applications and future trends. *Trends in Food Science & Technology*, 141, 104200.
120. Hou, T., Ma, S., Wang, F., & Wang, L. (2023). A comprehensive review of intelligent controlled release antimicrobial packaging in food preservation. *Food Science and Biotechnology*, 32(11), 1459-1478.
121. X. Wang, Y. Wang, H. Zhu, S. Chen, J. Xue, C. Shen, Z. Xiao and Y. Luo, Emerging strategies for food preservation: recent advances and challenges in nanotechnology for edible coatings, *Agricultural Products Processing and Storage*, 2025, **1**, 13.
122. Author: Ekaterina Karamfilova EPRS | European Parliamentary Research Service Ex-Post Impact Assessment Unit PE 581.411 – May 2016. [https://www.europarl.europa.eu/thinktank/en/document/EPRS\\_STU\(2016\)581411](https://www.europarl.europa.eu/thinktank/en/document/EPRS_STU(2016)581411)
123. Young, E., Mirosa, M., & Bremer, P. (2020). A systematic review of consumer perceptions of smart packaging technologies for food. *Frontiers in Sustainable Food Systems*, 4, 63.
124. Aday, M. S., & Yener, U. (2015). Assessing consumers' adoption of active and intelligent packaging. *British Food Journal*, 117(1), 157-177.
125. Otoni, C. G., Azeredo, H. M., Mattos, B. D., Beaumont, M., Correa, D. S., & Rojas, O. J. (2021). The food–materials nexus: next generation bioplastics and advanced materials from agri-food residues. *Advanced Materials*, 33(43), 2102520.



126. A. A. Anvar, H. Ahari and M. Atae, Antimicrobial properties of food nanopackaging: A new focus on foodborne pathogens, *Frontiers in microbiology*, 2021, **12**, 690706.

127. Y. Palanisamy, V. Kadirvel and N. D. Ganesan, Recent technological advances in food packaging: sensors, automation, and application, *Sustainable Food Technology*, 2025.

128. C. Rodrigues, V. G. L. Souza, I. Coelho and A. L. Fernando, Bio-based sensors for smart food packaging—current applications and future trends, *Sensors*, 2021, **21**, 2148.

129. A. Muthu, D. H. Nguyen, C. Neji, G. Törös, A. Ferroudj, R. Atieh, J. Prokisch, H. El-Ramady and Á. Béni, Nanomaterials for Smart and Sustainable Food Packaging: Nano-Sensing Mechanisms, and Regulatory Perspectives, *Foods*, 2025, **14**, 2657.

130. M. W. Alam, J. V. Kumar, M. Awad, P. Saravanan, N. S. Al-Sowayan, P. Rosaiah and M. S. Nivetha, Emerging trends in food process engineering: integrating sensing technologies for health, sustainability, and consumer preferences, *Journal of Food Process Engineering*, 2025, **48**, e70035.



## Data availability

All the data is presented within the manuscript itself.

