



Cite this: *Green Chem.*, 2025, 27, 2593

## Correction: Efficient separation of oil–phenol mixtures and removal of neutral oil entrainment via an *in situ* deep eutectic method


Wanxiang Zhang,<sup>a</sup> Yangchangqing Zhao,<sup>a</sup> Bingru Wang,<sup>a</sup> Zhigang Lei,<sup>a</sup> Shuhang Ren,<sup>a</sup> Yucui Hou<sup>b</sup> and Weize Wu<sup>\*a</sup>

DOI: 10.1039/d5gc90031j

rsc.li/greenchem

Correction for 'Efficient separation of oil–phenol mixtures and removal of neutral oil entrainment via an *in situ* deep eutectic method' by Wanxiang Zhang *et al.*, *Green Chem.*, 2025, 27, 1145–1156, <https://doi.org/10.1039/D4GC05756B>.

Fig. 10 was not displayed correctly in the original article. The correct version of Fig. 10 is shown here.



**Fig. 10** RDF between EmimCl and each molecule (A). RDF between ChCl:Gly and MCR (B). SDF of surrounding molecules centered on MCR. Red, black and yellow surfaces represent Emim<sup>+</sup>, Cl<sup>-</sup> and THN, respectively (C). Structural snapshot of simulated flash heating process at different temperatures (D). Number of molecules in cluster at 0.04 bar (E). MSD of the molecules at the interface (F).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>State Key Laboratory of Chemical Resource Engineering, College of Chemical Engineering, Beijing University of Chemical Technology, Beijing 100029, China.  
E-mail: wzwu@mail.buct.edu.cn

<sup>b</sup>College of Chemistry and Materials, Taiyuan Normal University, Shanxi 030619, China

