Check for updates

# Correction: Negatively charged gold nanoclusters protect against diabetic cardiomyopathy by inhibiting mitophagy

Xiaolei Shen,[a] Dan Li,[b] Pengfei Zhuang,[b] Yang Yu,[a] Zuqiang Shi,[a] Xifan Mei*[a] and Chang Liu*[a]

Correction for 'Negatively charged gold nanoclusters protect against diabetic cardiomyopathy by inhibiting mitophagy' by Xiaolei Shen *et al.*, *New J. Chem.*, 2022, **46**, 10878–10886, https://doi.org/10.1039/D2NJ01536F.

The authors regret that an incorrect image was included for PEG-M in panel D of Fig. 3. The correct version of Fig. 3 is presented below.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

[a] *The First Affiliated Hospital of Jinzhou Medical University, Jinzhou, China. E-mail: meixifan@jzmu.edu.cn, liuchang1971mei@jzmu.edu.cn*

[b] *Department of Basic Science, Jinzhou Medical University, Jinzhou, China*

**Fig. 3** MMP, ROS, and metabolic change caused by different AuNCs. (A) JC-1 assay was examined by an inverted fluorescence microscope (scale bar: 100 μm). Shown are the representative images from three independent H9C2 cell samples. (B and C) The fluorescence intensity was measured by ImageJ. Data were expressed as mean $\pm$ SD ($n$ = 3). (D) Representative microscopy images of H9C2 cells incubated with AuNCs and palmitate acid for 24 h. H9C2 cells were stained by mitotracker red and green DCFH-DA (scale bar: 100 μm). (E) A representative picture of CPT1B expression was shown by WB and (F) quantified by ImageJ as the rate of CPT1B/GAPDH. GAPDH as the inner reference. Data were expressed as mean $\pm$ SD ($n$ = 3). Significant differences (*$p < 0.05$, **$p < 0.01$, ***$p < 0.005$).