


 Cite this: *New J. Chem.*, 2025, 49, 2493

## Correction: Negatively charged gold nanoclusters protect against diabetic cardiomyopathy by inhibiting mitophagy

 Xiaolei Shen,<sup>a</sup> Dan Li,<sup>b</sup> Pengfei Zhuang,<sup>b</sup> Yang Yu,<sup>a</sup> Zuqiang Shi,<sup>a</sup> Xifan Mei<sup>\*a</sup> and Chang Liu<sup>\*a</sup>

DOI: 10.1039/d4nj90177k

 Correction for 'Negatively charged gold nanoclusters protect against diabetic cardiomyopathy by inhibiting mitophagy' by Xiaolei Shen *et al.*, *New J. Chem.*, 2022, **46**, 10878–10886, <https://doi.org/10.1039/D2NJ01536F>.

rsc.li/njc


The authors regret that an incorrect image was included for PEG-M in panel D of Fig. 3. The correct version of Fig. 3 is presented below.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> The First Affiliated Hospital of Jinzhou Medical University, Jinzhou, China. E-mail: meixifan@jzmu.edu.cn, liuchang1971mei@jzmu.edu.cn

<sup>b</sup> Department of Basic Science, Jinzhou Medical University, Jinzhou, China





**Fig. 3** MMP, ROS, and metabolic change caused by different AuNCs. (A) JC-1 assay was examined by an inverted fluorescence microscope (scale bar: 100  $\mu$ m). Shown are the representative images from three independent H9C2 cell samples. (B and C) The fluorescence intensity was measured by ImageJ. Data were expressed as mean  $\pm$  SD ( $n = 3$ ). (D) Representative microscopy images of H9C2 cells incubated with AuNCs and palmitate acid for 24 h. H9C2 cells were stained by mitotracker red and green DCFH-DA (scale bar: 100  $\mu$ m). (E) A representative picture of CPT1B expression was shown by WB and (F) quantified by ImageJ as the rate of CPT1B/GAPDH. GAPDH as the inner reference. Data were expressed as mean  $\pm$  SD ( $n = 3$ ). Significant differences (\* $p < 0.05$ , \*\* $p < 0.01$ , \*\*\* $p < 0.005$ ).

